



CITY OF GARDEN GROVE
FIRE DEPARTMENT

September 10, 2015

Heather Gemmrig
Enviro Assessment PC

Records Search for 10802 Katella Ave. Garden Grove, CA 92804

Dear Ms. Gemmrig:

Enclosed are the records found concerning the history of the above-mentioned site(s), especially as it pertains to fire code violation history, permits, the use, storage, or disposal of hazardous substances, and the installation or removal of underground flammable or combustible liquid storage tanks.

The City of Garden Grove Fire Department has utilized its best efforts to locate the records requested. However, the City makes no representation as to the accuracy of the records or that all records requested were retained or located. The City does not provide records on spills, leaks or clean-up, as that information is provided through the County of Orange Health Dept.

Sincerely,

A handwritten signature in black ink, appearing to read 'Nate Brady', written over a light blue horizontal line.

Nate Brady
Division Chief/Fire Marshal

A handwritten signature in black ink, appearing to read 'Thanh Nguyen', written over a light blue horizontal line.

By: Thanh Nguyen
Fire Captain



**GARDEN GROVE FIRE DEPARTMENT
ENVIRONMENTAL PROTECTION SECTION**

11301 Acacia Parkway
Garden Grove, CA 92840

Business: 714 741-5600 Haz Mat: 714 741-5636

**Hazardous Materials Business Emergency Plan And
Inventory Certification Statement**

Business Name: Anaheim West car wash **Telephone:** 714 530 7312
Site Address: 10807 Katella Ave **Zip Code:** 92804

The California Health & Safety Code, Division 20, Chapter 6.95, Section 25505(c) and Section 25503.3(c) provide the following:

A business that handles hazardous materials shall review AND certify their Hazardous Materials Business Emergency Plan (HMBEP) once every three years from the date of acceptance by the Garden Grove Fire Department. A business may comply with the annual chemical inventory reporting requirement by submitting a certification statement to the Garden Grove Fire Department. **A business may not utilize this certification to meet the annual inventory submission requirements of the Emergency Planning and Community Right to Know Act (Section 11022, Title 42, United States Code).**

Note: A business may comply with the annual inventory reporting requirements using this certification statement if both of the following apply:

1. The business has previously filed an inventory reporting form and;
2. The business attests to the following:
 - The information contained in the annual inventory form most recently submitted to the Garden Grove Fire Department is complete, accurate, and up to date.
 - There has been no change in the quantity of any hazardous material as reported in the most recently submitted annual inventory form.
 - No hazardous material subject to the inventory requirements is being handled that is not listed on the most recently submitted annual inventory form.

THIS IS TO CERTIFY THAT THE HMBEP AND/OR CHEMICAL INVENTORY HAS BEEN REVIEWED.
(Please check applicable boxes.)

- No changes are required to the HMBEP submitted to the Garden Grove Fire Department.
- All the necessary changes/revisions have been made to the HMBEP. The changes/revisions are attached to this certification.
- No changes are required to the chemical inventory that was previously on file with the Garden Grove Fire Department.
- All the necessary changes/revisions have been made to the chemical inventory. The changes/revisions are attached to this certification.

AS AN AUTHORIZED REPRESENTATIVE, I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED AND BELIEVE THE INFORMATION IS TRUE, ACCURATE, AND COMPLETE.

Print Name RANDY BOORZADEK

Signature [Signature]

Job Title OWNER

Date 3-4-08

Fire Department Inspector D. Garcia

ID # 3592



Hazardous Material Disclosure

Business Information / Chemical Inventory / Business Emergency Plan



GARDEN GROVE FIRE DEPARTMENT
11301 Acacia parkway
Garden Grove, CA 92840
Bus. (714) 741-5600 Fax (714) 741-5640
Hazardous Materials Coordinator
(714) 741-5636

Address: 10802 Katella Ave
Occupant or DBA: Anaheim West car wash
Owner/Manager: _____

Date: 11/21/07
File No: _____
Phone: 714 530 7312

California Health and Safety Code, Section 6.95, you are required to properly complete the Business Emergency Plan (BMP) packet. You are required to return the BEP packet, Hazardous Materials Disclosure Forms, and all material safety data sheets within fifteen (15) days to the Garden Grove Fire Department. HazMat Coord. (714) 741-5636

An inspection at the above location/occupancy revealed the following violation(s):

Violation(s): CA Health and Safety Code Chapter 6.95, Article 1 and Title 19, §2729 et seq., California Code of Regulations (CCR)

- Complete Hazardous Materials Disclosure packet, HSC Chapter 6.95, Title 19 Div 2 Chapter 3, CFC 8001.3.2
- Failure to submit a Business Emergency Plan. [HSC 25505(a)(1)]; CFC 8001.3.2
- Failure to review and/or revise the Business Emergency Plan as required [HSC 25505(b)&(c)]
- Chemical inventory is incomplete and/or requires update. [HSC 25509]
- The Emergency Response Plan is inadequate and/or does not address the following issues and shall be immediately revised and resubmitted: [HSC 25504(b)&(c)]
 - Notification Procedures
 - Mitigation Procedures
 - Evacuation Procedures
 - Employee Training
- Business Owner/Operator page is incomplete or needs to be updated. [HSC 25509]
- Failure to provide name, title, and 24-hour number of emergency contact(s). [HSC 25509(a)(7)]
- Site Map is incomplete or insufficient. [HSC 25509]
- Failure to report a release or threatened release. [HSC 25507]
- Failure to report a change in business or chemical inventory within 30 days of the following event(s): [HSC 25510]
 - 100% or more increase in the quantity of a disclosed material
 - Addition of a previously undisclosed material
 - Change in business address
 - Change in business ownership
 - Change of business name
 - Other (See comments below):

Violation(s): California Fire Code 2001, Articles 79 & 80, Title 19 Part 9, California Code of Regulations (CCR)

- Provide for secondary containment for hazardous materials liquids and solids (CFC 8003.1.3.3)
- Provide spill control for hazardous materials liquids (CFC 8003.1.3.2)
- Provide approved cabinet if more than 10 gallons of flammable liquids (CFC 7902.5)
- Provide placarding and signs (NFPA 704, CFC Article 79 §7901.9, Article 80 §8001.7-8)
- No Violations Found

Additional Violations and/or Notes: 12/6/07 - has not started packet yet ... will do a final inspection on 12/20/07
1-23-07 - needs to complete chem inventories
* closed No contact 2/10/08
* final warning back 3/14/08

Responsible Party: _____ Re-inspection Date: 12/5/07

The above are violations of California law and require immediate correction. Failure to correct violations is subject to civil penalties.

Fire Dept. Inspector: D. Garcia, ID #: 3592

Condition Upon Re-inspection: _____ Date: _____



CITY OF GARDEN GROVE FIRE DEPARTMENT

11301 Acacia Parkway, Garden Grove, CA 92842 (714) 741-5600 (714) 741-5636

FORM 1

Hazardous Materials Business Information Form

Page ___ of ___ 3

BUSINESS INFORMATION

FACILITY # (Supplied by GCFD)	3 0 0 3 5	BEGINNING DATE	06-26-08	1	ENDING DATE	06-26-09	2			
BUSINESS NAME	ANAHEIM MUST PAKWASHA			4	BUSINESS PHONE	(714)-530-7312		5		
BUSINESS SITE ADDRESS	10802 KATELLA AVE. ANAHEIM , CA 92804							6		
CITY	GARDEN GROVE			7	STATE	CA	8	ZIP	92804	9
DUN & BRADSTREET	10	SIC CODE (4 DIGIT #)	11	FIRE DISTRICT	O.G.				12	
COUNTY	ORANGE							13		
BUSINESS OPERATOR NAME	RAMIN NOORZADEH			14					15	

BUSINESS OWNER

OWNER NAME	RAMIN. NOORZADEH							18		
OWNER MAILING ADDRESS	10802 KATELLA AVE							18		
CITY	ANAHEIM,			19	STATE	CA	20	ZIP	92804	21

ENVIRONMENTAL CONTACT

CONTACT NAME	RAMIN. NOORZADEH							22		
CONTACT MAILING ADDRESS	10802 KATELLA AVE							24		
CITY	ANAHEIM			25	STATE	CA	26	ZIP	92804	27

PRIMARY

EMERGENCY CONTACTS

SECONDARY

NAME	RAMIN. NOORZADEH	28	NAME		33
TITLE	PRESIDENT	29	TITLE		34
BUSINESS PHONE	(714) 530-7312	30	BUSINESS PHONE		35
24-HR. PHONE		31	24-HR. PHONE		36
PAGER #	N/A	32	PAGER #		37

ADDITIONAL LOCALLY COLLECTED INFORMATION

DESCRIBE THE TYPE OF BUSINESS OPERATION:	CPWASH & X-LUB	38	TOTAL # OF EMPLOYEES	12	39
BILLING ADDRESS (IF DIFFERENT FROM ABOVE)		40	ATTENTION		41
PROPERTY OWNER NAME	RAMIN. NOORZADEH	42	ADDRESS		43
			PHONE		44
Certification: Based on my inquiry of those individuals responsible for obtaining the information, I certify under penalty of law that I have personally examined and am familiar with the information submitted and believe the information is true, accurate, and complete.					
SIGNATURE OF OWNER/OPERATOR OR DESIGNATED REPRESENTATIVE		45	DATE		46
NAME OF SIGNER (print)	RAMIN. NOORZADEH	47	NAME OF DOCUMENT PREPARER (print)	RAMIN. NOORZADEH	49
TITLE OF SIGNER	PRESIDENT	48	TITLE OF DOCUMENT PREPARER	PRESIDENT	50



CITY OF GARDEN GROVE
11301 ACACIA PARKWAY
GARDEN GROVE, CALIFORNIA 92842
(714) 741-5636

CUPA

FACILITY INFORMATION

BUSINESS ACTIVITIES

Page 1 of ____

I. FACILITY IDENTIFICATION

FACILITY ID# 3 0 0 3 5 1. EPA ID # (Hazardous Waste Only) 2.
CAL 000 331648

BUSINESS NAME (Same as FACILITY NAME or DBA-Doing Business As) 3.
ANAHEIM WEST CAR WASH

II. ACTIVITIES DECLARATION

NOTE: If you check YES to any part of this list, please submit the Business Owner/Operator Identification page.

Does your facility...

If Yes, please complete these pages of the UPCF...

A. HAZARDOUS MATERIALS

Have on site (for any purpose) hazardous materials at or above 55 gallons for liquids, 500 pounds for solids, or 200 cubic feet for compressed gases (include liquids in ASTs and USTs); or the applicable Federal threshold quantity for an extremely hazardous substance specified in 40 CFR Part 355, Appendix A or B; or handle radiological materials in quantities for which an emergency plan is required pursuant to 10 CFR Parts 30, 40 or 70?

YES NO 4.

✓ HAZARDOUS MATERIALS INVENTORY - CHEMICAL DESCRIPTION (Form 3)

B. UNDERGROUND STORAGE TANKS (USTs)

- Own or operate underground storage tanks?
- Intent to upgrade existing or install new USTs?
- Need to report closing a UST?

YES NO 5.

✓ UST FACILITY (Formerly SWRCB Form A)

YES NO 6.

✓ UST TANK (one page per tank) (Formerly Form B)

YES NO 7.

✓ UST FACILITY
✓ UST TANK (one per tank)
✓ UST INSTALLATION - CERTIFICATE OF COMPLIANCE (one page per tank) (Formerly Form C)
✓ UST TANK (closure portion-one page per tank)

C. ABOVE GROUND PETROLEUM STORAGE TANKS (ASTs)

Own or operate ASTs above these thresholds:
- any tank capacity is greater than 660 gallons, or
- the total aggregate capacity for the entire facility (ASTs, drums and portable containers) greater than 1,320 gallons?

YES NO 8.

✓ NO FORM REQUIRED TO CUPAS

D. HAZARDOUS WASTE

- Generate hazardous waste?
- Recycle more than 100 kg/month of excluded or exempted recyclable materials (per HSC §25143.2)?
- Treat hazardous waste on site?
- Treatment subject to financial assurance requirements (for Permit by Rule and Condition Authorization)?
- Consolidate hazardous waste generated at a remove site?
- Need to report the closure/removal of a tank that was classified waste and cleaned onsite?

YES NO 9.

✓ EPA ID NUMBER - provide at the top of this page

YES NO 10.

✓ RECYCLABLE MATERIALS REPORT (one per recycler)

YES NO 11.

✓ ONSITE HAZARDOUS WASTE TREATMENT - FACILITY (Formerly DTSC Forms 1772)

YES NO 12.

✓ ONSITE HAZARDOUS WASTE TREATMENT - UNIT (one page per unit) (Formerly DTSC Forms 1772A,B,C,D and L)

YES NO 13.

✓ CERTIFICATION OF FINANCIAL ASSURANCE (Formerly DTSC Form 1232)

YES NO 14.

✓ REMOTE WASTE/CONSOLIDATION SITE ANNUAL NOTIFICATION (Formerly DTSC Form 1196)

E. LOCAL REQUIREMENTS

Cal-ARP: California Accidental Release Prevention Program
H&SC Chapter 6.95, Article 2, §25531 et seq
--- Stationary Source with more than a Threshold Quantity of a Regulated Substance in a Process

YES NO 15.

✓ REGULATED SUBSTANCE REPORTING FORM (Orange County CUPA)



HAZARDOUS MATERIALS INVENTORY FORM

FORM 3

ADD DELETE REVISED 1 Page 1 of 1 2

FACILITY ID#	3 0 0 3 5	38	BUSINESS NAME	3
--------------	-----------	----	---------------	---

I. FACILITY INFORMATION

CHEMICAL LOCATION				4
STORAGE ROOM				
CONFIDENTIAL LOCATION EPCRA	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	5	MAP #	6
			GRID #	7

II. CHEMICAL INFORMATION

CHEMICAL NAME		WASTE	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	8	TRADE SECRET	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	11
WHAC L ACID					* If EPCRA see instructions		
COMMON NAME				9	An EHS Chemical	<input type="checkbox"/> Yes <input type="checkbox"/> No	12
WHAC L ACID					* If EHS is "Yes", all amounts must be LBS		
CAS #	7064-39-3	10	FIRE CODE HAZARD CLASSES (supplied by GGFD)		13		

TYPE (Check one item only)	<input checked="" type="checkbox"/> a. PURE	<input type="checkbox"/> b. MIXTURE	<input type="checkbox"/> c. WASTE	14	RADIOACTIVE	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	15	CURIES	16
PHYSICAL STATE (Check one item only)	<input type="checkbox"/> a. SOLID	<input checked="" type="checkbox"/> b. LIQUID	<input type="checkbox"/> c. GAS	17	FED. HAZARD CATEGORIES	<input type="checkbox"/> a. FIRE	<input checked="" type="checkbox"/> b. REACTIVE	<input type="checkbox"/> c. PRESSURE RELEASE	18
					<input type="checkbox"/> d. ACUTE HEALTH		<input checked="" type="checkbox"/> e. CHRONIC HEALTH		

AVERAGE DAILY AMOUNT	-1 g	19	MAXIMUM DAILY AMOUNT	-25 g	20	ANNUAL WASTE AMOUNT	N/A	21	STATE WASTE CODE	N/A	22
----------------------	------	----	----------------------	-------	----	---------------------	-----	----	------------------	-----	----

UNITS	<input checked="" type="checkbox"/> a. GALLONS	<input type="checkbox"/> b. CUBIC FEET	23	DAYS ON SITE	24	LARGEST CONTAINER	5 g	25
		<input type="checkbox"/> c. POUNDS	<input type="checkbox"/> d. TONS			* If EHS, amount must be in pounds.		

STORAGE CONTAINER (Check all that apply)	<input type="checkbox"/> a. ABOVEGROUND TANK	<input type="checkbox"/> e. PLASTIC DRUM	<input type="checkbox"/> i. VAT	<input type="checkbox"/> m. CYLINDER	<input type="checkbox"/> q. TANK WAGON	26
	<input type="checkbox"/> b. UNDERGROUND TANK	<input type="checkbox"/> f. NONMETALLIC DRUM	<input type="checkbox"/> l. FIBER DRUM	<input type="checkbox"/> n. GLASS CONTAINER	<input type="checkbox"/> r. RAIL CAR	
	<input type="checkbox"/> c. TANK INSIDE BLDG	<input type="checkbox"/> g. METAL CONTAINER	<input type="checkbox"/> j. BAG(S)	<input checked="" type="checkbox"/> o. PLASTIC CONTAINER	<input type="checkbox"/> s. TOTE BIN	
	<input type="checkbox"/> d. STEEL DRUM	<input type="checkbox"/> h. CARBOY	<input type="checkbox"/> k. BOX(S)	<input type="checkbox"/> p. IN MACH OR EQUIP	<input type="checkbox"/> t. OTHER	

STORAGE PRESSURE	<input checked="" type="checkbox"/> a. AMBIENT	<input type="checkbox"/> b. ABOVE AMBIENT	<input type="checkbox"/> c. BELOW AMBIENT	27
------------------	--	---	---	----

STORAGE TEMPERATURE	<input checked="" type="checkbox"/> a. AMBIENT	<input type="checkbox"/> b. ABOVE AMBIENT	<input type="checkbox"/> c. BELOW AMBIENT	<input type="checkbox"/> d. CRYOGENIC	28
---------------------	--	---	---	---------------------------------------	----

%WT	HAZARDOUS COMPONENT (For mixture or waste only)	EHS	CAS #
1	29	<input type="checkbox"/> Yes <input type="checkbox"/> No	30
2	29	<input type="checkbox"/> Yes <input type="checkbox"/> No	30
3	29	<input type="checkbox"/> Yes <input type="checkbox"/> No	30
4	29	<input type="checkbox"/> Yes <input type="checkbox"/> No	30
5	29	<input type="checkbox"/> Yes <input type="checkbox"/> No	30

If more hazardous components are present at greater than 1% by weight if non-carcinogenic, or 0.1% by weight if carcinogenic, attach additional sheets of paper capturing the required information.


PLACARDING INFORMATION

UNDOT # VN 2922 33
Refer to shipping papers or MSDS

DOT HAZARD CLASS _____ 34
Refer to shipping papers or MSDS

EPCRA YES NO 35

X _____ 36
If EPCRA, Please Sign Here



MAKE AS MANY COPIES OF CHEMICAL INVENTORY FORM AS NEEDED

MATERIAL SAFETY DATA SHEET

SECTION I - PRODUCT IDENTIFICATION

OCCS

13744 EXCELSIOR DR
SANTA FE SPRINGS, CA 90670
562-802-3363

CHEMTREC EMERGENCY TEL:
1-800-424-9300

PRODUCT NAME: 8020 - OCCS WHEEL ACID = 5 qts. only
DATE PREPARED: 7/25/2007
HAZARD RATING: HEALTH-4; FIRE-0; REACTIVITY-2; SPECIAL-TOXIC
(HAZARD RATING SCALE: 4-SEVERE; 3-SERIOUS; 2-MODERATE; 1-SLIGHT; 0-MINIMAL)

SECTION II - HAZARDOUS INGREDIENT/IDENTITY INFORMATION

NAME	CAS NO.	ACGIH / TLV	OSHA / PEL
HYDROFLUORIC ACID	7664-39-3	3 ppm (skin)	3 ppm (skin)
SULFURIC ACID	7664-93-9	1 mg/m ³	1 mg/m ³
PHOSPHORIC ACID	7664-38-2	1 mg/m ³	1 mg/m ³

WHERE AVAILABLE, PEL VALUES LISTED ARE TWA FINAL RULE LIMITS 1989.
IF NO FINAL RULE EXISTS, THE TRANSITIONAL RULE LIMIT IS LISTED.

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

BOILING POINT:	200 degrees F
VAPOR PRESSURE:	3.3 mm Hg at 68 degrees F
VAPOR DENSITY (Air=1):	0.62
SPECIFIC GRAVITY (H ₂ O=1):	1.152
MELTING POINT:	29 F
EVAPORATION RATE:	>1
SOLUBILITY IN WATER:	Complete
APPEARANCE:	Clear colorless liquid
ODOR:	Acidic
PH:	1

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT:	Non Flammable
EXTINGUISHING MEDIA:	Dry chemical co2 water spray
FIRE FIGHTING PROCEDURES:	Fire fighters should wear self-contained breathing apparatus and protective clothing when fighting chemical fires. Floors wetted with this material are slippery.

SECTION V - REACTIVITY DATA

STABILITY:	Stable
CONDITIONS TO AVOID:	None known
INCOMPATIBILITY:	Strong oxidizing and reducing agents
HAZARDOUS DECOMPOSITION:	Hydrogen fluoride gas and fluorine gas upon oxidation.

HAZARDOUS POLYMERIZATION: Will not occur

SECTION VI - HEALTH HAZARD DATA

- EYE CONTACT:** Vapors, mists, and liquid at full strength are extremely corrosive to eyes. Brief contact of the vapors will be severely irritating. Brief contact of the mist or liquid will severely damage the eye.
- SKIN CONTACT:** Vapors, mists, and liquid at full strength are extremely corrosive to eyes. Brief contact of the vapors will severely burn the skin. Prolong contact over a large area of the body may be fatal.
- SKIN ABSORPTION:** Both liquid and vapor can cause severe burns, which may not immediately be painful or visible. Hf will penetrate skin and attack underlying tissue and bone. Large burns may cause hypocalcaemia and other systemic effects, which may be fatal.
- INHALATION:** Mild exposure: can irritate nose, throat and respiratory system. Onset of symptoms may be delayed for several hours. Severe exposure: can cause nose and throat burns, lung inflammation and pulmonary edema. Also results in other systemic effects including depletion of calcium levels in the body which if not promptly treated can result in death due to hypocalcaemia.
- SWALLOWING:** Vapors, mists, and liquid at full strength are extremely corrosive to the mouth and throat. Swallowing the liquid burns the tissue, causes severe abdominal pain, nausea, vomiting, and collapse. Swallowing large quantities may be fatal. Even with small amounts or dilute solutions profound and possibly fatal hypocalcaemia and systemic toxicity is likely to occur unless medical treatment is promptly initiated.
- SYMPTOMS OF EXPOSURE:** Tissue destruction or severe irritation at areas of contact.
- TARGET ORGAN EFFECTS:** No cases reported.
- MEDICAL CONDITIONS AGGRAVATED:** Pre-existing eye or skin conditions will be aggravated by contact.
- EMERGENCY AND FIRST AID PROCEDURES:** For eye contact, immediately flush with running water for at least 15 minutes. Get immediate medical attention. For skin contact, flush thoroughly with running water. If irritation is severe or persists, consult a physician. If swallowed, do NOT induce vomiting. Give several glasses of water or milk. Get immediate medical attention. Never give anything by mouth to an unconscious person.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

- STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:** At all times wear rubber gloves and goggles. Wipe or mop up small spills. Dike and absorb large spills with absorbent. Place all material into DOT-approved containers. Then neutralize residue with DILUTED SODA ASH OR LIME TO PH 6-9. IF SODA ASH IS USED, IT WILL DISSIPATE THE CARBON DIOXIDE GAS. Do not permit material to enter storm drains, surface water, or contaminate land. Provide adequate ventilation.
- WASTE DISPOSAL METHOD:** Dispose of in accordance with all Local, State, and Federal regulations.
- PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:** Keep containers closed when not being used. Do not store near food.
- OTHER PRECAUTIONS:** This product may contain a trace amount of one or more of the chemicals on the California list of known carcinogens or substances known to cause birth defects or other reproductive harm. These are not added to the product but occur naturally in the raw materials or processing equipment.

SECTION VIII - CONTROL MEASURES

- RESPIRATORY PROTECTION:** Niosh-approved canister-type respirator.
- VENTILATION:** Mechanical or explosion proof
- PROTECTIVE GLOVES:** ACID RESISANT gloves, APRON OR FULL BODY SUIT
- EYE PROTECTION:** Chemical goggles or FACE SHIELD
- OTHER PROTECTION:** Not normally required
- WORK / HYGIENIC PRACTICES:** Wash and dry hands thoroughly. Remove contaminated clothing promptly and launder before reuse.

SECTION IX - DOT

DOT SHIPPING NAME: UN 2922 - CORROSIVE LIQUID, TOXIC, NOS
(SULFURIC ACID & HYDROFLUORIC ACID), 8, (6.1), PG - II ERG - 154

SECTION X - DISCLAIMER

The information presented herein has been compiled from sources considered to be dependable and is accurate to the best of Orange County Chemical Supply's (O.C.C.S.) knowledge; however, O.C.C.S. makes no warranty whatsoever expressed or implied of merchantability of fitness for the particular purpose regarding the accuracy of such data or the results to be obtained from the use thereof. O.C.C.S. assumes no responsibility for injury to recipient or third persons or for any damage to any property and recipient assumes all such risks.



HAZARDOUS MATERIALS INVENTORY FORM

FORM 3

ADD DELETE REVISED 1 Page 1 of 1 2

FACILITY ID# 30035 38 BUSINESS NAME ANAHEIM WEST CARWASH 3

I. FACILITY INFORMATION

CHEMICAL LOCATION STORAGE ROOM 4
 CONFIDENTIAL LOCATION Yes No 5 MAP # N/A 6 GRID # N/A 7
 EPCRA

II. CHEMICAL INFORMATION

CHEMICAL NAME POLISH WAX WASTE Yes 8 TRADE SECRET Yes No 11
* If EPCRA see instructions

COMMON NAME POLISH WAX 9 An EHS Chemical Yes No 12
*If EHS is "Yes", all amounts must be LBS

CAS # 25155-30-0 10 FIRE CODE HAZARD CLASSES (supplied by GGFD) 13

TYPE (Check one item only) a. PURE b. MIXTURE c. WASTE 14 RADIOACTIVE Yes No 15 CURIES STABLE 16

PHYSICAL STATE (Check one item only) a. SOLID b. LIQUID c. GAS 17 FED HAZARD CATEGORIES a. FIRE b. REACTIVE c. PRESSURE RELEASE 18
 d. ACUTE HEALTH e. CHRONIC HEALTH

AVERAGE DAILY AMOUNT 1G 19 MAXIMUM DAILY AMOUNT 1G 20 ANNUAL WASTE AMOUNT N/A 21 STATE WASTE CODE NP 22

UNITS a. GALLONS b. CUBIC FEET 23 DAYS ON SITE 24 LARGEST CONTAINER 1G 25
 c. POUNDS d. TONS
*If EHS, amount must be in pounds.

STORAGE CONTAINER (Check all that apply) a. ABOVEGROUND TANK e. PLASTIC DRUM i. VAT m. CYLINDER q. TANK WAGON 26
 b. UNDERGROUND TANK f. NONMETALLIC DRUM j. FIBER DRUM n. GLASS CONTAINER r. RAIL CAR
 c. TANK INSIDE BLDG g. METAL CONTAINER k. BAG(S) o. PLASTIC CONTAINER s. TOTE BIN
 d. STEEL DRUM h. CARBOY l. BOX(S) p. IN MACH OR EQUIP t. OTHER

STORAGE PRESSURE a. AMBIENT b. ABOVE AMBIENT c. BELOW AMBIENT 27


STORAGE TEMPERATURE a. AMBIENT b. ABOVE AMBIENT c. BELOW AMBIENT d. CRYOGENIC 28

%WT	HAZARDOUS COMPONENT (For mixture or waste only)	EHS	CAS #	
1	29	30	<input type="checkbox"/> Yes <input type="checkbox"/> No 31	32
2	29	30	<input type="checkbox"/> Yes <input type="checkbox"/> No 31	32
3	29	30	<input type="checkbox"/> Yes <input type="checkbox"/> No 31	32
4	29	30	<input type="checkbox"/> Yes <input type="checkbox"/> No 31	32
5	29	30	<input type="checkbox"/> Yes <input type="checkbox"/> No 31	32

If more hazardous components are present at greater than 1% by weight if non-carcinogenic, or 0.1% by weight if carcinogenic, attach additional sheets of paper capturing the required information.

PLACARDING INFORMATION

UNDOT # NOT REGULATED 33
 Refer to shipping papers or MSDS
 DOT HAZARD CLASS N/A 34
 Refer to shipping papers or MSDS
 EPCRA YES NO 35
 X 36
 If EPCRA, Please Sign Here



MAKE AS MANY COPIES OF CHEMICAL INVENTORY FORM AS NEEDED

MATERIAL SAFETY DATA SHEET

Section 1 - Material Identity	
Product Name: Polish Wax (all colors)	Product Use: Cleaning Compound
Manufacturer's Supplier's Name & Address	Telephone Number -
Warner Chemical Mfg. 14803 S. Spring St. Gardena, Ca. 90248	Days: Nights: CHEMTREC: 800/424-9300
DOT Proper Shipping Name: Not Regulated	EPA Hazardous Waste Class: N/A
DOT Shipping ID Number: Not Regulated	

Section 2 - Physical & Chemical Characteristics			
Vapor Density (air=1):	Negligible	Solubility in Water by Weight:	Boiling Point: > 212-F
Appearance and Odor:	A viscous red, green, blue, gold colored suspension with a light chemical odor.	Specific Gravity: Heavier than water	pH: 7.5
Vapor Pressure at 20°C:	Negligible	Percent Volatile by Volume:	Evap. Rate: Negligible

Section 3 - Ingredients & Specifications				
Materials	%	TVL Units	Hazard	CAS Number
Sodium Dodecylbenzene Sulfonate				25155-30-0

4 - Fire & Explosion Hazard Data	
Flash Point & Method:	Noncombustible
Flammable Limits in Air % by volume:	Lower: Noncombustible Upper: Noncombustible
Extinguishing Media:	Use appropriate extinguishing media for surrounding fire.
Special Fire Fighting Procedures:	Fire fighters should wear protective equipment for surrounding fire. Water spray may be used to cool fire-exposed containers, to disperse vapors, protect personnel, and to dilute and flush spills away from fire.
Unusual Hazards:	This material is not combustible and does not support combustion.

Section 5 - Health Hazard Data	
Route of Entry	a) Skin: Ingestion
Effects of Acute Exposure: This undiluted material is severely irritating to the eyes and mucous membranes and a skin irritant. It may cause alkaline eye burns.	a) Skin Contact: This material is a skin irritant. Prolonged or repeated contact may cause redness, burning, swelling and dermatitis.
	b) Eye Contact: Direct contact or exposure to mists may cause burning, tearing, redness, swelling, corneal burns and eye damage.
	c) Ingestion: Accidentally swallowing this material may cause severe irritation of the mouth, throat, esophagus and stomach.
	d) Skin Absorption: N/A
	e) Inhalation: Exposure to the undiluted material is unlikely. Exposure to mists from the diluted material may cause irritation of the nose and throat.
Chronic Effects of Overexposure:	None known.
Other Health Hazards:	N/A

<p>Emergency and First Aid Procedures: If victim is not breathing or if breathing difficulties develop artificial respiration or oxygen should be administered by qualified personnel.</p>	a) Skin:	Remove contaminated clothing and flush contact area with water. If redness or irritation develops and persists, seek medical assistance.
	b) Eyes:	Immediately flush affected eye(s) with water for at least 15 minutes, washing under the eyelids. Seek medical assistance.
	c) Swallowing:	If victim is conscious and alert, give milk or water to drink. See medical assistance.
	d) Inhalation:	Move away from source of exposure to mists. If irritation develops and persists, seek medical assistance.
	e) Comments/Physician Information:	This alkaline material is severely irritating to the eyes and mucous membranes, but has no known systemic toxicity.

Carcinogen Evaluation

Raw material components contained in this product are not known or suspected to be carcinogens. Proposition 65: Ethyl acrylate is known in the State of California to cause cancer. This product contains negligible tract amount of ethyl acrylate.

Section 6 - Reactivity Data

Stability -	Stable under normal conditions of storage and handling.
Conditions to Avoid for Stability	May react with strong oxidizing agents.
Incompatibility (Materials to Avoid) -	Strong oxidizing agents
Hazardous Polymerization -	Will not occur
Hazardous Decomposition/Byproducts	None known

Section 7 - Spill or Leak Procedures

Release/Spill Procedures	Steps to be Taken:	Provide adequate ventilation. Wear recommended protective clothing and equipment. Dike large spills and use water to flush to a holding area for later disposal. Pick up small spills or residue for disposal.
	Waste Disposal Method:	Dispose of in accordance with federal, state and local regulations. This material is not classified by EPA as a hazardous waste.

Section 8 - Special Protection Information

Protective Equipment	Eyes:	Chemical goggles are recommended to prevent eye contact.
	Respirator:	None normally required.
	Gloves:	Protective gloves are recommended when prolonged skin contact with the undiluted material may occur.
	Other:	An eye wash and a source of running water should be available to wash or flush the eyes and skin.
Ventilation	General Mechanical:	General mechanical or dilution ventilation in situations when misting may occur.
	Other:	

Section 9 - Special Precautions

Handling & Storage	General:	Store in closed containers in a cool, dry, well-ventilated area. Protect containers from physical damage. Use in well ventilated area.
	Other:	Wear recommended protective equipment and clothing. Avoid eye contact, prolonged skin contact and breathing mists. Wash thoroughly after handling.
Hazards During Non-Routine Operations	None.	
Special Precautions and Comments	Avoid conditions where misting or splashing may occur. Empty containers retain material residue. Keep containers closed and do not use to mix or store any other materials.	
Medical Conditions Aggravated by Exposure	Pre-existing skin disease. Chronic pulmonary disease.	

Section 10- Other Information

The information contained herein is based on data considered accurate. However, the information is provided without any warranty, expressed or implied, regarding its correctness. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility for personal injury or property damage to vendees, users or third parties caused by the material. We also do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.

Prepared By:

New/Revision Date: 03/01/97



HAZARDOUS MATERIALS INVENTORY FORM

FORM 3

ADD DELETE REVISED 1 Page 1 of 1 2

FACILITY ID#	3 0 0 3 5	38	BUSINESS NAME	ANAPHIM WEST CAR WASH	3
--------------	-----------	----	---------------	-----------------------	---

I. FACILITY INFORMATION

CHEMICAL LOCATION	STORAGE ROOM					4		
CONFIDENTIAL LOCATION EPCRA	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	5	MAP #	N/A	6	GRID #	N/A	7

II. CHEMICAL INFORMATION

CHEMICAL NAME	TIRE DRESSING	WASTE	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	8	TRADE SECRET	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	11
COMMON NAME	TIRE DRESSING	9	An EHS Chemical	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	12	*If EPCRA see instructions	
CAS #	56-81-5	10	FIRE CODE HAZARD CLASSES (supplied by GGFD)	13			

TYPE (Check one item only)	<input type="checkbox"/> a. PURE <input checked="" type="checkbox"/> b. MIXTURE <input type="checkbox"/> c. WASTE	14	RADIOACTIVE	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	15	CURIES	STABLE	16
----------------------------	---	----	-------------	---	----	--------	--------	----

PHYSICAL STATE (Check one item only)	<input type="checkbox"/> a. SOLID <input checked="" type="checkbox"/> b. LIQUID <input type="checkbox"/> c. GAS	17	FED HAZARD CATEGORIES	<input checked="" type="checkbox"/> a. FIRE <input type="checkbox"/> b. REACTIVE <input type="checkbox"/> c. PRESSURE RELEASE <input type="checkbox"/> d. ACUTE HEALTH <input type="checkbox"/> e. CHRONIC HEALTH	18
--------------------------------------	---	----	-----------------------	---	----

AVERAGE DAILY AMOUNT	1G	19	MAXIMUM DAILY AMOUNT	2G	20	ANNUAL WASTE AMOUNT	N/A	21	STATE WASTE CODE	N/A	22
----------------------	----	----	----------------------	----	----	---------------------	-----	----	------------------	-----	----

UNITS	<input checked="" type="checkbox"/> a. GALLONS <input type="checkbox"/> b. CUBIC FEET <input type="checkbox"/> c. POUNDS <input type="checkbox"/> d. TONS	23	DAYS ON SITE	24	LARGEST CONTAINER	1G	25
-------	---	----	--------------	----	-------------------	----	----

STORAGE CONTAINER (Check all that apply)	<input type="checkbox"/> a. ABOVEGROUND TANK <input type="checkbox"/> b. UNDERGROUND TANK <input type="checkbox"/> c. TANK INSIDE BLDG <input type="checkbox"/> d. STEEL DRUM <input type="checkbox"/> e. PLASTIC DRUM <input type="checkbox"/> f. NONMETALLIC DRUM <input type="checkbox"/> g. METAL CONTAINER <input type="checkbox"/> h. CARBOY <input type="checkbox"/> i. VAT <input type="checkbox"/> j. FIBER DRUM <input type="checkbox"/> k. BAG(S) <input type="checkbox"/> l. BOX(S) <input checked="" type="checkbox"/> m. CYLINDER <input type="checkbox"/> n. GLASS CONTAINER <input checked="" type="checkbox"/> o. PLASTIC CONTAINER <input type="checkbox"/> p. IN MACH OR EQUIP <input type="checkbox"/> q. TANK WAGON <input type="checkbox"/> r. RAIL CAR <input type="checkbox"/> s. TOTE BIN <input type="checkbox"/> t. OTHER	26
--	--	----

STORAGE PRESSURE	<input checked="" type="checkbox"/> a. AMBIENT <input type="checkbox"/> b. ABOVE AMBIENT <input type="checkbox"/> c. BELOW AMBIENT	27
------------------	--	----

STORAGE TEMPERATURE	<input checked="" type="checkbox"/> a. AMBIENT <input type="checkbox"/> b. ABOVE AMBIENT <input type="checkbox"/> c. BELOW AMBIENT <input type="checkbox"/> d. CRYOGENIC	28
---------------------	--	----

%WT	HAZARDOUS COMPONENT (For mixture or waste only)	EHS	CAS #
1	29	<input type="checkbox"/> Yes <input type="checkbox"/> No	30
2	29	<input type="checkbox"/> Yes <input type="checkbox"/> No	30
3	29	<input type="checkbox"/> Yes <input type="checkbox"/> No	30
4	29	<input type="checkbox"/> Yes <input type="checkbox"/> No	30
5	29	<input type="checkbox"/> Yes <input type="checkbox"/> No	30

If more hazardous components are present at greater than 1% by weight if non-carcinogenic, or 0.1% by weight if carcinogenic, attach additional sheets of paper capturing the required information.


PLACARDING INFORMATION

UNDOT # N/A 33
Refer to shipping papers or MSDS

DOT HAZARD CLASS N/A 34
Refer to shipping papers or MSDS

EPCRA YES NO 35

X _____ 36
If EPCRA, Please Sign Here



MAKE AS MANY COPIES OF CHEMICAL INVENTORY FORM AS NEEDED

MATERIAL SAFETY DATA SHEET

Effective Date: MM/DD/YY
January 30, 2006

Revision Date:

Page 1 of 4

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: #695 Dress it - TIRE DRESSING
 Chemical or Common Name: Surface protectant
 Company Name: Car Aroma Supply
 Street Address: 412 W. Anaheim Street
 City: Wilmington State: Ca Zip: 90744

2. COMPOSITION/INFORMATION ON INGREDIENTS

Component:	CAS#:	Exposure Limits:	Wt. %:
Polydimethylsiloxane Emulsion	Mixture	NE	<20
Glycerine	56-81-5	JMG/M3 (OSHA PEL)	<5
Water	7732-18-5	NE	<60

3. HAZARDS INFORMATION:

EMERGENCY OVERVIEW:

Potential Health Effects:

EYE: May cause irritation, stinging, redness, tearing

SKIN: Unlikely to cause irritation or injury

INGESTION: Not normal mode of entry

INHALATION:

CHRONIC INFORMATION:

Hazard Type: 1

4. FIRST AID MEASURES:

Eye Contact: Flush with water for 15 minutes

Skin Contact: Flush with water for 15 minutes

Ingestion: Do not induce vomiting. Consult a physician.

Inhalation: Remove to fresh air.

Effective Date: MM/DD/YY
February 6, 2006

Revision Date:

Page 2 of 4

Product Name: #695 Dress It

5. FIRE FIGHTING MEASURES:

FLAMMABLE PROPERTIES: Not Flammable

COMBUSTION PRODUCTS: Aldehydes, CO₂, Carbon Monoxide, nitrogen, oxides.

FIRE FIGHTING INSTRUCTIONS: Remove personnel form area

Extinguishing Media: Water, Water fog, carbon dioxide, dry chemical

Fire Fighting Procedures: Self contained breathing apparatus.

Fire & Explosion Hazards: None

(USE SELF-CONTAINED BREATHING APPARATUS!) If needed.

6. ACCIDENTAL RELEASE MEASURES:

SMALL SPILL: Slippery. Wipe with rags, Absorbent pads.

LARGE SPILL: Absorbent pads. Absorbent materials.

In case of large spill by truck or rail car, call **CHEMTREC 1-800-424-9300.**

7. HANDLING AND STORAGE:

HANDLING: No special handling procedure

STORAGE: Metal & Plastic containers

8. EXPOSURE CONTROLS/PERSONAL PROTECTION:

ENGINEERING CONTROLS: No special controls

RESPIRATORY PROTECTION: No special apparatus

SKIN PROTECTION: Gloves

EYE PROTECTION: Safety Glasses

9. PHYSICAL AND CHEMICAL PROPERTIES:

Boiling Point: >212 °F (°C)

Vapor Pressure: 1> mm Hg @ 25°C; mm Hg @ 90°C.

Vapor Density (Air=1) >1

% Volatile by Volume: 80% Including water

Evaporation Rate: >1

pH of Liquid, Typical: 7-8

Solubility in Water: Not Soluble

Specific Gravity: 1.0

Liquid Density: 8.3 Lbs/Gal.

Appearance: White opaque liquid

Odor: Mild

Effective Date: MM/DD/YY
February 6, 2006

Revision Date

Page 3 of 4

Product Name: #695 Dress It

10. STABILITY AND REACTIVITY:

Stability: Stable

Conditions to Avoid:

Incompatibility: Strong oxides agents

Hazardous Decomposition: None

Hazardous Polymerization: None

11. TOXICOLOGICAL INFORMATION:

EYES: Mild irritation , stinging, redness, tearing

SKIN: Mild irritation on prolonged exposure

INGESTION: Oral Mus LD₅₀: 720,000 g/kg

INHALATION: Not normal route of entry.

SUBCHRONIC: Unknown

CHRONIC/CARCINOGENICITY: None

TERATOLOGY, REPRODUCTION, MUTAGENICITY:

12. ECOLOGICAL INFORMATION:

ECOTOXICOLOGICAL INFORMATION: Unknown

CHEMICAL FATE INFORMATION: N/A

13. DISPOSAL CONSIDERATIONS:

Waste disposal method: Dispose of the material per federal, state, and local regulations.

14. TRANSPORTATION INFORMATION:

Proper Shipping Name: Not regulated

DOT Hazard Class: Not regulated

EPA Reportable Quantity: Lbs; Packaging Group: PG ### N/A

Marine Pollutant ??Product is insoluble in water. May for my sludge.

Effective Date: MM/DD/YY
February 6, 2006

Revision Date

Page 4 of 4

Product Name: #695 Dress it

15. REGULATORY INFORMATION:

FEDERAL EPA

TSCA STATUS:

All chemicals contained in this product are on the TSCA Chemical Substance Inventory.

CERCLA:

The Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA) requires notification of the National Response Center of release of quantities of Hazardous Substances equal to or greater than the reportable quantities (RQs) in 40 CFR 302.4.

Components present in this product at a level which could require reporting under the statute are:

Chemical:	CAS#:	Concentration % :	RQ (lbs):
Glycerine	56-81-5	<5	N/A

SARA Title III - Sections 313

Volatile Organic Compounds: . <5%

INTERNATIONAL REGULATIONS

Global Status: Australia (AICS) Canada (DSL), Japan ENCS, Europe (EINECS)

STATE RIGHT-TO-KNOW

CALIFORNIA Proposition 65: No substance present.

MASSACHUSETTS Right-To-Know, Substance List (MSL): See CERCLA Information.

NEW JERSEY Right-to-Know: See Section 2.

PENNSYLVANIA Right-To-Know: See CERCLA information.

16. OTHER INFORMATION:

This data sheet is for information purposes only and is accurate to best of Car Aroma Supply Company's knowledge. The manufacture makes no warranties, expressed or implied, as to the accuracy, completeness, or adequacy of the information contained therein.

Prepared By: FM Revised By: _____



HAZARDOUS MATERIALS INVENTORY FORM

FORM 3

ADD

DELETE

REVISED 1

Page

1 of 1 2

FACILITY ID# **30035** BUSINESS NAME **Anaheim west car wash**

I. FACILITY INFORMATION

CHEMICAL LOCATION **STORAGE ROOM**

CONFIDENTIAL LOCATION Yes No 5 MAP# **N/A** 6 GRID# **N/A** 7

II. CHEMICAL INFORMATION

CHEMICAL NAME **KISS DIFE** WASTE Yes 8 TRADE SECRET Yes No 11
*If EPCRA see instructions

COMMON NAME **KISS DIFE** 9 An EHS Chemical Yes No 12
*If EHS is "Yes", all amounts must be LBS

CAS # **1310-73-2** 10 FIRE CODE HAZARD CLASSES (supplied by GGFD) **CORROSIVE** 13

TYPE (Check one item only) a. PURE b. MIXTURE c. WASTE 14 RADIOACTIVE Yes No 15 CURIES **NON COMBUSTIBLE**

PHYSICAL STATE (Check one item only) a. SOLID b. LIQUID c. GAS 17 FED HAZARD CATEGORIES a. FIRE b. REACTIVE c. PRESSURE RELEASE 18
 d. ACUTE HEALTH e. CHRONIC HEALTH

AVERAGE DAILY AMOUNT **1g** 19 MAXIMUM DAILY AMOUNT **11/2g** 20 ANNUAL WASTE AMOUNT **N/A** 21 STATE WASTE CODE **N/A** 22

UNITS a. GALLONS b. CUBIC FEET 23 DAYS ON SITE 24 LARGEST CONTAINER 25
 c. POUNDS d. TONS
*If EHS, amount must be in pounds.

STORAGE CONTAINER (Check all that apply) a. ABOVEGROUND TANK e. PLASTIC DRUM i. VAT m. CYLINDER q. TANK WAGON 26
 b. UNDERGROUND TANK f. NONMETALLIC DRUM l. FIBER DRUM n. GLASS CONTAINER r. RAIL CAR
 c. TANK INSIDE BLDG g. METAL CONTAINER o. PLASTIC CONTAINER s. TOTE BIN
 d. STEEL DRUM h. CARBOY i. BOX(S) p. IN MACH OR EQUIP t. OTHER

STORAGE PRESSURE a. AMBIENT b. ABOVE AMBIENT c. BELOW AMBIENT 27

STORAGE TEMPERATURE a. AMBIENT b. ABOVE AMBIENT c. BELOW AMBIENT d. CRYOGENIC 28

%WT	HAZARDOUS COMPONENT (For mixture or waste only)	EHS	CAS #
1 29		<input type="checkbox"/> Yes <input type="checkbox"/> No 31	32
2 29	N/A	<input type="checkbox"/> Yes <input type="checkbox"/> No 31	32
3 29		<input type="checkbox"/> Yes <input type="checkbox"/> No 31	32
4 29		<input type="checkbox"/> Yes <input type="checkbox"/> No 31	32
5 29		<input type="checkbox"/> Yes <input type="checkbox"/> No 31	32

If more hazardous components are present at greater than 1% by weight if non-carcinogenic, or 0.1% by weight if carcinogenic, attach additional sheets of paper capturing the required information.


PLACARDING INFORMATION

UNDOT # **Liquids** 33
Refer to shipping papers or MSDS

DOT HAZARD CLASS **NOT REGULATED** 34
Refer to shipping papers or MSDS

EPCRA YES NO 35

X **If EPCRA, Please Sign Here** 36



MAKE AS MANY COPIES OF CHEMICAL INVENTORY FORM AS NEEDED

MATERIAL SAFETY DATA SHEET

Section 1 - Material Identity	
Product Name: Kiss Off	Product Use: Cleaning Compound
Manufacturer's Supplier's Name & Address	Telephone Number -
Warner Chemical Mfg. 14803 S. Spring St. Gardena, Ca. 90248	Days: (909) 737-9910 Nights: CHEMTREC: 800/424-9300
DOT Proper Shipping Name: Cleaning Compound N.O.I. (Liquids)	EPA Hazardous Waste Class: Not Regulated
DOT Shipping ID Number: Not Regulated	

Section 2 - Physical & Chemical Characteristics		
Vapor Density: Negligible	Viscosity: Similar to water	Boiling Point: 212°F
Appearance and Odor: A clear yellow colored liquid with a mild ammonia odor.	Specific Gravity: Heavier than water	pH: 14.0
Vapor Pressure: Negligible	Percent Volatile by Volume: < 5%	Evap. Rate: Negligible
Solubility (Water): Soluble		

Section 3 - Ingredients & Specifications				
Materials	%	TLV Units	Hazard	CAS Number
Sodium Hydroxide		2mg/m3	Corrosive	1310-73-2
2-Butoxyethanol - Skin		25ppm 75ppm	Corrosive	111-76-2

4 - Fire & Explosion Hazard Data	
Flash Point & Method:	Noncombustible
Flammable Limits in Air % by volume:	Lower: Noncombustible Upper: Noncombustible
Extinguishing Media:	Use appropriate extinguishing media for surrounding fire.
Special Fire Fighting Procedures: Fire fighters should wear self-contained breathing apparatus and full protective equipment. Water spray may be used to cool fire-exposed containers, to dilute and disperse vapors, protect personnel and to dilute and flush spills from fire.	
Unusual Hazards:	This material is not combustible and does not support combustion. Reaction with some metals produces flammable and explosive hydrogen gas.
Combustion Products: Noncombustible	

Section 5 - Health Hazard Data	
Route of Entry	a) Skin: Ingestion

Effects of Acute Exposure: This material is corrosive to the eyes and mucous membranes, a severe skin irritant and may cause a alkaline burn.	a) Skin Contact: Prolonged contact with the liquid or its mists can be severely irritating and cause redness, skin burns, blistering and severe skin damage.
	b) Eye Contact: Contact with the liquid or its mists may cause severe irritation, blistering, corneal burns, and corrosive eye damage.
	c) Swallowing: Accidentally swallowing this material can cause severe irritation and burns of the mouth, throat, esophagus and stomach. Large ingestions can cause corrosive damage to the mouth, esophagus and stomach, and may result in swelling of the windpipe and perforation or stricture (closing) of the esophagus or stomach.
	d) Skin Absorption: N/A

	e) Inhalation: Exposure to mists can be severely irritation to the nose, throat and respiratory tract. Severe exposures can cause burns and corrosive damage to the nose and throat, lung inflammation and pulmonary edema.
Chronic Effects of Overexposure:	A minor component of this material is toxic by inhalation and when absorbed through the skin. It has been shown to cause adverse blood effects and lung, liver and kidney damage in laboratory animals.
Medical Conditions Aggravated by Exposure:	Pre-existing liver, kidney, skin and blood disease. Chronic pulmonary disease.
Emergency and First Aid Procedures: If victim is not breathing or if breathing difficulties develop artificial respiration or oxygen should be administered by qualified personnel.	a) Skin: Immediately remove contaminated clothing and flush affected skin area(s) with large amounts of water. If skin is damaged or if irritation develops and persists, seek medical assistance. Apply clean dressing to damaged skin.
	b) Eyes: Immediately flush affected eye(s) with water for at least 30 minutes, washing under eyelids. Seek immediate medical assistance.
	c) Swallowing: *Do not induce vomiting / alkaline - corrosive. If victim is conscious and alert, give milk or water to drink. Seek immediate medical assistance.
	d) Inhalation: Immediately move away from source of exposure. If symptoms of exposure develop or breathing difficulties develop, seek medical assistance.
	e) Comments/Physician Information: Physician note: Corrosive damage following ingestion may lead to delayed esophageal and/or pyloric stricturing. Material may cause alkaline eye burns.

Carcinogen Evaluation

Raw material components contained in this product are not known or suspected to be carcinogens. Proposition 65: Ethyl acrylate is known in the State of California to cause cancer. This product contains negligible tract amount of ethyl acrylate.

Section 6 - Reactivity Data

Stability -	Stable under normal conditions of storage and handling.
Reactivity:	This material may react with some metals releasing hydrogen gas.
Incompatibility (Materials to Avoid) -	Fluorine, strong acids, some metals
Hazardous Polymerization -	Will not occur
Hazardous Decomposition/Byproducts	Reaction with some metals produces flammable and explosive hydrogen gas.

Section 7 - Spill or Leak Procedures

Release/Spill Procedures	Steps to be Taken: Provide adequate ventilation. Wear recommended protective clothing and equipment. Avoid contact and conditions where misting or heating may occur. Dike spill. Use water to dilute and flush to a holding area and neutralize using dilute acid or pick up using alkali-resistant vacuum equipment or an inert absorbent.
	Waste Disposal Method: Dispose of in accordance with federal, state and local regulations.

Section 8 - Special Protection Information

Protective Equipment	Eyes: Chemical goggles are recommended to prevent eye contact. A protective face shield is recommended to protect face in situations where splashing may occur.
	Respirator: A NIOSH-approved mist respirator is recommended in conditions where misting may occur. A NIOSH-approved organic chemical cartridge-type respirator is recommended when vapor concentrations exceed the recommended exposure limits. Under normal conditions of use, it is unlikely that vapor exposure limits will be exceeded.
Ventilation	Skin Protection: Alkali resistant gloves, apron or protective clothing and boots are recommended to protect the skin when contact with the concentrated liquid may occur.
	Other: An eye wash and a source of running water should be available to wash or flush the eyes and skin. A safety shower is recommended where large quantities of this material are used.
	General Mechanical: General dilution, mechanical ventilation, or local exhaust is recommended to maintain vapor concentrations below recommended exposure limits and in situations where misting or heating may occur.

Section 9 - Special Precautions

Handling & Storage	General: Store in closed containers in a cool, dry, well-ventilated area. Protect containers from physical damage. Use in well-ventilated area. Wear recommended protective equipment and clothing. Avoid conditions where misting, heating or splashing may occur. Avoid eye contact and prolonged skin contact. Do not breath vapors or mists. Wash thoroughly after handling. Launder all contaminated clothing before reuse.
Hazards During Non-Routine Operations	Heating may generate irritating and toxic vapors.
Special Precautions and Comments	Avoid conditions where heating, misting or splashing may occur. <u>Empty containers</u> retain material residues. Keep containers closed and do not use to mix or store any other materials.

Section 10- Other Information

The information contained herein is based on data considered accurate. However, the information is provided without any warranty, expressed or implied, regarding its correctness. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility for personal injury or property damage to vendees, users or third parties caused by the material. We also do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.

Prepared By:

New/Revision Date: 09/18/99



HAZARDOUS MATERIALS INVENTORY FORM

FORM 3

ADD DELETE REVISED 1

Page 1 of 1 2

FACILITY ID#	3 0 0 3 5	38	BUSINESS NAME	ANALHEIM WEST CARWASH	3
--------------	-----------	----	---------------	-----------------------	---

I. FACILITY INFORMATION

CHEMICAL LOCATION	STORAGE ROOM					4
CONFIDENTIAL LOCATION EPCRA	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	5	MAP #	6	GRID #	7

II. CHEMICAL INFORMATION

CHEMICAL NAME	2200-0 ees list it	WASTE	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	8	TRADE SECRET	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	11
---------------	--------------------	-------	---	---	--------------	---	----

COMMON NAME	CAR PET SHAMPOO	9	An EHS Chemical	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	12
-------------	-----------------	---	-----------------	---	----

CAS #	27176-87-0	10	FIRE CODE HAZARD CLASSES (supplied by GGFD)	N/A	13
-------	------------	----	---	-----	----

TYPE (Check one item only)	<input checked="" type="checkbox"/> a. PURE <input type="checkbox"/> b. MIXTURE <input type="checkbox"/> c. WASTE	14	RADIOACTIVE	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	15	CURIES	STABLE	16
----------------------------	---	----	-------------	---	----	--------	--------	----

PHYSICAL STATE (Check one item only)	<input type="checkbox"/> a. SOLID <input checked="" type="checkbox"/> b. LIQUID <input type="checkbox"/> c. GAS	17	FED HAZARD CATEGORIES	<input checked="" type="checkbox"/> a. FIRE <input type="checkbox"/> b. REACTIVE <input type="checkbox"/> c. PRESSURE RELEASE <input type="checkbox"/> d. ACUTE HEALTH <input type="checkbox"/> e. CHRONIC HEALTH	18
--------------------------------------	---	----	-----------------------	---	----

AVERAGE DAILY AMOUNT	1G	19	MAXIMUM DAILY AMOUNT	2G	20	ANNUAL WASTE AMOUNT	N/A	21	STATE WASTE CODE	N/A	22
----------------------	----	----	----------------------	----	----	---------------------	-----	----	------------------	-----	----

UNITS	<input checked="" type="checkbox"/> a. GALLONS <input type="checkbox"/> b. CUBIC FEET <input type="checkbox"/> c. POUNDS <input type="checkbox"/> d. TONS	23	DAYS ON SITE	24	LARGEST CONTAINER	5G	25
-------	---	----	--------------	----	-------------------	----	----

STORAGE CONTAINER (Check all that apply)	<input type="checkbox"/> a. ABOVEGROUND TANK <input type="checkbox"/> b. UNDERGROUND TANK <input type="checkbox"/> c. TANK INSIDE BLDG <input type="checkbox"/> d. STEEL DRUM <input type="checkbox"/> e. PLASTIC DRUM <input type="checkbox"/> f. NONMETALLIC DRUM <input type="checkbox"/> g. METAL CONTAINER <input type="checkbox"/> h. CARBOY <input type="checkbox"/> i. VAT <input type="checkbox"/> j. FIBER DRUM <input type="checkbox"/> k. BAG(S) <input type="checkbox"/> l. BOX(S) <input type="checkbox"/> m. CYLINDER <input type="checkbox"/> n. GLASS CONTAINER <input checked="" type="checkbox"/> o. PLASTIC CONTAINER <input type="checkbox"/> p. IN MACH OR EQUIP <input type="checkbox"/> q. TANK WAGON <input type="checkbox"/> r. RAIL CAR <input type="checkbox"/> s. TOTE BIN <input type="checkbox"/> t. OTHER	26
--	---	----

STORAGE PRESSURE	<input checked="" type="checkbox"/> a. AMBIENT <input type="checkbox"/> b. ABOVE AMBIENT <input type="checkbox"/> c. BELOW AMBIENT	27
------------------	--	----

STORAGE TEMPERATURE	<input checked="" type="checkbox"/> a. AMBIENT <input type="checkbox"/> b. ABOVE AMBIENT <input type="checkbox"/> c. BELOW AMBIENT <input type="checkbox"/> d. CRYOGENIC	28
---------------------	--	----

%WT	HAZARDOUS COMPONENT (For mixture or waste only)	EHS	CAS #	
1	29	30	<input type="checkbox"/> Yes <input type="checkbox"/> No 31	32
2	29	30	<input type="checkbox"/> Yes <input type="checkbox"/> No 31	32
3	29	30	<input type="checkbox"/> Yes <input type="checkbox"/> No 31	32
4	29	30	<input type="checkbox"/> Yes <input type="checkbox"/> No 31	32
5	29	30	<input type="checkbox"/> Yes <input type="checkbox"/> No 31	32

If more hazardous components are present at greater than 1% by weight if non-carcinogenic, or 0.1% by weight if carcinogenic, attach additional sheets of paper capturing the required information.


PLACARDING INFORMATION

UNDOT # _____ 33
Refer to shipping papers or MSDS

DOT HAZARD CLASS 0 34
Refer to shipping papers or MSDS

EPCRA YES NO 35

X _____ 36
If EPCRA, Please Sign Here



MAKE AS MANY COPIES OF CHEMICAL INVENTORY FORM AS NEEDED

MATERIAL SAFETY DATA SHEET

SECTION I - PRODUCT IDENTIFICATION

O.C.C.S.
13744 Excelsior Drive
Santa Fe Springs, CA 90670

CHEMTREC EMERGENCY TEL:
1-800-424-9300

PRODUCT NAME: 2200 - OCCS LIFT IT CARPET SHAMPOO
DATE PREPARED: 7/25/2007
HAZARD RATING: HEALTH-1; FIRE-0; REACTIVITY-0; SPECIAL-NONE
(HAZARD RATING SCALE: 4-SEVERE; 3-SERIOUS; 2-MODERATE; 1-SLIGHT; 0-MINIMAL)

SECTION II - HAZARDOUS INGREDIENT/IDENTITY INFORMATION

NAME	CAS NO.	ACGIH / TLV	OSHA / PEL
DODECYLBENZENESULFONIC ACID	27176-87-0	1.00 mg/m ³	1.00 mg/m ³

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

BOILING POINT: 215 degrees F
VAPOR PRESSURE: ND
VAPOR DENSITY (Air=1): ND
SPECIFIC GRAVITY (H₂O=1): 1.046
MELTING POINT: ND
EVAPORATION RATE: ND
SOLUBILITY IN WATER: Complete
APPEARANCE: Yellow liquid
ODOR: LEMON
PH: 7-8

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: N/A
EXTINGUISHING MEDIA: Dry chemical, Foam, CO₂, Water spray
FIRE FIGHTING PROCEDURES: Fire fighters should wear self-contained breathing apparatus and protective clothing when fighting chemical fires. Use water to keep fire-exposed containers cool and to flush spills away from fire. In the case of large fires, also cool surrounding equipment and structures with water. Floors wetted with this material are slippery.
FIRE & EXPLOSION HAZARDS: None known.

SECTION V - REACTIVITY DATA

STABILITY: Stable
CONDITIONS TO AVOID: Stable under normal conditions
INCOMPATIBILITY: None known
HAZARDOUS DECOMPOSITION: None known
HAZARDOUS POLYMERIZATION: Will not occur

Fax Cover Sheet

Orange County Chemical Supply
13744 Excelsior Drive
Santa Fe Springs CA 90670
562-802-3363
562-802-3232 Fax

CASH WASH

Date 7-25-07

To: Great Western Car

Attention: _____

Fax #: 714 635-9818

From: fact

Name: _____

Subject: MSD3 -3

Comment:

Number of Pages: 7 to follow

SECTION VI - HEALTH HAZARD DATA

- EYE CONTACT:** May cause slight temporary eye irritation. Corneal injury is unlikely. No evidence of adverse effects from available information.
- SKIN CONTACT:** No evidence of adverse effects from available information.
- SKIN ABSORPTION:** Components are unlikely to be absorbed through skin in harmful concentrations.
- INHALATION:** Believed to be minimally irritating.
- SWALLOWING:** Amounts ingested incidental to industrial handling are not likely to cause injury; however, ingestion of larger amounts may cause injury.
- SYMPTOMS OF EXPOSURE:** If a chronic effect has not been mentioned under a route of entry, no chronic effects are known to result from exposure to components of this product.
- TARGET ORGAN EFFECTS:** No cases reported.
- MEDICAL CONDITIONS AGGRAVATED:** No medical conditions are known.
- EMERGENCY AND FIRST AID PROCEDURES:** For eye contact, immediately flush with running water for at least 15 minutes. Get immediate medical attention. For skin contact, flush thoroughly with running water. If irritation is severe or persists, consult a physician. If swallowed, do NOT induce vomiting. Give several glasses of water or milk. Get immediate medical attention. Never give anything by mouth to an unconscious person.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

-STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: At all times wear rubber gloves and goggles. Wipe or mop up small spills. Dike and absorb large spills with absorbent. Place all material into DOT-approved containers. Flush to a sanitary sewer with water. Do not permit material to enter storm drains, surface water, or contaminate land. Provide adequate ventilation.

WASTE DISPOSAL METHOD: Dispose of in accordance with all Local, State, and Federal regulations.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Keep containers closed when not being used. Do not store near food.

OTHER PRECAUTIONS: This product may contain a trace amount of one or more of the chemicals on the California list of known carcinogens or substances known to cause birth defects or other reproductive harm. These are not added to the product but occur naturally in the raw materials or processing equipment.

SECTION VIII - CONTROL MEASURES

- RESPIRATORY PROTECTION:** Not normally required
- VENTILATION:** Natural
- PROTECTIVE GLOVES:** Rubber gloves or vinyl gloves
- EYE PROTECTION:** Chemical goggles or glasses
- OTHER PROTECTION:** Not normally required
- WORK / HYGIENIC PRACTICES:** Wash and dry hands thoroughly. Remove contaminated clothing promptly and launder before reuse.

SECTION IX - DOT

DOT SHIPPING NAME: Non-Regulated

SECTION X - DISCLAIMER

The information presented herein has been compiled from sources considered to be dependable and is accurate to the best of Orange County Chemical Supply's (O.C.C.S.) knowledge; however, O.C.C.S. makes no warranty whatsoever expressed or implied of merchantability of fitness for the particular purpose regarding the accuracy of such data or the results to be obtained from the use thereof. O.C.C.S. assumes no responsibility for injury to recipient or third persons or for any damage to any property and recipient assumes all such risks.



HAZARDOUS MATERIALS INVENTORY FORM

FORM 3

ADD DELETE REVISED 1 Page 1 of 1 2

FACILITY ID#	3 0 0 3 5	38	BUSINESS NAME	Anaheim West Carwash	3
--------------	-----------	----	---------------	----------------------	---

I. FACILITY INFORMATION

CHEMICAL LOCATION	STORAGE ROOM				4	
CONFIDENTIAL LOCATION EPCRA	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	5	MAP #	6	GRID #	7

II. CHEMICAL INFORMATION

CHEMICAL NAME	Maxi Suds	WASTE	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	8	TRADE SECRET	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	11
COMMON NAME	MAXI SUDS	* If EPCRA see instructions		9	An EHS Chemical	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	12
CAS #		FIRE CODE HAZARD CLASSES (supplied by GGFD)		10	*If EHS is "Yes", all amounts must be LBS		

CAS #	25/55-30-0	FIRE CODE HAZARD CLASSES (supplied by GGFD)	CORROSIVE	10	13			
TYPE (Check one item only)	<input checked="" type="checkbox"/> a. PURE <input type="checkbox"/> b. MIXTURE <input type="checkbox"/> c. WASTE	14	RADIOACTIVE	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	15	CURIES	Non-combustible	16

PHYSICAL STATE (Check one item only)	<input type="checkbox"/> a. SOLID <input checked="" type="checkbox"/> b. LIQUID <input type="checkbox"/> c. GAS	17	FED HAZARD CATEGORIES	<input checked="" type="checkbox"/> a. FIRE <input type="checkbox"/> b. REACTIVE <input type="checkbox"/> c. PRESSURE RELEASE <input type="checkbox"/> d. ACUTE HEALTH <input checked="" type="checkbox"/> e. CHRONIC HEALTH	18
--------------------------------------	---	----	-----------------------	--	----

AVERAGE DAILY AMOUNT	1 galbn	19	MAXIMUM DAILY AMOUNT	1 1/2 galbn	20	ANNUAL WASTE AMOUNT	N/A	21	STATE WASTE CODE	M12	22
----------------------	---------	----	----------------------	-------------	----	---------------------	-----	----	------------------	-----	----

UNITS	<input checked="" type="checkbox"/> a. GALLONS <input type="checkbox"/> b. CUBIC FEET <input type="checkbox"/> c. POUNDS <input type="checkbox"/> d. TONS	23	DAYS ON SITE	365	24	LARGEST CONTAINER	1 galbn	25
-------	---	----	--------------	-----	----	-------------------	---------	----

STORAGE CONTAINER (Check all that apply)	<input type="checkbox"/> a. ABOVEGROUND TANK <input type="checkbox"/> b. UNDERGROUND TANK <input type="checkbox"/> c. TANK INSIDE BLDG <input type="checkbox"/> d. STEEL DRUM	<input type="checkbox"/> e. PLASTIC DRUM <input type="checkbox"/> f. NONMETALLIC DRUM <input type="checkbox"/> g. METAL CONTAINER <input type="checkbox"/> h. CARBOY	<input type="checkbox"/> i. VAT <input type="checkbox"/> j. FIBER DRUM <input type="checkbox"/> k. BAG(S) <input type="checkbox"/> l. BOX(S)	<input type="checkbox"/> m. CYLINDER <input type="checkbox"/> n. GLASS CONTAINER <input checked="" type="checkbox"/> o. PLASTIC CONTAINER <input type="checkbox"/> p. IN MACH OR EQUIP	<input type="checkbox"/> q. TANK WAGON <input type="checkbox"/> r. RAIL CAR <input type="checkbox"/> s. TOTE BIN <input type="checkbox"/> t. OTHER	26
--	---	--	--	--	--	----

STORAGE PRESSURE	<input checked="" type="checkbox"/> a. AMBIENT <input type="checkbox"/> b. ABOVE AMBIENT <input type="checkbox"/> c. BELOW AMBIENT	27
------------------	--	----


STORAGE TEMPERATURE	<input checked="" type="checkbox"/> a. AMBIENT <input type="checkbox"/> b. ABOVE AMBIENT <input type="checkbox"/> c. BELOW AMBIENT <input type="checkbox"/> d. CRYOGENIC	28
---------------------	--	----

%WT	HAZARDOUS COMPONENT (For mixture or waste only)	EHS	CAS #
1	29 N/A	<input type="checkbox"/> Yes <input type="checkbox"/> No	30 31 32
2	29	<input type="checkbox"/> Yes <input type="checkbox"/> No	30 31 32
3	29	<input type="checkbox"/> Yes <input type="checkbox"/> No	30 31 32
4	29	<input type="checkbox"/> Yes <input type="checkbox"/> No	30 31 32
5	29	<input type="checkbox"/> Yes <input type="checkbox"/> No	30 31 32

If more hazardous components are present at greater than 1% by weight if non-carcinogenic, or 0.1% by weight if carcinogenic, attach additional sheets of paper capturing the required information.

PLACARDING INFORMATION

UNDOT #	N/A Liquid	33
DOT HAZARD CLASS	N/A	34
EPCRA	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	35



X _____
If EPCRA, Please Sign Here 36

MAKE AS MANY COPIES OF CHEMICAL INVENTORY FORM AS NEEDED

MATERIAL SAFETY DATA SHEET

Section 1 - Material Identity	
Product Name: Maxi Suds	Product Use: Cleaning compound
Manufacturer's Supplier's Name & Address	Telephone Number -
Warner Chemical Mfg. 14803 S. Spring St. Gardena, Ca. 90248	Days: (310) 715-3000 Nights: CHEMTREC: 800/424-9300
DOT Proper Shipping Name: Cleaning Compound N.O.I. (Liquid)	EPA Hazardous Waste Class: N/A
DOT Shipping ID Number: N/A	

Section 2 - Physical & Chemical Characteristics			
Vapor Density (air=1):	Negligible	Solubility in Water by Weight:	Boiling Point: >212°F
Appearance and Odor:	A viscous cherry-colored suspension with a sweet cherry-like odor	Specific Gravity:	Heavier than water
pH:	10.0	Vapor Pressure:	Negligible
Percent Volatile by Volume:	Negligible	Evap. Rate:	Negligible

Section 3 - Ingredients & Specifications				
Materials	%	TLV Units	Hazard	CAS Number
Dodecylbenzenesulfonic Acid			Corrosive	25155-30-0

Section 4 - Fire & Explosion Hazard Data	
Flash Point & Method:	Non-combustible
Extinguishing Media:	Use extinguishing media appropriate for surrounding fire.
Special Fire Fighting Procedures:	Fire fighters should wear protective equipment for surrounding fire. Water spray may be used to cool fire-exposed containers, to disperse vapors, protect personnel, and to dilute and flush spills away from fire.
Unusual Hazards:	N/A
Flammable Limits in Air % by volume:	Lower: Noncombustible Upper: Noncombustible

Section 5 - Health Hazard Data	
Route of Entry	a) Skin Ingestion
Effects of Acute Exposure:	a) Skin Contact: This material is a skin irritant. Prolonged or repeated contact may cause redness, burning, swelling and dermatitis.
	b) Eye Contact: Direct contact or exposure to mists may cause burning, tearing, redness, swelling, corneal burns and eye damage.
	c) Swallowing: Accidentally swallowing this material may cause severe irritation of the mouth, throat, esophagus and stomach.
	d) Skin Absorption: N/A
	e) Inhalation: Exposure to the undiluted material is unlikely. Exposure to mists from the diluted material may cause irritation of the nose and throat.
	f) General: This undiluted material is severely irritating to the eyes and mucous membranes and a skin irritant. It may cause alkaline eye burns.
Chronic Effects of Overexposure:	None known

Other Health Hazards:	N/A
Emergency and First Aid Procedures: If victim is not breathing or if breathing difficulties develop artificial respiration or oxygen should be administered by qualified personnel.	a) Skin: Remove contaminated clothing and flush contact areas with water. If redness or irritation develops and persists, seek medical assistance.
	b) Eyes: Immediately flush affected eye(s) with water for at least 15 minutes, washing under the eyelids. Seek medical assistance.
	c) Swallowing: If victim is conscious and alert, give milk or water to drink. Seek medical assistance.
	d) Inhalation: Move away from source of exposure to mists. If irritation develops and persists, seek medical assistance.
	e) Comments/Physician Information: This alkaline material is severely irritating to the eyes and mucous membranes, but has no known systemic toxicity.

Carcinogen Evaluation

Raw material components contained in this product are not known or suspected to be carcinogens. Proposition 65: Ethyl acrylate is known in the State of California to cause cancer. This product contains negligible tract amount of ethyl acrylate.

Section 6 - Reactivity Data

Stability -	Stable under normal conditions of storage and handling.
Conditions to Avoid for Stability	
Incompatibility (Materials to Avoid) -	Incompatible with strong oxidizing agents.
Hazardous Polymerization -	Will not occur
Hazardous Decomposition/Byproducts	None known

Section 7 - Spill or Leak Procedures

Release/Spill Procedures	Steps to be Taken: Provide adequate ventilation. Wear recommended protective equipment and clothing. Dike large spills and use water to flush to a holding area for later disposal. Pick up small spills or residue for disposal.
	Waste Disposal Method: Dispose of in accordance with federal, state and local regulations. This material is not classified by the EPA as a hazardous waste.

Section 8 - Special Protection Information

Protective Equipment	Eyes: Chemical goggles are recommended to prevent eye contact
	Respirator: None normally required
	Gloves: Protective gloves are recommended when prolonged skin contact with the undiluted material may occur.
	Other: An eye wash and a source of running water should be available to wash or flush the eyes and skin.
Ventilation	General Mechanical: General mechanical or dilution ventilation in situations when misting may occur.
	Other:

Section 9 - Special Precautions

Handling & Storage	General: Store in closed containers in a cool, dry well-ventilated area. Protect containers from physical damage. Use in a well-ventilated area. Wear recommended protective equipment and clothing. Avoid eye contact, prolonged skin contact and breathing mists. Wash thoroughly after handling.
	Other: N/A

Section 10- Other Information

The information contained herein is based on data considered accurate. However, the information is provided without any warranty, expressed or implied, regarding its correctness. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility for personal injury or property damage to vendees, users or third parties caused by the material. We also do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.

GARDEN GROVE FIRE DEPARTMENT HAZARDOUS MATERIALS DISCLOSURE PROGRAM

BUSINESS EMERGENCY PLAN

All businesses using, handling or storing hazardous materials that are required to disclose must complete a Business Emergency Plan. The occupancy groups listed below will be permitted to complete a short version of the business plan. The completion of the short form shall be considered the application required in the Health and Safety Code, Title 20, Chapter 6.95, Section 25503.5.

The Chief of the Garden Grove Fire Department in the role of the Administering Agency, allows the following types of businesses to file the short version of the Business Emergency Plan.

1. Gasoline/Diesel service stations. S-3 occupancies.
2. Repair Garages. H-4 occupancies.
3. Dry Cleaners
4. Businesses, at the Fire Chief's discretion, with less than 10 employees and using materials that are not considered highly or acutely toxic.

The Fire Chief exempts the following portions from the business plan. These exemptions have been established because the materials used in the above-mentioned occupancies are common knowledge to first responding units. The materials pose no significant, unexpected hazard nor do they affect the ability of the administering agency to effectively respond to their release of a hazardous material, and that there are unusual circumstances justifying this exemption.

Exemptions

1. Detailed evacuation plans.
2. Detailed key employee responsibilities.
3. Training outline.
4. Detailed prevention outline.

The following Short Business Emergency Plan must be completed in order for the exemption to be granted.

Anaheim West Car Wash
10802 Katella Ave.
Garden Grove, CA 92840

GARDEN GROVE FIRE DEPARTMENT
HAZARDOUS MATERIALS DISCLOSURE PROGRAM

BUSINESS EMERGENCY PLAN

Personnel Emergency Notifications and Responsibilities

Employee Evacuation and Staging Areas:

1. The type of alarm signal that will be used to initiate an evacuation at the facility: (vocal, paging system, manual alarm, etc.)

Paging System

2. All employees shall be trained to evacuate the facility through at least one exit. Alternate exit routes shall be designated if available.
3. Staging areas shall be designated for all employees. Staging areas will be the location that all employees shall report to in the event of an emergency.

One person shall be designated to account for all personnel at the staging area. That person will be responsible for meeting the incoming Fire units and reporting the conditions known about the incident.

The Staging area is at the following location as shown on your site plan map.

Customer wait area...

Employee Responsibilities:

At least one employee shall be responsible for the following minimum requirements in the event of an emergency response by the Fire Department.

1. Notify employees. Initiate evacuation procedures.
 2. Notify the Garden Grove Fire Department. Dial 911
 3. Try to identify the nature of the incident.
 4. Report to the staging area and account for evacuated employees.
 5. Report to the incoming fire units.
 6. Activate any emergency mitigation procedures that are available at your business. (List below any mitigation procedures specific to your business, if any.)
-
-

GARDEN GROVE FIRE DEPARTMENT HAZARDOUS MATERIALS DISCLOSURE PROGRAM

BUSINESS EMERGENCY PLAN

Personnel Emergency Notifications and Responsibilities

Training Requirements

State law requires training of employees where the business uses, handles or stores hazardous materials.

Employee training provided on:

- Appointment of person/persons on site who are trained in key role positions. Emergency coordinator, evacuation coordinators, staging area supervisors and documenting officers.
- Procedures to follow during a release or threatened release of a hazardous material (evacuation to staging areas).
- Information contained in material safety data sheets.
- Warning labels/placards.
- Safe work practices.
- Use of on site emergency equipment and supplies.
- Use and location of personal protective equipment.
- Any chemical, hazardous material or substance that could be encountered in his/her work area.
- On-site alarm system for evacuation.
- Discuss possible release of hazardous materials scenario.

Emergency Notifications

A handler of hazardous materials is required to immediately report any release or threatened release of hazardous materials to the Garden Grove Fire Department. Failure to do so may result in criminal and/or civil prosecution.

Required Notifications

In the event of a release or threatened release of hazardous materials, it is state law to notify each of the following agencies:

Agency

Phone Numbers

Garden Grove Fire Department, Police,
Paramedics

Office of Emergency Services (OES)

National Response Center

911

(800) 852-7550 OR (916) 427-4341

(800) 424-8802

GARDEN GROVE FIRE DEPARTMENT
HAZARDOUS MATERIALS DISCLOSURE PROGRAM

BUSINESS EMERGENCY PLAN

Personnel Emergency Notifications and Responsibilities

Prevention

All materials are stored, used and handled within the guidelines of the Uniform Fire Code, N.F.P.A. standards, California Administrative Code, Titles 19 and 20.

This section is meant to initiate a Prevention Plan at your business and to assist in preventing a release, or threatened release, of a hazardous material. In the spaces provided, place a checkmark by the preventive actions which have been initiated by your business to abate hazards relating to hazardous material handling, use of storage.

Consideration shall include:

1. Drum storage and/or above ground tank storage areas:
 - a Isolation and separation of incompatible materials
 - b Diking areas to contain spills
 - c Storage on paved ground

2. Compressed and/or cryogenic gas storage areas:
 - a Cylinders stored upright and secured
 - b Isolation and/or separation of incompatible cylinders (oxygen and flammable gases, etc.)

3. General:
 - a Safe work practices are exercised in daily routines.
 - b Employees who handle hazardous materials are properly trained.
 - c Material Safety Data Sheets (MSDS) readily available for each hazardous material on the premises.
 - d Labeling of all materials and storage areas with the product name and hazards associated with the product (drums, piping, tanks, etc.)
 - e Uniform Fire Code (UFC) requires separation between outside hazardous material storage area or tanks and combustible materials (wood, bush, etc.)
 - f Posting of "No Smoking" signs where appropriate.

GARDEN GROVE FIRE DEPARTMENT

BUSINESS EMERGENCY PLAN

A BUSINESS IS REQUIRED BY LAW TO NOTIFY THE GARDEN GROVE FIRE DEPARTMENT WITHIN 30 DAYS OF ANY OF THE FOLLOWING EVENTS:

1. Change of business address.
2. Change of business ownership
3. Change of business name
4. Cessation of business operation (quitting business)
5. Use or handling of a previously undisclosed hazardous material
6. A 100% increase in the quantity of a previously disclosed hazardous material

Your business is required by State law to retain a copy of this entire Business Plan, chemical inventory, material safety data sheets and site maps, for review by Fire Department personnel. State where your disclosure and Emergency Business Plan will be kept.

Back office

Show location on site map also using symbol in the legend.

Note: A fee is charged for a replacement copy from the Garden Grove Fire Department.

I CERTIFY, UNDER PENALTY OF PERJURY, THAT THE ENCLOSED INFORMATION IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE.

SIGNATURE: Jack Nazarian

NAME: Jack Nazarian

TITLE: manager

DATE: 1-5-06



**GARDEN GROVE FIRE DEPARTMENT
ENVIRONMENTAL PROTECTION SECTION**

11301 Acacia Parkway
Garden Grove, CA 92840
Business: 714 741-5600 Haz Mat: 714 741-5636

**Hazardous Materials Business Emergency Plan And
Inventory Certification Statement**

Business Name: Anaheim West Car Wash
Site Address: 10802 Katella Ave

Telephone: 530-7312
Zip Code: 92804

The California Health & Safety Code, Division 20, Chapter 6.95, Section 25505(c) and Section 25503.3(c) provide the following:

A business that handles hazardous materials shall review AND certify their Hazardous Materials Business Emergency Plan (HMBEP) once every three years from the date of acceptance by the Garden Grove Fire Department. A business may comply with the annual chemical inventory reporting requirement by submitting a certification statement to the Garden Grove Fire Department. ~~A business may not utilize this certification to meet the annual inventory submission requirements of the Emergency Planning and Community Right to Know Act (Section 11022, Title 42, United States Code).~~

Note: A business may comply with the annual inventory reporting requirements using this certification statement if both of the following apply:

1. The business has previously filed an inventory reporting form and;
2. The business attests to the following:
 - The information contained in the annual inventory form most recently submitted to the Garden Grove Fire Department is complete, accurate, and up to date.
 - There has been no change in the quantity of any hazardous material as reported in the most recently submitted annual inventory form.
 - No hazardous material subject to the inventory requirements is being handled that is not listed on the most recently submitted annual inventory form.

THIS IS TO CERTIFY THAT THE HMBEP AND/OR CHEMICAL INVENTORY HAS BEEN REVIEWED.
(Please check applicable boxes):

- No changes are required to the HMBEP submitted to the Garden Grove Fire Department.
- All the necessary changes/revisions have been made to the HMBEP. The changes/revisions are attached to this certification.
- No changes are required to the chemical inventory that was previously on file with the Garden Grove Fire Department.
- All the necessary changes/revisions have been made to the chemical inventory. The changes/revisions are attached to this certification.

AS AN AUTHORIZED REPRESENTATIVE, I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED AND BELIEVE THE INFORMATION IS TRUE, ACCURATE, AND COMPLETE.

Print Name Tae K Kim

Signature Tae Kim

Job Title Owner

Date 4-3-01

UNIFIED PROGRAM CONSOLIDATED FORM

FACILITY INFORMATION

BUSINESS ACTIVITIES

Page 1 of _____

I. FACILITY IDENTIFICATION

FACILITY ID#	1. EPA ID # (Hazardous Waste Only)	2.
	CAL-000204929	

BUSINESS NAME (Same as FACILITY NAME or DBA-Doing Business As) <i>Anaheim-West Car Wash</i>	3.
--	----

II. ACTIVITIES DECLARATION

NOTE: If you check YES to any part of this list, please submit the Business Owner/Operator Identification page (OES Form 2730)

Does your facility...			If Yes, please complete these pages of the UPCF...
A. HAZARDOUS MATERIALS			
Have on site (for any purpose) hazardous materials at or above 55 gallons for liquids, 500 pounds for solids, or 200 cubic feet for compressed gases (include liquids in ASTs and USTs); or the applicable Federal threshold quantity for an extremely hazardous substance specified in 40 CFR Part 355, Appendix A or B; or handle radiological materials in quantities for which an emergency plan is required pursuant to 10 CFR Parts 30, 40 or 70?	<input checked="" type="checkbox"/> YES	<input type="checkbox"/> NO	4. ✓ HAZARDOUS MATERIALS INVENTORY - CHEMICAL DESCRIPTION (OES 2731)
B. UNDERGROUND STORAGE TANKS (USTs)			
1. Own or operate underground storage tanks?	<input type="checkbox"/> YES	<input checked="" type="checkbox"/> NO	5. ✓ UST FACILITY (Formerly SWRCB Form A)
2. Intent to upgrade existing or install new USTs?	<input type="checkbox"/> YES	<input checked="" type="checkbox"/> NO	6. ✓ UST TANK (one page per tank) (Formerly Form B)
			✓ UST FACILITY
			✓ UST TANK (one per tank)
			✓ UST INSTALLATION - CERTIFICATE OF COMPLIANCE (one page per tank) (Formerly Form C)
3. Need to report closing a UST?	<input type="checkbox"/> YES	<input checked="" type="checkbox"/> NO	7. ✓ UST TANK (closure portion-one page per tank)
C. ABOVE GROUND PETROLEUM STORAGE TANKS (ASTs)			
Own or operate ASTs above these thresholds: - any tank capacity is greater than 660 gallons, or - the total aggregate capacity for the entire facility (ASTs, drums and portable containers) greater than 1,320 gallons?	<input type="checkbox"/> YES	<input checked="" type="checkbox"/> NO	8. ✓ NO FORM REQUIRED TO CUPAS
D. HAZARDOUS WASTE			
1. Generate hazardous waste?	<input type="checkbox"/> YES	<input checked="" type="checkbox"/> NO	9. ✓ EPA ID NUMBER - provide at the top of this page
2. Recycle more than 100 kg/month of excluded or exempted recyclable materials (per HSC §25143.2)?	<input type="checkbox"/> YES	<input checked="" type="checkbox"/> NO	10. ✓ RECYCLABLE MATERIALS REPORT (one per recycler)
3. Treat hazardous waste on site?	<input type="checkbox"/> YES	<input checked="" type="checkbox"/> NO	11. ✓ ONSITE HAZARDOUS WASTE TREATMENT - FACILITY (Formerly DTSC Forms 1772)
			✓ ONSITE HAZARDOUS WASTE TREATMENT - UNIT (one page per unit) (Formerly DTSC Forms 1772A,B,C,D and L)
4. Treatment subject to financial assurance requirements (for Permit by Rule and Condition Authorization)?	<input type="checkbox"/> YES	<input checked="" type="checkbox"/> NO	12. ✓ CERTIFICATION OF FINANCIAL ASSURANCE (Formerly DTSC Form 1232)
5. Consolidate hazardous waste generated at a remove site?	<input type="checkbox"/> YES	<input checked="" type="checkbox"/> NO	13. ✓ REMOTE WASTE/CONSOLIDATION SITE ANNUAL NOTIFICATION (Formerly DTSC Form 1196)
6. Need to report the closure/removal of a tank that was classified waste and cleaned onsite?	<input type="checkbox"/> YES	<input checked="" type="checkbox"/> NO	14. ✓ HAZARDOUS WASTE TANK CLOSURE CERTIFICATION (Formerly DTSC Form 1249)
E. LOCAL REQUIREMENTS			

(You may also be required to provide additional information by your CUPA or local agency.)



**GARDEN GROVE FIRE DEPARTMENT
ENVIRONMENTAL PROTECTION SECTION**

11301 Acacia Parkway
Garden Grove, CA 92840

Business: 714 741-5600 Haz Mat: 714 741-5636

**Hazardous Materials Business Emergency Plan And
Inventory Certification Statement**

Business Name: ANAHEIM WEST CAR WASH
Site Address: 10802 KATELLA AVE

Telephone: (714) 530-7312
Zip Code: 92804

The California Health & Safety Code, Division 20, Chapter 6.95, Section 25505(c) and Section 25503.3(c) provide the following:

A business that handles hazardous materials shall review AND certify their Hazardous Materials Business Emergency Plan (HMBEP) once every three years from the date of acceptance by the Garden Grove Fire Department. A business may comply with the annual chemical inventory reporting requirement by submitting a certification statement to the Garden Grove Fire Department. **A business may not utilize this certification to meet the annual inventory submission requirements of the Emergency Planning and Community Right to Know Act (Section 11022, Title 42, United States Code).**

Note: A business may comply with the annual inventory reporting requirements using this certification statement if both of the following apply:

1. The business has previously filed an inventory reporting form and;
2. The business attests to the following:
 - The information contained in the annual inventory form most recently submitted to the Garden Grove Fire Department is complete, accurate, and up to date.
 - There has been no change in the quantity of any hazardous material as reported in the most recently submitted annual inventory form.
 - No hazardous material subject to the inventory requirements is being handled that is not listed on the most recently submitted annual inventory form.

THIS IS TO CERTIFY THAT THE HMBEP AND/OR CHEMICAL INVENTORY HAS BEEN REVIEWED.
(Please check applicable boxes):

- No changes are required to the HMBEP submitted to the Garden Grove Fire Department.
- All the necessary changes/revisions have been made to the HMBEP. The changes/revisions are attached to this certification.
- No changes are required to the chemical inventory that was previously on file with the Garden Grove Fire Department.
- All the necessary changes/revisions have been made to the chemical inventory. The changes/revisions are attached to this certification.


AS AN AUTHORIZED REPRESENTATIVE, I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED AND BELIEVE THE INFORMATION IS TRUE, ACCURATE, AND COMPLETE.

Print Name TAE KIM

Signature *Tae Kim*

Job Title OWNER

Date 5-3-00



RECEIVED
CITY OF GARDEN GROVE
SEP 22 6 43 AM '93

FIVE ✓

CITY OF GARDEN GROVE, CALIFORNIA
MAILING ADDRESS: P.O. BOX 3070, GARDEN GROVE, CALIFORNIA 92642
714-741-5600

BUSINESS EMERGENCY PLAN

Business Name ANAHEIM WEST CAR WASH

Business Address 10802 KATELLA City ANAHEIM State CA Zip 92804

Mailing Address SAME City _____ State ____ Zip _____

Business Phone (714) 530-7312 Business License # _____

Fax Number (714) 530-3604

Owner/Operator: Name TAE KIM Phone Number (714) _____

Address 22511 TINDAYA City MISSION VIEJO State CA Zip 92692

Type of Business Operation CAR WASH AND AUTO DETAILING

EPA # _____ SIC Code _____

Emergency Contacts: Name JOE LOPEZI

Address _____ City _____

24 Hour Phone Number _____ Phone Number _____

Property Owner: Name TAE KIM Phone Number _____

Address _____ City _____ State _____ Zip _____

Total Number of Employees 33 Dun and Brad Street Numbers _____

Office Use Only

MLI# 7059 Short Long _____

OK to 10-4-93

IF 1

LS DISCLOSURE FORM

BE TYPEWRITTEN.

DATE: _____

PAGE # _____



8. DAYS ON SITE	9. CONTAINER TYPE Table 4	10 STORAGE CODE PRESSURE/ TEMP. Table 5	11 LOCATION (NOTE BY QUORANT AND DESCRIBE AREA)	12 STATE WASTE NUMBER (3 DIGIT CODE)	13. DOT/ UN/NA NUMBER	14. HAZARD CLASS Table 6
180	E	1-1	SUPPLY STORAGE AREA			11
20	L	1-1	"		UN 1790	4 11
50	L	1-1	"			11
60	E	1-1	"			11
10	L	1-1	"			11
10	L	1-1	"			11
10	L	1-1	"			11
30	L	1-1	"			11
60	L	1-1	"			11
60	L	1-1	"			11
30	L	1-1	"			10
30	L	1-1	SUPPLY STORAGE AREA			11

Table#5 Storage Code

Pressure / Temperature

- | | |
|-------------------------|--|
| 1- Ambient | 1- Ambient |
| 2- Less than ambient | 2 - Less than ambient, but not cryogenic |
| 3- Greater than ambient | 3 - Greater than ambient |
| | 4 - Cryogenic |

* Ambient = room pressure or temperature

Table#6 Hazard Class (see MSDS sheets for info)

- | | | |
|---------------------|----------------------------------|---|
| 1- Blasting Agent | 9- Explosive C | 17- Oxidizer |
| 2- Carcinogen | 10- Flammable Compressed Gas | 18- Pesticide |
| 3- Combustible | 11- Flammable Liquid | 19- Poison A |
| Liquids | 12- Flammable Solid | (Compressed Poisonous Gas) |
| 4- Corrosive | 13- Hypergolic | 20- Poison B (Solid/Liquid) |
| 5- Cryogenics | 14- Irritant | 21- Pyrophoric or Spontaneously Combustible |
| 6- Etiologic Agents | 15- Non Flammable Compressed Gas | 22- Radioactive |
| 7- Explosive A | 16- Organic Peroxide | |

ics)
/inders

A Hazardous Materials Disclosure Business is required by law to notify the Garden Grove Fire Department within 15 days of any of the following events:

1. Change of business address.
2. Change of business ownership.
3. Change of business name.
4. Cessation of business.
5. Use of a previously undisclosed hazardous material.
6. A 100% increase in the quantity of a previously disclosed material.

	YES	NO
1. Are there any underground storage containers located on the business property?	___	<input checked="" type="checkbox"/>
2. Is trade secret protection requested for any of the information included in this disclosure?	___	<input checked="" type="checkbox"/>
3. Are there school(s), hospital(s), extended day care or long term health facilities within 1000 feet (straight line distance) of business property?	___	<input checked="" type="checkbox"/>
4. Are extremely Hazardous Materials or Acutely Hazardous Materials being handled on business property (State and Federal reporting)?	___	___

I certify, under penalty of law that I have personally examined and am familiar with the information submitted and believe the submitted information is true, accurate, and complete.

Print Name of Owner: TAE K. KIM

Print Name of Document Preparer: _____

Signature of Owner/Operator: *Tae K Kim* Date: 9/21/93

NOTE: Keep a copy of entire disclosure packet for your records.

RETURN THE ORIGINAL DISCLOSURE FORM, BUSINESS PLAN, AND MSDS SHEETS TO THE GARDEN GROVE FIRE DEPARTMENT

BUSINESS EMERGENCY PLAN

Business Name ANAHEIM WEST CAR WASH

Business Address 10802 KATELLA City G/G State CA Zip 92804

Mailing Address SAME AS ABOVE City _____ State ____ Zip _____

Business Phone (714) 530-7312

FAX Number (714) 530-3604

Owner/Operator: Name TAE KIM Phone Number . .

Address . _____ City _____ State _____ Zip _____

Primary Contact : Name JOE LOPEZ

Address _ _____ City _____ State _____ Zip _____

24 Hour Phone Number _____ Phone Number (_____

Type of Business Operation CAR WASH & Auto DETAILING

TABLE OF CONTENTS

INTRODUCTION: Business Emergency Plan - Short Version

- A) Evacuation and Staging Areas
- B) Employee Responsibilities
- C) Training Requirements
- D) Emergency Notifications
- E) Prevention
- F) Site Plan

Hazardous Materials Business Emergency Plan - Short Version

All businesses using, handling or storing hazardous materials that are required to disclose must complete an Business Emergency Plan. The occupancy groups listed below will be permitted to complete a short version of the business plan. The completion of the short form shall be considered the application required in the Health and Safety Code, Title 20, Chapter 6.95, Section 25503.5.

The Chief of the Garden Grove Fire Department in the role of the Administering Agency, allows the following types of businesses to file the short version of the Business Emergency Plan.

1. Gasoline/Diesel service stations. B-1 occupancies.
2. Repair Garages. H-4 occupancies.
3. Dry Cleaners.
4. Businesses, at the Fire Chief's discretion, with less than 10 employees and using materials that are not considered highly or acutely toxic.

The Fire Chief exempts the following portions from the business plan. These exemptions have been established because the materials used in the above-mentioned occupancies are common knowledge to first responding units. The materials pose no significant, unexpected hazard nor do they affect the ability of the administering agency to effectively respond to their release of a hazardous material, and that there are unusual circumstances justifying this exemption.

Exemptions

1. Detailed evacuation plans.
2. Detailed Key employee responsibilities.
3. Training outline.
4. Detailed prevention outline.

The following Short Business Emergency Plan must be completed in order for the exemption to be granted.

Personnel Emergency Notifications and Responsibilities

(A) Employee Evacuation and Staging Areas:

1. The type of (alarm) signal that will be used to initiate an evacuation at the facility:

VOCAL PUBLIC ADDRESS

2. All employees shall be trained to evacuate the facility through at least one exit. Alternate exit routes shall be designated if available.
3. Staging areas shall be designated for all employees. Staging areas will be the location that all employees shall report to in the event of an emergency.

One person shall be designated to account for all personnel at the staging area. That person will be responsible for meeting the incoming Fire units and reporting the conditions known about the incident.

The Staging area is at the following location:

BEHIND KENTUCKY FRIED CHICKEN

(B) Employee Responsibilities:

At least one employee shall be responsible for the following minimum requirements in the event of an emergency response by the Fire Department.

1. Notify employees. Initiate evacuation procedures.
 2. Notify the Garden Grove Fire Department. Dial 911.
 3. Try to identify the nature of the incident.
 4. Report to the staging area and account for evacuated employees.
 5. Report to the incoming fire units.
 6. Activate any emergency mitigation procedures that are available at your business. (List below any mitigation procedures specific to your business, if any.)
-
-

(C) Training Requirements

State law requires training of employees where the business uses, handles or stores hazardous materials.

Employee training provided on:

1. Employee responsibility to report any release or threatened release of a hazardous material to:
 - Garden Grove Fire Department at 911
 - Office of Emergency Service 800-852-7550
2. Appointment of person/persons on site who are trained in key role positions. Emergency coordinator, evacuation coordinators, staging area supervisors and documenting officers.
3. Procedures to follow during a release or threatened release of a hazardous material (evacuation to staging areas).
4. Information contained in material safety data sheets.
5. Warning labels/placards.
6. Safe work practices.
7. Use of on site emergency equipment and supplies.
8. Use and location of personal protective equipment.
9. Any chemical, hazardous material or substance that could be encountered in his/her work area.
10. On-site alarm system for evacuation.
11. Discuss possible release of hazardous materials scenario.

(D) Emergency Notifications

A handler of hazardous materials is required to immediately report any release or threatened release of a hazardous material to the Garden Grove Fire Department. Failure to do so may result in criminal and/or civil prosecution. In addition you must notify the State Office of Emergency Services at (800) 852-7550 or (916) 427-4341.

(E) Prevention

All materials are stored, used and handled within the guidelines of the Uniform Fire Code, N.F.P.A. standards, California Administrative Code, Titles 19 and 20.

This section is meant to initiate a Prevention Plan at your business and to assist in preventing a release, or threatened release, of a hazardous material. In the spaces provided, place a checkmark by the preventive actions which have been initiated by your business to abate hazards relating to hazardous material handling, use of storage.

Consideration shall include:

1. Drum storage and/or aboveground tank storage areas:
 - a Isolation and separation of incompatible materials
 - b Diking areas to contain spills
 - c Storage on paved ground
2. Compressed and/or cyrogenic gas storage areas:
 - a Cylinders stored upright and secured
 - b Isolation and/or separation of incompatible cylinders (oxygen and flammable gases, etc.)
3. General:
 - a Safe work practices are exercised in daily routines.
 - b Employees who handle hazardous materials are properly trained.
 - c Material Safety Data Sheet (MSDS) readily available for each hazardous material on the premises.
 - d Labeling of all materials and storage areas with the product name and hazards associated with the product (drums, piping, tanks, etc.)
 - e Uniform Fire Code (UFC) requires separation between outside hazardous material storage area or tanks and combustibile materials (wood, brush, etc.)
 - f Posting of "No Smoking" signs where appropriate.

4. Other:

a___

b___

c___

d___

F) Site Plan

Use the symbols below to indicate on the attached sheet specific areas on the Site Plan. The Site Plan should be neat, clean, and drawn to scale if possible.



HAZARDOUS MATERIAL LISTED BY SYMBOL AND NUMBER.

NOTE: THIS NUMBER SHOULD CORRESPOND WITH NUMBERS LISTED ON DISCLOSURE FORM.



ELECTRICAL MAIN



GAS MAIN



WATER MAIN



EVACUATION AREA



NORTH DIRECTIONAL ARROW



INDICATE KNOX BOX LOCATIONS (lock box for keys)



AUTOMATED SPRINKLERED BUILDING **NEEDED ON ALL SPRINKLERED BUILDINGS.**



FIRE DEPARTMENT SPRINKLER CONNECTION



FIRE HYDRANT

GARDEN GROVE FIRE DEPARTMENT

HAZARDOUS MATERIALS DISCLOSURE

SHORT FORM

Business Name ANAHEIM WEST CAR WASH

Business Address 10802 KATELLA City ANAHEIM State CA Zip 92804

Mailing Address SAME City _____ State _____ Zip _____

Business Phone (714) 530-7312 Fax Number (714) 530-3604

Owner/Operator Name TAE KIM Home Phone _____

Home Address _____ City _____ State _____ Zip _____

24 Hour Emergency Contact Phone Numbers _____ Number of Employees 20

DISCLOSURE STATEMENT:

I have reviewed the disclosure which I have on file at my business and which is the same file as submitted to Garden Grove Fire Department, during our last disclosure period. All business names, processes, practices, chemical storage, use, and quantity amounts have remained unchanged from the disclosure on file, and shall remain in effect through the next disclosure period.

I understand, should any business practices change or should the business close before the next disclosure period, I am required by the State of California Health and Safety Code, and the Uniform Fire Code to notify the Garden Grove Fire Department of such changes or closures.

We at the business of ANAHEIM WEST CAR WASH meet the above requirement for a short form disclosure. The under signed is a responsible party within this business, and has the authority to make the proper determination of the companies practices. This signature is considered under the penalty of perjury.

Tae Kim Date 2-17-95
Business Official Signature

Office Use Only

MLI# _____ Short _____ Long _____ Date/By 2-27-95

(Handwritten initials)

BUSINESS EMERGENCY PLAN

Business Name ANAHEIM WEST CAR WASH

Business Address 10802 KATELLA City ANAHEIM State CA Zip 92804

Mailing Address SAME City _____ State ____ Zip _____

Business Phone (714) 530-7312

FAX Number (714) 530-3604

Owner/Operator: Name TAE KIM Phone Number: _____

Address - _____ City _____ State _____ Zip _____

Primary Contact : Name JOE LOPEZ

Address _ _____ City _____ State _____ Zip _____

24 Hour Phone Number _____

Phone Number _____

Type of Business Operation CAR WASH AND AUTO DETAILING

TABLE OF CONTENTS

INTRODUCTION: Business Emergency Plan - Short Version

- A) Evacuation and Staging Areas
- B) Employee Responsibilities
- C) Training Requirements
- D) Emergency Notifications
- E) Prevention
- F) Site Plan

Hazardous Materials Business Emergency Plan - Short Version

All businesses using, handling or storing hazardous materials that are required to disclose must complete an Business Emergency Plan. The occupancy groups listed below will be permitted to complete a short version of the business plan. The completion of the short form shall be considered the application required in the Health and Safety Code, Title 20, Chapter 6.95, Section 25503.5.

The Chief of the Garden Grove Fire Department in the role of the Administering Agency, allows the following types of businesses to file the short version of the Business Emergency Plan.

1. Gasoline/Diesel service stations. B-1 occupancies.
2. Repair Garages. H-4 occupancies.
3. Dry Cleaners.
4. Businesses, at the Fire Chief's discretion, with less than 10 employees and using materials that are not considered highly or acutely toxic.

The Fire Chief exempts the following portions from the business plan. These exemptions have been established because the materials used in the above-mentioned occupancies are common knowledge to first responding units. The materials pose no significant, unexpected hazard nor do they affect the ability of the administering agency to effectively respond to their release of a hazardous material, and that there are unusual circumstances justifying this exemption.

Exemptions

1. Detailed evacuation plans.
2. Detailed Key employee responsibilities.
3. Training outline.
4. Detailed prevention outline.

The following Short Business Emergency Plan must be completed in order for the exemption to be granted.

Personnel Emergency Notifications and Responsibilities

(A) Employee Evacuation and Staging Areas:

1. The type of (alarm) signal that will be used to initiate an evacuation at the facility:

VOCAL PUBLIC ADDRESS

2. All employees shall be trained to evacuate the facility through at least one exit. Alternate exit routes shall be designated if available.
3. Staging areas shall be designated for all employees. Staging areas will be the location that all employees shall report to in the event of an emergency.

One person shall be designated to account for all personnel at the staging area. That person will be responsible for meeting the incoming Fire units and reporting the conditions known about the incident.

The Staging area is at the following location:

BETHIND KENTURKY FRIED CHICKEN

(B) Employee Responsibilities:

At least one employee shall be responsible for the following minimum requirements in the event of an emergency response by the Fire Department.

1. Notify employees. Initiate evacuation procedures.
2. Notify the Garden Grove Fire Department. Dial 911.
3. Try to identify the nature of the incident.
4. Report to the staging area and account for evacuated employees.
5. Report to the incoming fire units.
6. Activate any emergency mitigation procedures that are available at your business. (List below any mitigation procedures specific to your business, if any.)

(C) Training Requirements

State law requires training of employees where the business uses, handles or stores hazardous materials.

Employee training provided on:

1. Employee responsibility to report any release or threatened release of a hazardous material to:
 - Garden Grove Fire Department at 911
 - Office of Emergency Service 800-852-7550
2. Appointment of person/persons on site who are trained in key role positions. Emergency coordinator, evacuation coordinators, staging area supervisors and documenting officers.
3. Procedures to follow during a release or threatened release of a hazardous material (evacuation to staging areas).
4. Information contained in material safety data sheets.
5. Warning labels/placards.
6. Safe work practices.
7. Use of on site emergency equipment and supplies.
8. Use and location of personal protective equipment.
9. Any chemical, hazardous material or substance that could be encountered in his/her work area.
10. On-site alarm system for evacuation.
11. Discuss possible release of hazardous materials scenario.

(D) Emergency Notifications

A handler of hazardous materials is required to immediately report any release or threatened release of a hazardous material to the Garden Grove Fire Department. Failure to do so may result in criminal and/or civil prosecution. In addition you must notify the State Office of Emergency Services at (800) 852-7550 or (916) 427-4341.

(E) Prevention

All materials are stored, used and handled within the guidelines of the Uniform Fire Code, N.F.P.A. standards, California Administrative Code, Titles 19 and 20.

This section is meant to initiate a Prevention Plan at your business and to assist in preventing a release, or threatened release, of a hazardous material. In the spaces provided, place a checkmark by the preventive actions which have been initiated by your business to abate hazards relating to hazardous material handling, use of storage.

Consideration shall include:

1. Drum storage and/or aboveground tank storage areas:
 - a Isolation and separation of incompatible materials
 - b Diking areas to contain spills
 - c Storage on paved ground
2. Compressed and/or cyrogenic gas storage areas:
 - a Cylinders stored upright and secured
 - b Isolation and/or separation of incompatible cylinders (oxygen and flammable gases, etc.)
3. General:
 - a Safe work practices are exercised in daily routines.
 - b Employees who handle hazardous materials are properly trained.
 - c Material Safety Data Sheet (MSDS) readily available for each hazardous material on the premises.
 - d Labeling of all materials and storage areas with the product name and hazards associated with the product (drums, piping, tanks, etc.)
 - e Uniform Fire Code (UFC) requires separation between outside hazardous material storage area or tanks and combustibile materials (wood, brush, etc.)
 - f Posting of "No Smoking" signs where appropriate.

4. Other:

a___

b___

c___

d___


F) Site Plan


Use the symbols below to indicate, on the attached sheet, specific areas on the Site Plan. If the attached sheet is not sufficient, consult the instruction packet to prepare this plan. The Site Plan should be neat, clean, and drawn to scale, if possible.


 HAZARDOUS MATERIAL LISTED BY SYMBOL AND NUMBER.

NOTE: THIS NUMBER SHOULD CORRESPOND WITH NUMBERS LISTED ON DISCLOSURE FORM.

 ELECTRICAL MAIN


 GAS MAIN

 WATER MAIN

 EVACUATION AREA

 NORTH DIRECTIONAL ARROW

 INDICATE KNOX BOX LOCATIONS (lock box for keys)

 AUTOMATED SPRINKLERED BUILDING **NEEDED ON ALL SPRINKLERED BUILDINGS.**

 FIRE DEPARTMENT SPRINKLER CONNECTION

 FIRE HYDRANT

MATERIAL SAFETY DATA SHEET



1201 West 5th Street
Los Angeles, California 90017

Product Name: UNOCAL UNAX AW 32
Product Code No: 04641

Page 1
Issue Date: 06/01/90
Status: FINAL

Responsible Party:

UNOCAL REFINING & MARKETING DIVISION
UNION OIL COMPANY OF CALIFORNIA
1201 WEST 5TH STREET
LOS ANGELES, CALIFORNIA 90017

CONTACT FOR FURTHER INFORMATION:
MSDS COORDINATOR 213-977-7589

Transportation Emergencies:

CHEMTREC
(800) 424-9300 Cont. U.S.
(202) 483-7616 (Collect)
from Alaska & Hawaii
Health Emergencies:
LOS ANGELES POISON
CONTROL CENTER (24 hrs)
(800) 356-3129

PRODUCT IDENTIFICATION

PRODUCT NAME: UNOCAL UNAX AW 32
SYNONYMS: UNION UNAX AW 32
GENERIC NAME: INDUSTRIAL OIL
CHEMICAL FAMILY: PETROLEUM HYDROCARBON
DOT PROPER SHIPPING NAME: NOT APPLICABLE
ID NUMBER: NONE
DOT HAZARD CLASSIFICATION: NOT REGULATED

PRECAUTIONARY WARNING

DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, GRIND OR DRILL ON OR NEAR CONTAINER OR EXPOSE TO ANY SOURCE OF IGNITION. "EMPTY" CONTAINER RETAINS RESIDUE (LIQUID AND/OR VAPOR) AND MAY EXPLODE IN HEAT OF A FIRE.

SECTION I - COMPONENTS	PERCENT	EXPOSURE LIMIT	UNITS	AGENCY	TYPE
------------------------	---------	----------------	-------	--------	------

HAZARDOUS COMPONENTS

SOLVENT DEWAXED DISTILLATE, HEAVY PARAFFIN CAS #: 64742-65-0	99	5.000	mg/m3	ACGIH	TWA
		10.000	mg/m3	ACGIH	STEL
		5.000	mg/m3	MSHA	TWA
		5.000	mg/m3	OSHA	TWA
		5.000	mg/m3	CAL OSHA	TWA

OTHER COMPONENTS

TRADE SECRET CAS #: PROPRIETARY	1			NOT ESTABLISHED	
------------------------------------	---	--	--	-----------------	--

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICALS SUBJECT TO THE REPORTING REQUIREMENTS OF SARA 313 AND 40 CFR 372:

CAS NUMBER	WEIGHT %
------------	----------

--NONE--

UNION OIL CO.

Product Name: UNOCAL UNAX AW 32
Product Code No: 04641

Page 2
Issue Date: 06/01/90
Status: FINAL

SECTION I

NOTE: SOLVENT DEWAXED DISTILLATE, HEAVY PARAFFIN COMPARABLE TO OIL MIST, IF GENERATED.

SECTION II - EMERGENCY AND FIRST AID PROCEDURES*****EMERGENCY*****

Have physician call LOS ANGELES POISON
CONTROL CENTER (24 hrs) (800) 356-3129

EYE CONTACT:

IF IRRITATION OR REDNESS DEVELOPS, MOVE VICTIM AWAY FROM EXPOSURE AND INTO FRESH AIR. FLUSH EYES WITH CLEAN WATER. IF SYMPTOMS PERSIST, SEEK MEDICAL ATTENTION.

SKIN CONTACT:

WIPE MATERIAL FROM SKIN AND REMOVE CONTAMINATED SHOES AND CLOTHING. CLEANSE AFFECTED AREA(S) THOROUGHLY BY WASHING WITH MILD SOAP AND WATER AND, IF NECESSARY, A WATERLESS SKIN CLEANSER. IF IRRITATION OR REDNESS DEVELOPS AND PERSISTS, SEEK MEDICAL ATTENTION.

INHALATION (BREATHING):

IF RESPIRATORY SYMPTOMS DEVELOP, MOVE VICTIM AWAY FROM SOURCE OF EXPOSURE AND INTO FRESH AIR. IF SYMPTOMS PERSIST, SEEK MEDICAL ATTENTION. IF VICTIM IS NOT BREATHING, IMMEDIATELY BEGIN ARTIFICIAL RESPIRATION. IF BREATHING DIFFICULTIES DEVELOP, OXYGEN SHOULD BE ADMINISTERED BY QUALIFIED PERSONNEL. SEEK IMMEDIATE MEDICAL ATTENTION.

INGESTION (SWALLOWING):

NO FIRST AID IS NORMALLY REQUIRED; HOWEVER, IF SWALLOWED, AND SYMPTOMS DEVELOP, SEEK MEDICAL ATTENTION.

COMMENTS:

NOTE TO PHYSICIANS: ACUTE ASPIRATION OF LARGE AMOUNTS OF OIL LADEN MATERIAL MAY PRODUCE A SERIOUS ASPIRATION PNEUMONIA. PATIENTS WHO ASPIRATE THESE OILS SHOULD BE FOLLOWED FOR THE DEVELOPMENT OF LONG-TERM SEQUELAE. REPEATED ASPIRATION OF SMALL QUANTITIES OF MINERAL OIL CAN PRODUCE CHRONIC INFLAMMATION OF THE LUNGS (i.e. LIPOID PNEUMONIA) THAT MAY PROGRESS TO PULMONARY FIBROSIS. SYMPTOMS OFTEN ARE SUBTLE AND RADIOLOGICAL CHANGES APPEAR WORSE THAN CLINICAL ABNORMALITIES. OCCASIONALLY, PERSISTENT COUGH, IRRITATION OF THE UPPER RESPIRATORY TRACT, SHORTNESS OF BREATH WITH EXERTION, FEVER AND BLOODY SPUTUM OCCUR. INHALATION EXPOSURE TO OIL MISTS BELOW CURRENT WORKPLACE EXPOSURE LIMITS IS UNLIKELY TO CAUSE PULMONARY ABNORMALITIES.

SECTION III - HEALTH HAZARDS/ROUTES OF ENTRY**EYE CONTACT:**

THIS MATERIAL MAY CAUSE MILD EYE IRRITATION. DIRECT CONTACT WITH THE LIQUID OR EXPOSURE TO VAPORS OR MISTS MAY CAUSE STINGING, TEARING AND REDNESS.

SKIN CONTACT:

THIS MATERIAL MAY CAUSE MILD SKIN IRRITATION. PROLONGED OR REPEATED CONTACT MAY CAUSE REDNESS, BURNING, AND DRYING AND CRACKING OF THE SKIN. NO HARMFUL EFFECTS ARE EXPECTED FROM SKIN ABSORPTION OF THIS MATERIAL. PERSONS WITH PRE-EXISTING SKIN DISORDERS MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF THIS MATERIAL.

INHALATION (BREATHING):

WHILE THIS MATERIAL HAS A LOW DEGREE OF TOXICITY, BREATHING HIGH CONCENTRATIONS OF VAPORS OR MISTS MAY CAUSE IRRITATION OF THE NOSE AND THROAT.

UNIOI. OIL CO.

Product Name: UNOCAL UNAX AW 32
Product Code No: 04641

Page 3
Issue Date: 06/01/90
Status: FINAL

SECTION III - HEALTH HAZARDS/ROUTES OF ENTRY**INGESTION (SWALLOWING):**

WHILE THIS MATERIAL HAS A LOW DEGREE OF TOXICITY, INGESTION OF EXCESSIVE QUANTITIES MAY CAUSE IRRITATION OF THE DIGESTIVE TRACT.

COMMENTS:

THIS MATERIAL HAS NOT BEEN IDENTIFIED AS A CARCINOGEN BY NTP, IARC OR OSHA.

SECTION IV - SPECIAL PROTECTION INFORMATION**VENTILATION:**

IF CURRENT VENTILATION PRACTICES ARE NOT ADEQUATE TO MAINTAIN AIRBORNE CONCENTRATIONS BELOW THE ESTABLISHED EXPOSURE LIMITS (SEE SECTION I), ADDITIONAL VENTILATION OR EXHAUST SYSTEMS MAY BE REQUIRED. WHERE EXPLOSIVE MIXTURES MAY BE PRESENT, ELECTRICAL SYSTEMS SAFE FOR SUCH LOCATIONS MUST BE USED.

RESPIRATORY PROTECTION:

THE USE OF RESPIRATORY PROTECTION IS ADVISED WHEN CONCENTRATIONS EXCEED THE ESTABLISHED EXPOSURE LIMITS (SEE SECTION I). DEPENDING ON THE AIRBORNE CONCENTRATION, USE A RESPIRATOR OR GAS MASK WITH APPROPRIATE CARTRIDGES AND CANNISTERS (NIOSH APPROVED, IF AVAILABLE) OR SUPPLIED AIR EQUIPMENT.

PROTECTIVE GLOVES:

THE USE OF GLOVES IMPERMEABLE TO THE SPECIFIC MATERIAL HANDLED IS ADVISED TO PREVENT SKIN CONTACT AND POSSIBLE IRRITATION.

EYE PROTECTION:

APPROVED EYE PROTECTION TO SAFEGUARD AGAINST POTENTIAL EYE CONTACT, IRRITATION OR INJURY IS RECOMMENDED.

OTHER PROTECTIVE EQUIPMENT:

IT IS SUGGESTED THAT A SOURCE OF CLEAN WATER BE AVAILABLE IN THE WORK AREA FOR FLUSHING EYES AND SKIN. IMPERVIOUS CLOTHING SHOULD BE WORN AS NEEDED.

SECTION V - REACTIVITY DATA**REACTIVITY:**

STABLE UNDER NORMAL CONDITIONS OF STORAGE AND HANDLING.

CONDITIONS AFFECTING REACTIVITY:

EXTENDED EXPOSURE TO HIGH TEMPERATURES MAY CAUSE DECOMPOSITION.

INCOMPATIBLE MATERIALS:

AVOID CONTACT WITH STRONG OXIDIZING AGENTS.

HAZARDOUS DECOMPOSITION PRODUCTS:

COMBUSTION MAY YIELD MAJOR AMOUNTS OF OXIDES OF CARBON AND MINOR AMOUNTS OF OXIDES OF SULFUR AND NITROGEN.

HAZARDOUS POLYMERIZATION:

WILL NOT OCCUR

UNION OIL CO.

Product Name: UNOCAL UNAX AW 32
 Product Code No: 04641

Page 4
 Issue Date: 06/01/90
 Status: FINAL

SECTION V - REACTIVITY DATA

POLYMERIZATION CONDITIONS TO AVOID:

NONE KNOWN

SECTION VI - SPILL AND LEAK PROCEDURES ***HIGHWAY OR RAILWAY SPILLS***
 Call CHEMTREC (800) 424-9300 Cont. U.S.
 (Collect) (202) 483-7616 from Alaska & Hawaii

PRECAUTIONS IN CASE OF RELEASE OR SPILL:

MAY IGNITE. KEEP ALL SOURCES OF IGNITION AWAY FROM SPILL/RELEASE. STAY UPWIND AND AWAY FROM SPILL/RELEASE. ISOLATE HAZARD AREA AND LIMIT ENTRY TO AUTHORIZED PERSONNEL. STOP SPILL/RELEASE IF IT CAN BE DONE WITHOUT RISK. WEAR APPROPRIATE PROTECTIVE EQUIPMENT INCLUDING RESPIRATORY PROTECTION AS CONDITIONS WARRANT (SEE SECTION IV). PREVENT SPILLED MATERIAL FROM ENTERING SEWERS, STORM DRAINS, OTHER UNAUTHORIZED TREATMENT DRAINAGE SYSTEMS AND NATURAL WATERWAYS. DIKE FAR AHEAD OF SPILL FOR LATER RECOVERY OR DISPOSAL. SPILLED MATERIAL MAY BE ABSORBED INTO AN APPROPRIATE ABSORBENT MATERIAL. NOTIFY FIRE AUTHORITIES AND APPROPRIATE FEDERAL, STATE AND LOCAL AGENCIES. IMMEDIATE CLEANUP OF ANY SPILL IS RECOMMENDED. IF SPILL OF ANY AMOUNT IS MADE INTO OR UPON U.S. NAVIGABLE WATERS, THE CONTIGUOUS ZONE, OR ADJOINING SHORELINES, NOTIFY THE NATIONAL RESPONSE CENTER (PHONE NUMBER 800-424-8802).

WASTE DISPOSAL METHOD:

DISPOSE OF PRODUCT IN ACCORDANCE WITH LOCAL, COUNTY, STATE, AND FEDERAL REGULATIONS.

SECTION VII - STORAGE AND SPECIAL PRECAUTIONS

HANDLING AND STORAGE PRECAUTIONS:

USE AND STORE THIS MATERIAL IN COOL, DRY, WELL VENTILATED AREAS AWAY FROM HEAT AND ALL SOURCES OF IGNITION. KEEP CONTAINER(S) CLOSED. STORE ONLY IN APPROVED CONTAINERS. KEEP AWAY FROM ANY INCOMPATIBLE MATERIALS (SEE SECTION V). PROTECT CONTAINER(S) AGAINST PHYSICAL DAMAGE. DO NOT ENTER CONFINED SPACES SUCH AS TANKS OR PITS WITHOUT FOLLOWING PROPER ENTRY PROCEDURES SUCH AS ASTM D-4276. THE USE OF RESPIRATORY PROTECTION IS ADVISED WHEN CONCENTRATIONS EXCEED ANY ESTABLISHED EXPOSURE LIMITS (SEE SECTIONS I AND IV). WASH THOROUGHLY AFTER HANDLING. DO NOT WEAR CONTAMINATED CLOTHING OR SHOES. USE GOOD PERSONAL HYGIENE PRACTICE. "EMPTY" CONTAINERS RETAIN RESIDUE (LIQUID AND/OR VAPOR) AND CAN BE DANGEROUS. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH. "EMPTY" DRUMS SHOULD BE COMPLETELY DRAINED, PROPERLY BUNGED AND PROMPTLY SHIPPED TO THE SUPPLIER OR A DRUM RECONDITIONER. ALL OTHER CONTAINERS SHOULD BE DISPOSED OF IN AN ENVIRONMENTALLY SAFE MANNER AND IN ACCORDANCE WITH GOVERNMENTAL REGULATIONS. BEFORE WORKING ON OR IN TANKS WHICH CONTAIN OR HAVE CONTAINED THIS PRODUCT, REFER TO OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION REGULATIONS, ANSI Z49.1, AND OTHER GOVERNMENTAL AND INDUSTRIAL REFERENCES PERTAINING TO CLEANING, REPAIRING, WELDING, OR OTHER CONTEMPLATED OPERATIONS.

SECTION VIII - FIRE AND EXPLOSION HAZARD DATA

NFPA HAZARD CLASS	HEALTH HAZARD:	0	HAZARD RANKING 0 = LEAST 1 = SLIGHT 2 = MODERATE 3 = HIGH 4 = EXTREME	FLASH POINT 410 F COC 210 C
	FLAMMABILITY:	1		
	REACTIVITY:	0		
	OTHER:			

UNION OIL CO.

Product Name: UNOCAL UNAX AW 32
Product Code No: 04641

Page 5
Issue Date: 06/01/90
Status: FINAL

SECTION VIII - FIRE AND EXPLOSION HAZARD DATA

EXTINGUISHING MEDIA:

DRY CHEMICAL, CARBON DIOXIDE, HALON, FOAM OR WATER SPRAY IS RECOMMENDED.

UNUSUAL FIRE & EXPLOSION HAZARDS:

THIS MATERIAL MAY BURN, BUT WILL NOT IGNITE READILY. IF CONTAINER IS NOT PROPERLY COOLED, IT MAY EXPLODE IN THE HEAT OF A FIRE. VAPORS ARE HEAVIER THAN AIR AND MAY ACCUMULATE IN LOW AREAS.

SPECIAL FIRE FIGHTING PROCEDURES:

WEAR APPROPRIATE PROTECTIVE EQUIPMENT INCLUDING RESPIRATORY PROTECTION AS CONDITIONS WARRANT (SEE SECTION IV). STOP SPILL/RELEASE IF IT CAN BE DONE WITHOUT RISK. MOVE UNDAMAGED CONTAINERS FROM FIRE AREA IF IT CAN BE DONE WITHOUT RISK. WATER SPRAY MAY BE USEFUL IN MINIMIZING OR DISPERSING VAPORS AND COOLING EQUIPMENT EXPOSED TO HEAT AND FLAME. AVOID SPREADING BURNING LIQUID WITH WATER USED FOR COOLING PURPOSES.

SECTION IX - PHYSICAL DATA

***UNLESS OTHERWISE NOTED, VALUES ARE AT
20 C/68 F AND 760 mm Hg/1 atm.

<u>APPROX BOILING POINT</u>	<u>(AIR = 1) VAPOR DENSITY</u>	<u>(N-BUTYL ACETATE = 1) EVAPORATION RATE</u>	<u>% VOLATILE</u>
>600 F / 316 C	>1	<1	NEGLIGIBLE

% SOLUBILITY IN WATER

NEGLIGIBLE

SPECIFIC GRAVITY

0.88-0.89

APPEARANCE

CLEAR, YELLOW LIQUID

ODOR

CHARACTERISTIC PETROLEUM

SECTION X - DOCUMENTARY INFORMATION

ISSUE DATE: 06/01/90 PRODUCT CODE NO. 04641

PREV. DATE: 05/15/89 PREV. PROD. CODE NO. NONE

MSDS NO: NONE PREV. MSDS NO: NONE

DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES

The information in this document is believed to be correct as of the date issued. HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OR COMPLETENESS OF THIS INFORMATION, THE RESULTS TO BE OBTAINED FROM THE USE OF THIS INFORMATION OR THE PRODUCT, THE SAFETY OF THIS PRODUCT, OR THE HAZARDS RELATED TO ITS USE. This information and product are furnished on the condition that the person receiving them shall make his own determination as to the suitability of the product for his particular purpose and on the condition that he assume the risk of his use thereof.

UNION OIL CO.

Product Name: UNOCAL UNAX AW 32
Product Code No: 04641

Page 6
Issue Date: 06/01/90
Status: FINAL

***** THIS IS THE LAST PAGE *****
***** THIS IS THE LAST PAGE *****
***** THIS IS THE LAST PAGE *****

Dbna ANAHEIM WEST CAR WASH

Complex

Address

10802

KATELLA

AVE

92804

Business Information

Business License No. 147803

Dunn and Bradstreet -

Sic Code-

Fax

E-Mail

Business Owner Name TAE KIM Home Phone

Construction Information

Construction type-

Occupany group- S3

Occupany Load- 0

Building Sq.ft- 0

Contacts Information

Property Owner

Building Owner

Contacts

Inspection Information

Deleted and Archived by VThorpe

File number 2456

Inspector-

Inspection History

Visits

1/18/02

Inspector Id- Name -

Insp. Type - Initial Inspection

Category - Life safety

Comments -

Violations

Permits

Permit No- 291021

Permit description- MOTOR VEH. REPAIR & SERVICING

EPS Information

Business Operator -

Phone -

Environmental Contact -

phone -

address - ,

Chemical Information

Tank Information

Disclosure Local Information

Invoices

External Invoices

Notes

DbA ANAHEIM WEST CAR WASH

Complex

Address

10802

KATELLA

Ave

92804

Business Information

Business License No.

Dunn and Bradstreet -

Sic Code-

Fax

E-Mail

Business Owner Name RAMIN NOORYZADEH

Home Phone

Property Use

Construction Information

Construction type-

Occupany group-

Occupany Load- 0

Building Sq.ft- 0

Contacts Information

Property Owner

Building Owner

Contacts

Contact Type - Business Owner

RAMIN NOORYZADEH

10802 KATELLA Ave

GARDEN GROVE, CA 92804

Contact Type - Emergency One

RAMIN NOORYZADEH

7143304748

Inspection Information

inspection information

Archived by sabrinas

File number 8848

Inspector- FPB N

Inspection History

11/06/2008 Time 11:52

Employee No. - 6691Name - Valerie Thorpe

Action Performed - Inspection Cleared

Notes - Inspection cleared- Inspector 0001 FPB Intern by Valerie Thorpe

01/05/2009 Time 07:42

Employee No. - 6691Name - Valerie Thorpe

Action Performed - Permit Invoice

Notes - Permit Invoice Printed

01/13/2009 Time 08:17

Employee No. - 6691Name - Valerie Thorpe

Action Performed - Fire Code Permit

Notes - Fire Code Permit printed for a paid Invoice

10/12/2009 Time 09:34

Employee No. - 6691Name - Valerie Thorpe

Action Performed - Life Safety Inspection

Notes - System generated Life Safety inspection printed for - Inspector FPB shift N F

11/25/2009 Time 09:09

Employee No. - 6691Name - Valerie Thorpe

Action Performed - Inspection Cleared

Notes - Inspection cleared- Inspector 0001 FPB Intern by Valerie Thorpe

11/25/2009 Time 09:09

Employee No. - 6691Name - Valerie Thorpe

Action Performed - Violation Cleared

Notes - Auto Cleared Lifesafety -Violation 0001 FPB Intern

11/25/2009 Time 09:09

Employee No. - 6691Name - Valerie Thorpe

Action Performed - Violation Cleared

Notes - Auto Cleared Lifesafety -Violation 0001 FPB Intern

11/25/2009 Time 09:09

Employee No. - 6691Name - Valerie Thorpe

Action Performed - Violation Cleared

Notes - Auto Cleared Lifesafety -Violation 0001 FPB Intern

01/04/2010 Time 08:25

Employee No. - 6691Name - Valerie Thorpe

Action Performed - Permit Invoice

Notes - Permit Invoice Printed

01/14/2010 Time 10:39

Employee No. - 6691Name - Valerie Thorpe

Action Performed - Fire Code Permit

Notes - Fire Code Permit printed for a paid Invoice

Visits

11/05/2008

Inspector Id- 0001Name - FPB Intern
Insp. Type - Annual Life Safety
Category - Life Safety
Comments - No violations.
-Bennett

11/10/2009

Inspector Id- 0001Name - FPB Intern
Insp. Type - Annual Life Safety
Category - Life Safety
Comments - Re-insp 11/24
-Cahill

11/24/2009

Inspector Id- 0001Name - FPB Intern
Insp. Type - ReInspection
Category - Life Safety
Comments - Cleared.

Violations

11/10/2009

code no - CFC 605.6
Description - Discontinue use of extension cords.

11/10/2009

code no - CFC 605.1
Description - Provide/ replace electrical cover- games

11/10/2009

code no -
Description - Secondary containment for oils.

Permits

Permit No- 801031

Permit description- HAZARDOUS MATERIALS - use, handling or storage

Permit No- 291021

Permit description- MOTOR VEHICLE REPAIR / SERVICING

EPS Information

Business Operator -

Phone -

Environmental Contact -

phone -
address - ,

Chemical Information

Chemical Name - MAXI SUDS
Common name - CLEANING COMPOUND

Chemical Name - 2200-OCCS LIFT IT
Common name - CARPET SHAMPOO

Chemical Name - KISS OFF
Common name - KISS OFF

Chemical Name - SURFACE PROTECTANT
Common name - TIRE DRESSING

Chemical Name - POLISH WAX
Common name - POLISH WAX

Chemical Name - WHEEL ACID
Common name - WHEEL ACID

Tank Information

Tank Owner Name -
Phone -
Address-

Disclosure Local Information

Date Disclosure was verified 00/00/00
Disclosure letter verified by
Date Inquiry letter Sent 00/00/00
Date New Business Packet Sent 00/00/00
Date New Business Packet Received 00/00/00
Date Year end packet sent 00/00/00
Date Year end packet Received 00/00/00
Date Year end Packet Approved 00/00/00
Citation Date 00/00/00
City Attorney Letter sent Date 00/00/00
Date BEP sent 00/00/00
Date BEP Submitted 00/00/00
Date BEP Corrected 00/00/00
Date BEP Approved 00/00/00
Date BEP Approved 00/00/00
Business was not in the Cal Arp program
Number of Employee
Local ID Number

Invoices

Date Billed 01/05/2009

Bill type - Permit Bill

Total Due \$90.00

Amount Paid - \$90.00

Balance Due -\$0.00

Items

HAZARDOUS MATERIALS - use, handling or storage - \$.00

MOTOR VEHICLE REPAIR / SERVICING - \$90.00

Date Billed 01/04/2010

Bill type - Permit Bill

Total Due \$90.00

Amount Paid - \$90.00

Balance Due -\$0.00

Items

HAZARDOUS MATERIALS - use, handling or storage - \$.00

MOTOR VEHICLE REPAIR / SERVICING - \$90.00

External Invoices

Notes

DbA ANAHEIM WEST CAR WASH

Complex

Address

10802

KATELLA

Ave

92804

Business Information

Business License No. 147803

Dunn and Bradstreet -

Sic Code- 7542

Fax

E-Mail

Business Owner Name Tae Kim

Home Phone

Property Use

Construction Information

Construction type-

Occupany group- S3

Occupany Load- 0

Building Sq.ft- 0

Contacts Information

Property Owner

DYNAMIC J & D INC.

7145307312

Building Owner

Contacts

Contact Type - Emergency One

Mobile

Contact Type - Emergency Primary

Joe Lopez

Office

Mobile

Contact Type - Business Owner

Tae Kim Position/Title -Business Owner

Home

Mobile

Contact Type - Business Operator
Tae Kim Position/Title -Business Operator
Office

Contact Type - Property Owner
DYNAMIC J & D INC. Position/Title -Property Owner
Office
Mobile

Inspection Information

Archived by VThorpe
File number 146
Inspector- FPB N

Inspection History

01/07/2003 Time 10:47
Employee No. - 1705Name - Patrick Collins
Action Performed - Life Safety Inspection
Notes - System generated Life Safety inspection printed for - Inspector FPB shift N F

01/06/2003 Time 08:05
Employee No. - 6691Name - Valerie Thorpe
Action Performed - Life Safety Inspection
Notes - System generated Life Safety inspection printed for - Inspector FPB shift N F

01/07/2003 Time 09:29
Employee No. - 1705Name - Patrick Collins
Action Performed - Life Safety Inspection
Notes - System generated Life Safety inspection printed for - Inspector FPB shift N F

01/22/2003 Time 10:25
Employee No. - 6691Name - Valerie Thorpe
Action Performed - Permit Invoice
Notes - Permit Invoice Printed

01/29/2003 Time 07:24
Employee No. - 6691Name - Valerie Thorpe
Action Performed - Inspection Cleared
Notes - Inspection cleared using Status field on input form- Inspector 1705 Patrick Col

02/12/2003 Time 09:00

02/13/2003 Time 09:28

Employee No. - 6691Name - Valerie Thorpe
Action Performed - Fire Code Permit
Notes - Fire Code Permit printed for a paid Invoice

12/14/2006 Time 08:07

Employee No. - 6691Name - Valerie Thorpe
Action Performed - Inspection Cleared
Notes - Inspection cleared using Status field on input form- Inspector 0001 FPB Intern

11/17/2003 Time 07:48

Employee No. - 6691Name - Valerie Thorpe
Action Performed - Inspection Cleared
Notes - Inspection cleared using Status field on input form- Inspector 0910 Nathan Brad

10/27/2003 Time 09:48

Employee No. - 6691Name - Valerie Thorpe
Action Performed - Life Safety Inspection
Notes - System generated Life Safety inspection printed for - Inspector FPB shift N F

01/05/2004 Time 08:35

Employee No. - 6691Name - Valerie Thorpe
Action Performed - Permit Invoice
Notes - Permit Invoice Printed

01/15/2004 Time 07:45

Employee No. - 6691Name - Valerie Thorpe
Action Performed - Fire Code Permit
Notes - Fire Code Permit printed for a paid Invoice

01/02/2007 Time 08:53

Employee No. - 6691Name - Valerie Thorpe
Action Performed - Permit Invoice
Notes - Permit Invoice Printed

10/22/2004 Time 11:09

Employee No. - 6691Name - Valerie Thorpe
Action Performed - Life Safety Inspection
Notes - System generated Life Safety inspection printed for - Inspector FPB shift N F

11/18/2004 Time 08:39

Employee No. - 6691Name - Valerie Thorpe
Action Performed - Inspection Cleared
Notes - Inspection cleared using Status field on input form- Inspector 0910 Nathan Brad

01/03/2005 Time 08:16

Employee No. - 6691Name - Valerie Thorpe
Action Performed - Permit Invoice
Notes - Permit Invoice Printed

01/13/2005 Time 07:58

Employee No. - 6691Name - Valerie Thorpe
Action Performed - Fire Code Permit
Notes - Fire Code Permit printed for a paid Invoice

10/19/2005 Time 09:07

Employee No. - 6691Name - Valerie Thorpe
Action Performed - Life Safety Inspection
Notes - System generated Life Safety inspection printed for - Inspector FPB shift N F

NOTES - System generated Life Safety inspection printed for - Inspector FPB shift N F

01/03/2006 Time 08:12

Employee No. - 6691Name - Valerie Thorpe
Action Performed - Permit Invoice
Notes - Permit Invoice Printed

01/16/2006 Time 07:47

Employee No. - 6691Name - Valerie Thorpe
Action Performed - Inspection Cleared
Notes - Inspection cleared using Status field on input form- Inspector 3087 Randolph Ga

02/09/2006 Time 10:46

Employee No. - 6691Name - Valerie Thorpe
Action Performed - Fire Code Permit
Notes - Fire Code Permit printed for a paid Invoice

02/09/2006 Time 11:06

Employee No. - 6691Name - Valerie Thorpe
Action Performed - Permit Printed
Notes - Permit Copy Printed

02/09/2006 Time 11:08

Employee No. - 6691Name - Valerie Thorpe
Action Performed - Permit Printed
Notes - Permit Copy Printed

10/24/2006 Time 09:55

Employee No. - 6691Name - Valerie Thorpe
Action Performed - Life Safety Inspection
Notes - System generated Life Safety inspection printed for - Inspector FPB shift N F

10/26/2006 Time 10:51

Employee No. - 6691Name - Valerie Thorpe
Action Performed - Life Safety Inspection
Notes - System generated Life Safety inspection printed for - Inspector FPB shift N F

02/23/2007 Time 09:18

Employee No. - 6691Name - Valerie Thorpe
Action Performed - Fire Code Permit
Notes - Fire Code Permit printed for a paid Invoice

10/16/2007 Time 09:04

Employee No. - 6691Name - Valerie Thorpe
Action Performed - Life Safety Inspection
Notes - System generated Life Safety inspection printed for - Inspector FPB shift N F

01/02/2008 Time 08:09

Employee No. - 6691Name - Valerie Thorpe
Action Performed - Permit Invoice
Notes - Permit Invoice Printed

01/10/2008 Time 07:54

Employee No. - 6691Name - Valerie Thorpe
Action Performed - Inspection Cleared
Notes - Inspection cleared- Inspector 0001 FPB Intern by Valerie Thorpe

01/16/2008 Time 09:35

Employee No. - 6691Name - Valerie Thorpe
Action Performed - Fire Code Permit
Notes - Fire Code Permit printed for a paid Invoice

10/21/2008 Time 09:13

Employee No. - 6691Name - Valerie Thorpe
Action Performed - Life Safety Inspection
Notes - System generated Life Safety inspection printed for - Inspector FPB shift N F

Visits

01/28/2003

Inspector Id- 1705Name - Patrick Collins
Insp. Type -
Category - Life Safety
Comments - No Violations

11/13/2003

Inspector Id- 0910Name - Nathan Brady
Insp. Type - Annual Life Safety
Category - Life Safety
Comments - No violations

-Kuhns

11/11/2004

Inspector Id- 0910Name - Nathan Brady
Insp. Type - Annual Life Safety
Category - Life Safety
Comments -

-Soltis / Khuns

11/18/2004

Inspector Id- 0910Name - Nathan Brady
Insp. Type -
Category - Life Safety
Comments - Mailback card returned

12/01/2005

Inspector Id- 0001Name - FPB Intern
Insp. Type - Annual Life Safety
Category - Life Safety
Comments - HazMat packet storage cleaned. Bring them another packet.

-Baeder / Wohlfarth

01/12/2006

Inspector Id- 0001Name - FPB Intern
Insp. Type - Reinspection
Category - Life Safety
Comments - Cleared.

12/13/2006

Inspector Id- 0001Name - FPB Intern
Insp. Type - Annual Life Safety
Category - Life Safety
Comments - No violations. * Manager there Wednesdays.

-Walden

.....

01/09/2008

Inspector Id- 0001Name - FPB Intern

Insp. Type - Annual Life Safety

Category - Life Safety

Comments - No violations.

-Walden

11/21/2007

Inspector Id- 3592Name -

Insp. Type - Hazardous MaterialsI Disclosure Inspection

Category - EPS

Comments - COULD NOT FIND PACKET. DROPPED OF A PACKET AND WILL PICK IT UP ON 12/5/2007.

03/04/2008

Inspector Id- 3703Name - RANDALL WALDEN

Insp. Type - Hazardous MaterialsI Disclosure Inspection

Category - EPS

Comments - Picked up haxmat packet.

Violations

11/11/2004

code no - 8509.2

Description - Provide / replace power strip - hallway by gumball machine.

12/01/2005

code no - 7902.1

Description - Complete Hazardous Materials Disclosure packet

11/21/2007

code no - HSC 25509

Description - Chemical inventory is incomplete / requires update.

Permits

Permit No- 801031

Permit description- HAZARDOUS MATERIALS - use, handling or storage

Permit No- 291021

Permit description- MOTOR VEHICLE REPAIR / SERVICING

EPS Information

Business Operator - Tae Kim

Phone -

Environmental Contact -

phone -

address - ,

Chemical Information

Chemical Name - PETROLEUM DISTILLATES

Common name - HYDRAULIC OIL

Chemical Name - MIXTURE

Common name - VARIOUS AEROSOL PRODUCTS

Chemical Name - SOLVENT

Common name - SOLVENT

Chemical Name - MIXTURE

Common name - VARIOUS CLEANING/ FINISHING PRODUCTS

Chemical Name - MIXTURE

Common name - LACQUER THINNER

Chemical Name - MIXTURE

Common name - FORMULA 20

Tank Information

Tank Owner Name -

Phone -

Address-

Disclosure Local Information

Date Disclosure was verified 00/00/00

Disclosure letter verified by

Date Inquiry letter Sent 00/00/00

Date New Business Packet Sent 00/00/00

Date New Business Packet Received 00/00/00

Date Year end packet sent 00/00/00

Date Year end packet Received 00/00/00

Date Year end Packet Approved 00/00/00

Citation Date 00/00/00

City Attorney Letter sent Date 00/00/00

Date BEP sent 00/00/00

Date BEP Submitted 00/00/00

Date BEP Corrected 00/00/00

Date BEP Approved 00/00/00

Date BEP Approved 00/00/00

Business was not in the Cal Arp program

Number of Employee 31+

Local ID Number 007059

Invoices

Date Billed 01/22/2003

Bill type - Permit Bill

Total Due \$90.00

Amount Paid - \$90.00

Balance Due **-\$0.00**

Items

MOTOR VEH. REPAIR & SERVICING - \$90.00

Date Billed **01/30/2003**

Bill type - **Chemical/Tank**

Total Due **\$200.00**

Amount Paid - **\$200.00**

Balance Due **-\$0.00**

Items

1 -15 chemicals, <10,000 gallons <1000 lbs. <1000 cu ft of compressed gas, 1-10 Employees - \$200.00

Date Billed **12/20/2002**

Bill type - **Permit Bill**

Total Due **\$90.00**

Amount Paid - **\$90.00**

Balance Due **-\$0.00**

Items

MOTOR VEH. REPAIR & SERVICING - \$90.00

Date Billed **01/05/2004**

Bill type - **Permit Bill**

Total Due **\$90.00**

Amount Paid - **\$90.00**

Balance Due **-\$0.00**

Items

HAZARDOUS MATERIALS - use, handling or storage - \$0.00

MOTOR VEHICLE REPAIR / SERVICING - \$90.00

Date Billed **01/03/2005**

Bill type - **Permit Bill**

Total Due **\$90.00**

Amount Paid - **\$90.00**

Balance Due **-\$0.00**

Items

HAZARDOUS MATERIALS - use, handling or storage - \$0.00

MOTOR VEHICLE REPAIR / SERVICING - \$90.00

Date Billed **01/03/2006**

Bill type - **Permit Bill**

Total Due **\$90.00**

Amount Paid - **\$90.00**

Balance Due **-\$0.00**

Items

HAZARDOUS MATERIALS - use, handling or storage - \$0.00

MOTOR VEHICLE REPAIR / SERVICING - \$90.00

Date Billed 01/02/2007

Bill type - Permit Bill

Total Due \$90.00

Amount Paid - \$90.00

Balance Due -\$0.00

Items

HAZARDOUS MATERIALS - use, handling or storage - \$0.00

MOTOR VEHICLE REPAIR / SERVICING - \$90.00

Date Billed 01/10/2008

Bill type - Permit Bill

Total Due \$90.00

Amount Paid - \$90.00

Balance Due -\$0.00

Items

HAZARDOUS MATERIALS - use, handling or storage - \$0.00

MOTOR VEHICLE REPAIR / SERVICING - \$90.00

External Invoices

Notes

Inspection # :002198 1.Insp_Date:02-02-00
2. Permit # :000044
3. Address :10802 KATELLA AVE
4. Business Name/DBA :ANAHEIM WEST CAR WASH
5. Address Info :HAZ MAT DISCLOSURE ON FILE 6.Buslic :147803
7. Business Owner :TAE KIM
8. Business Address :10802 KATELLA AVE 10.Bus Phone530-7312
9. Business CityStZip:GARDEN GROVE CA 92804 11.EmerPhone534-8547
12.Occ Group :S3 16.5yr Cert. : 20.MBCC :Y
13.Occ Load : 17.FDC loc : 21.Clear date :
14.No of Ext :4.4 18.Haz Mat'l :N 22.InspectorId:5190
15.Sprinklers:N 19.ReInsp date: LUKAS JR, EDWARD F

=====
Violation Code Violation description
=====

- 1 UFC 1001.5 HAVE YOUR FIRE EXTINGUISHER(S) SERVICED ANNUALLY
- 2 BY A STATE FIRE MARSHAL-LICENSED BUSINESS.

Inspection # :012166 1.Insp_Date:01-30-01
2. Permit # :010037
3. Address :10802 KATELLA AVE
4. Business Name/DBA :ANAHEIM WEST CAR WASH
5. Address Info :HAZ MAT DISCLOSURE ON FILE 6.Buslic :147803
7. Business Owner :TAE KIM
8. Business Address :10802 KATELLA AVE 10.Bus Phone530-7312
9. Business CityStZip:GARDEN GROVE CA 92804 11.EmerPhone534-8547
12.Occ Group :S3 16.5yr Cert. : 20.MBCC :Y
13.Occ Load : 17.FDC loc : 21.Clear date :02-22-01
14.No of Ext :4.4 18.Haz Mat'l :N 22.InspectorId:5190
15.Sprinklers:N 19.ReInsp date: LUKAS JR, EDWARD F

=====
Violation Code Violation description
=====

- 1 UFC 1001.5 HAVE YOUR FIRE EXTINGUISHER(S) SERVICED ANNUALLY
- 2 BY A STATE FIRE MARSHAL-LICENSED BUSINESS.

Inspection # :972291 1.Insp_Date:01-08-97
2. Permit # :970537
3. Address :10802 KATELLA AVE
4. Business Name/DBA :ANAHEIM WEST CAR WASH
5. Address Info :HAZ MAT DISCLOSURE ON FILE 6.Buslic :147803
7. Business Owner :TAE KIM
8. Business Address :10802 KATELLA AVE 10.Bus Phone530-7312
9. Business CityStZip:GARDEN GROVE CA 92804 11.EmerPhone525-0246
12.Occ Group :S3 16.5yr Cert. : 20.MBCC :Y

13.Occ Load : 17.FDC loc : 21.Clear date :01-29-97
14.No of Ext :4.4 18.Haz Mat'l :N 22.InspectorId:5190
15.Sprinklers:N 19.ReInsp date:01-22-97 LUKAS JR, EDWARD F

=====
Violation Code Violation description
=====

- 1 UFC 8506.1 EXTENSION CORDS ARE PROHIBITED AND MAY NOT BE USED
- 2 IN PLACE OF FIXED WIRING.
- 3 REMOVE EXTENTION CORD TO FREEZER.
- 4 UFC 8507 MULTI-PLUG ADAPTERS THAT DO NOT COMPLY WITH THE
- 5 ELECTRICAL CODE ARE PROHIBITED.
- 6 REMOVE MULTI-PLUG ADAPTERS TO GAMES ON RAST WALL
- 7 BY THE WINDOW.
- 8 UFC 2903.7 OILY RAGS MUST BE PLACED IN CLOSED METEL CONTAINER
- 9 WIHT LID: PROVIDE METEL CONTAINER.

Inspection # :982233 1.Insp_Date:01-21-98
2. Permit # :980036
3. Address :10802 KATELLA AVE
4. Business Name/DBA :ANAHEIM WEST CAR WASH
5. Address Info :HAZ MAT DISCLOSURE ON FILE 6.Buslic :147803
7. Business Owner :TAE KIM
8. Business Address :10802 KATELLA AVE 10.Bus Phone530-7312
9. Business CityStZip:GARDEN GROVE CA 92804 11.EmerPhone525-0246
12.Occ Group :S3 16.Syr Cert. : 20.MBCC :Y
13.Occ Load : 17.FDC loc : 21.Clear date :02-11-98
14.No of Ext :4.4 18.Haz Mat'l :N 22.InspectorId:5190
15.Sprinklers:N 19.ReInsp date:02-04-98 LUKAS JR, EDWARD F

=====
Violation Code Violation description
=====

- 1 UFC 2903.7 OILY RAGS MUST BE IN CLOSED METAL CONTAINER WITH LID.
- 2 VERBAL KEEP LID OVER OIL DRAIN PAN.
- 3 UFC 8507 MULTI-PLUG ADAPTERS THAT DO NOT COMPLY WITH THE
- 4 ELECTRICAL CODE ARE PROHIBITED.
- 5 REMOVE MULTIPLUG ADAPTER ON EAST WINDOW. (STRESS ALYZER)
- 6 UFC 8506.1 EXTENSION CORDS ARE PROHIBITED AND MAY NOT BE USED
- 7 IN PLACE OF FIXED WIRING.
- 8 ELECTRICAL CODE ARE PROHIBITED.
- 9 REMOVE EXTENTION CORD GOING TO LARGE REFRIGE. MUST BE
- 10 PLUGED DIRECTLY INTO AN UOTLET.
- 11 * PROVIDE HAZ MAT DISCLOSURE PACKET.

Inspection # :992216 1.Insp_Date:01-21-99
2. Permit # :990028
3. Address :10802 KATELLA AVE

4. Business Name/DBA : ANAHEIM WEST CAR WASH
 5. Address Info : HAZ MAT DISCLOSURE ON FILE 6. Bus lic : 147803
 7. Business Owner : TAE KIM
 8. Business Address : 10802 KATELLA AVE 10. Bus Phone 530-7312
 9. Business City/State/Zip : GARDEN GROVE CA 92804 11. Emer Phone 525-0246
 12. Occ Group : S3 16. 5yr Cert. : 20. MBCC : Y
 13. Occ Load : 17. FDC loc : 21. Clear date : 02-09-99
 14. No of Ext : 4.4 18. Haz Mat'l : N 22. Inspector Id : 5190
 15. Sprinklers : N 19. Re Insp date : LUKAS JR, EDWARD F

=====
 # Violation Code Violation description
 =====

- 1 UFC 901.4. ALL BUSINESSES MUST HAVE ADDRESS NUMBERS READILY VISIBLE
- 2 FROM THE STREET ON A CONTRASTING BACKGROUND.
- 3 UFC 8506.1 EXTENSION CORDS ARE PROHIBITED AND MAY NOT BE USED
- 4 IN PLACE OF FIXED WIRING.

0. PERMIT# : 000044
 1. INSPECTION# : 002198
 2. PERMIT LOC : 10802 KATELLA AVE
 3. BUSINESS NAME: ANAHEIM WEST CAR WASH 9. BUS LICENSE: 147803
 4. PHONE: 580-7312 10. OCC CLASS : S3
 5. BILL-TO-NAME : ANAHEIM WEST CAR WASH 11. ISSUE DATE : 02-24-00
 6. BILL-TO-ADDR: 10802 KATELLA AVE 12. EXPIRATION : 01-31-01
 7. BILL-TO-CSZ : ANAHEIM CA 92804 13. TOTAL FEES : 85.00
 8. REMARKS : 14. INSPECTOR : 5190
 LUKAS JR, EDWARD F

=====
 NO. CODE DESCRIPTION / CONDITION FEE
 =====

1	291021	MOTOR VEH. REPAIR & SERVICING	85.00
		OPERATION OF A BUSINESS FOR THE PURPOSE OF REPAIRING OR SERVICING MOTOR VEHICLES SHALL COMPLY WITH ALL APPLICABLE STATE AND LOCAL CODES	

0. PERMIT# : 010037
 1. INSPECTION# : 012166
 2. PERMIT LOC : 10802 KATELLA AVE
 3. BUSINESS NAME: ANAHEIM WEST CAR WASH 9. BUS LICENSE: 147803
 4. PHONE: 530-7312 10. OCC CLASS : S3
 5. BILL-TO-NAME : ANAHEIM WEST CAR WASH 11. ISSUE DATE : 02-22-01
 6. BILL-TO-ADDR : 10802 KATELLA AVE. 12. EXPIRATION : 01-31-02
 7. BILL-TO-CSZ : GARDEN GROVE CA 92804 13. TOTAL FEES : 85.00

8. REMARKS : 14. INSPECTOR :5190
LUKAS JR, EDWARD F

NO.	CODE	DESCRIPTION / CONDITION	FEE
1	291021	MOTOR VEH. REPAIR & SERVICING OPERATION OF A BUSINESS FOR THE PURPOSE OF REPAIRING OR SERVICING MOTOR VEHICLES SHALL COMPLY WITH ALL APPLICABLE STATE AND LOCAL CODES	85.00

0. PERMIT# : 020012
1. INSPECTION# : 022140
2. PERMIT LOC : 10802 KATELLA AVE
3. BUSINESS NAME: ANAHEIM WEST CAR WASH 9. BUS LICENSE:147803
4. PHONE: 530-7312 10. OCC CLASS :S3
5. BILL-TO-NAME : ANAHEIM WEST CAR WASH 11. ISSUE DATE :01-28-02
6. BILL-TO-ADDR : 10802 KATELLA AVE 12. EXPIRATION :01-31-03
7. BILL-TO-CSZ : ANAHEIM CA 92804 13. TOTAL FEES :90.00
8. REMARKS : 14. INSPECTOR :1705
COLLINS, PATRICK S

NO.	CODE	DESCRIPTION / CONDITION	FEE
1	291021	MOTOR VEH. REPAIR & SERVICING OPERATION OF A BUSINESS FOR THE PURPOSE OF REPAIRING OR SERVICING MOTOR VEHICLES SHALL COMPLY WITH ALL APPLICABLE STATE AND LOCAL CODES	90.00

0. PERMIT# : 10019
1. INSPECTION# : 012166
2. PERMIT LOC : 10802 KATELLA AVE
3. BUSINESS NAME: ANAHEIM WEST CAR WASH 9. BUS LICENSE:147803
4. PHONE: 530-7312 10. OCC CLASS :S3
5. BILL-TO-NAME : ANAHEIM WEST CAR WASH 11. ISSUE DATE :01-31-01
6. BILL-TO-ADDR : 10802 KATELLA AVE 12. EXPIRATION :
7. BILL-TO-CSZ : ANAHEIM CA 92804 13. TOTAL FEES :85.00
8. REMARKS : 14. INSPECTOR :5190
LUKAS JR, EDWARD F

NO.	CODE	DESCRIPTION / CONDITION	FEE
1	291021	MOTOR VEH. REPAIR & SERVICING OPERATION OF A BUSINESS FOR THE PURPOSE OF REPAIRING OR SERVICING MOTOR VEHICLES SHALL COMPLY WITH ALL APPLICABLE	85.00

STATE AND LOCAL CODES

0. PERMIT# : 20016
 1. INSPECTION# : 022140
 2. PERMIT LOC : 10802 KATELLA AVE
 3. BUSINESS NAME: ANAHEIM WEST CAR WASH 9. BUS LICENSE:147803
 4. PHONE: 530-7312 10. OCC CLASS :S3
 5. BILL-TO-NAME : ANAHEIM WEST CAR WASH 11. ISSUE DATE :01-31-02
 6. BILL-TO-ADDR : 10802 KATELLA AVE. 12. EXPIRATION :
 7. BILL-TO-CSZ : GARDEN GROVE CA 92804 13. TOTAL FEES :85.00
 8. REMARKS : 14. INSPECTOR :5190
 LUKAS JR, EDWARD F

NO.	CODE	DESCRIPTION / CONDITION	FEE
1	291021	MOTOR VEH. REPAIR & SERVICING OPERATION OF A BUSINESS FOR THE PURPOSE OF REPAIRING OR SERVICING MOTOR VEHICLES SHALL COMPLY WITH ALL APPLICABLE STATE AND LOCAL CODES	85.00

0. PERMIT# : 900068
 1. INSPECTION# : 903835
 2. PERMIT LOC : 10802 KATELLA AVE
 3. BUSINESS NAME: ANAHEIM WEST CAR WASH 9. BUS LICENSE:123760
 4. PHONE: 5307312 10. OCC CLASS :B1
 5. BILL-TO-NAME : COOK INVESTMENTS 11. ISSUE DATE :03-19-90
 6. BILL-TO-ADDR : 120 NEWPORT CENTER DR STE 245 12. EXPIRATION :03-19-91
 7. BILL-TO-CSZ : NEWPORT BEACH, CA 92660 13. TOTAL FEES :615.00
 8. REMARKS : 14. INSPECTOR :4593
 KEIM, TARA E

NO.	CODE	DESCRIPTION / CONDITION	FEE
1	791038	DISPENSING OF FLAM/COMB OPERATION OF (32) DISPENSING NOZZLES	390.00
2	791201	FLAM/COMB +120 HAND/TRANS OPERATION OF UNDERGROUND FLAMMABLE/COMBUSTIBLE LIQUID STORAGE TANKS	100.00
3	791032	FLAM/COMB MONITOR WELLS OPERATION OF (4) MONITORING WELLS	125.00

0. PERMIT# : 910134
 1. INSPECTION# : 913376
 2. PERMIT LOC : 10802 KATELLA AVE

=====
 NO. CODE DESCRIPTION / CONDITION FEE
 =====

1 291021 MOTOR VEH. REPAIR & SERVICING 80.00
 OPERATION OF A BUSINESS FOR THE PURPOSE OF REPAIRING OR
 SERVICING MOTOR VEHICLES SHALL COMPLY WITH ALL APPLICABLE
 STATE AND LOCAL CODES

0. PERMIT# : 990028
 1. INSPECTION# : 992216
 2. PERMIT LOC : 10802 KATELLA AVE
 3. BUSINESS NAME: ANAHEIM WEST CAR WASH 9. BUS LICENSE:147803
 4. PHONE: 530-7312 10. OCC CLASS :S3
 5. BILL-TO-NAME : ANAHEIM WEST CAR WASH 11. ISSUE DATE :02-09-99
 6. BILL-TO-ADDR : 10802 KATELLA AVE 12. EXPIRATION :01-31-00
 7. BILL-TO-CSZ : ANAHEIM CA 92804 13. TOTAL FEES :85.00
 8. REMARKS : 14. INSPECTOR :5190
 LUKAS JR, EDWARD F

=====
 NO. CODE DESCRIPTION / CONDITION FEE
 =====

1 291021 MOTOR VEH. REPAIR & SERVICING 85.00
 OPERATION OF A BUSINESS FOR THE PURPOSE OF REPAIRING OR
 SERVICING MOTOR VEHICLES SHALL COMPLY WITH ALL APPLICABLE
 STATE AND LOCAL CODES

GARDEN GROVE FIRE DEPARTMENT PERMIT

11301 Acacia Parkway, 638-6721

In accordance with the Uniform Fire Code
Permission is hereby granted to:

Name of Business ANA GROVE CAR WASH Date 3/31/82

Address 12002 KATELLA Bus. Ph. 530 7812

- For the purpose of installing using maintaining operate
- Flammable Liquids Candles Public Assembly Other
- Hazardous Materials Gases/LPG High-Pile Storage

Safety Requirements: INSTALLATION OF TWO ADDITIONAL 10,000 GAL
TANKS SHALL FOLLOW MANUFACTURERS RECOMMENDATIONS.
TANKS SHALL BE TESTED TO 51BS FOR LEAKS PRIOR
TO INSTALLATION. TANK SHALL BE PLACED ON CLEAN FILL
AND SHALL BE SURROUNDED BY ONLY CLEAN FILL WITH A MIN.
CLEARANCE OF 3 FEET

Time issued for: 11 AM 3/31/82 Signed _____

Subject to revocation for proper cause or when necessary
for public safety. Noncompliance with any provisions
stipulated herein constitutes a violation of above code.

[Signature]
INSPECTOR RANK

PLEASE POST IN A CONSPICUOUS PLACE