

ENDLESS POSSIBILITIES, MEASURABLE SUCCESS



BUSINESS APPLICATIONS CATALOG

From Mobile and Cloud, to Cost Control and Security solutions, Kyocera is committed to providing business applications that seamlessly and securely integrate with our MFPs.

Developed by Kyocera or third-party solution providers, these applications optimize your hardware investment and develop workflows to suit all of your business needs.

TRANSFORM YOUR HARDWARE INVESTMENT INTO A POWERFUL WORKFLOW TOOL

The feature-rich Kyocera MFPs seamlessly integrate within virtually any Windows or Mac environment. Built on Kyocera's award-winning product platform, they combine proven productivity with a highly scalable architecture to keep your information flowing.



From mobile and cloud, to cost control and security solutions, Kyocera is committed to providing our customers with enhanced business applications, powered by HyPAS, Kyocera's robust software development platform. Developed by Kyocera or our third-party solution providers, these applications optimize your hardware investment by expanding the capabilities of your MFP – all from the comfort of a single device.

We get to the heart of your critical business challenges, with a personalized, single source approach that helps streamline your entire document workflow to reduce costs, increase workplace productivity and efficiency, and deliver exceptional results you can count on.

STREAMLINE YOUR
DOCUMENT WORKFLOW
WITH CUSTOMIZABLE
SOLUTIONS THAT SIMPLY
AND SECURELY INTEGRATE
WITH YOUR KYOCERA MFP



CAPTURE & DISTRIBUTION

Transform hard copies into digital documents for simplified distribution and storage



COST CONTROL & SECURITY

Manage MFP costs while protecting assets and keeping information secure



MOBILE & CLOUD

Print and scan on the go for document access when and where you need it



DOCUMENT MANAGEMENT

Facilitate workflow with easy document capture, store, share and retrieval



NETWORK DEVICE MANAGEMENT

Stay in control of your devices locally or remotely



OUTPUT MANAGEMENT

Power productivity by printing from virtually any environment

CAPTURE & DISTRIBUTION TRANSFORM HARD COPY DOCUMENT DISTRIBUTION AND STORAGE INTO A SIMPLIFIED, DIGITAL WORKFLOW.			HEALTHCARE	FINANCE	GOVERNMENT	EDUCATION	ENTERPRISE
	AccuSender powered by Biscom Utilizing Biscom's Secure File Transfer* (SFT) private cloud or on-premise solution, KYOCERA's AccuSender powered by Biscom allows users to send hardcopy files of up to 100 GB or larger without email server file size limitations. AccuSender also offers enhanced security through Biscom by using the National Institute of Standards and Technology's FIPS 140-2 certified AES 256-bit encryption algorithm. *A Biscom SFT account is required				√		√
	AccuSender Fax Leverage existing network infrastructure by using this application as the on-ramp to send documents through select corporate fax servers that are already in place. Easily attach scanned paper documents as electronic messages and transmit to a recipient's fax number.	√	√	√		√	√
PRO	DMConnect Pro Simplify your document workflow and increase productivity with an easy to use drag and drop graphic user interface. Eliminate manual entry with Kyocera's 2D Barcode feature, and review the scanned information before routing documents with Kyocera's data validation feature.	✓	√	√	√	✓	√
	DMConnect A robust business application that automates document-driven business processes by transforming a Kyocera MFP into an on-ramp for routing documents into an enterprise's Document Management System. As a result, businesses can capture, store, retrieve and share files quickly, easily and securely.	✓	√	√	√	√	✓
	Exchange Connector* Scan hardcopy documents and send them as user-identified e-mail attachments to multiple recipients directly from the Kyocera MFP, while leveraging audit trail features of Microsoft Exchange for security and compliance purposes.	√	√	√	√	√	√
	KYOCERA HomePOINT / KYOCERA HomePOINT Advanced Maximize productivity and leverage existing infrastructure with intuitive scan-to and print from home folder features. Without middleware or server add-ons required, the HyPAS-enabled Kyocera MFP becomes a bi-directional portal for files stored in the active directory account.	✓	√	✓	√	✓	√
	Nuance AutoStore Transform the Kyocera MFP touchscreen control panel into a feature-rich interface — enabling users to capture, process and route their hard copy documents. Effectively clean up digitized documents, convert them into a variety of file formats and route them to virtually any programmed destination with ease.	√	√	√	√	√	√
Panel Plus	PanelPlus Customize the scanning and copying features on the MFP control panel by creating preset one-touch buttons to maximize document imaging efficiency and reduce errors.	√	√	√	√	√	√
	PinPoint Scan 3 Users across an organization can scan and send documents to any one of their personalized destinations through a single, easy-to-install application.	√	√	√	√	√	√
A	Private Scan Boost efficiency by simply scanning and emailing a document from a network connected Kyocera MFP, to a user's own mailbox. A quick setup, easy to use interface and integration into Active Directory makes this solution simple and secure when accessing your documents.	√	√	√	√	√	√
	Teaching Assistant Streamline the task of creating, printing, grading and analyzing multiple-choice tests using bubble sheet forms – allowing educators to concentrate on teaching and lesson plan development.					√	✓

COST CONTROL & SECURITY MANAGE COSTS ASSOCIATED WITH YOUR MFP WHILE PROTECTING YOUR COMPANY ASSETS.					GOVERNMENT	EDUCATION	ENTERPRISE
	AccessLock Control and limit user groups' access to specific functions on the MFP for greater cost savings and security.	√	√	√	√	√	√
	Card Authentication Enable administrators to improve device security and track usage for reporting purposes utilizing existing HID employee identification cards.	√	√	√	√	✓	√
	CentraQ Pro Bring cost-effective print management to the organization by tracking usage data of networked Kyocera devices. CentraQ Pro's advanced tracking and cost accounting capabilities will help businesses reduce costs and improve productivity while keeping information protected.	√	√	√	√	√	√
	CentraQ Minimize the risk of unauthorized access to confidential documents left at a device with secure job release functionality. CentraQ is designed for smaller organizations, and supports Kyocera MFPs and printers, bringing tremendous value for your customers' secure print requirements.	√	√	√	√	√	√
api Stechnologies corp.	Cryptek* Protect networks by requiring user authentication via a smart card (CAC/PIV) and PIN, subsequently preventing unauthorized users from accessing confidential information or distributing unauthorized materials.				√		
JAMEX	Jamex* Provide a secure, stable and reliable payment and tracking solution for self-service copy and print with Jamex NetPad Touch. Available for both credit card processing or account-based tracking and payment, NetPad Touch elevates cost control and chargeback for any organization.	√			√	√	
	Nuance Equitrac Deliver accountability and control of printed output for corporate, education, healthcare, financial services and legal markets with Nuance Equitrac. Nuance's solutions are mission-critical to all companies looking to effectively manage their printing environments, reduce printing costs, increase security and promote environmental sustainability.	√	√	√		✓	✓
PaperCut	PaperCut MF* Cost-effective print/copy management and tracking solution ideal for educational institutions and businesses. This cross-platform solution facilitates accounting, secure and mobile print release, print archiving, and mobile print capabilities.					√	√
P	Pcounter Optimize MFP usage and reduce waste by managing the workflow of documents that are being printed, copied, scanned or faxed.	√					√
	Print Audit Print Audit Embedded helps recover document costs, and increase printing security and productivity directly from the control panel of Kyocera HyPAS-enabled MFPs. Print Audit Embedded is a complete document tracking, charge-back and secure release solution that eliminates the need for external hardware.	√				√	√
	RF IDeas Blend the need for security and convenience by utilizing the existing employee ID badge for authentication and identification through RF IDeas – creating a proven, secure solution that reduces paper and toner costs, and adding an additional layer of security.		√	√		√	✓
3	Ringdale FollowMe* Help organizations reduce cost, protect valuable data and optimize the efficiency of printing environments with FollowMe, the trusted solution for cost-effective office printing. FollowMe grows with the needs of the business, delivering continuous improvement to document workflow.			√		√	√

	CONTROL & SECURITY (continued from previous page) DISTS ASSOCIATED WITH YOUR MEP WHILE PROTECTING YOUR COMPANY ASSETS.	LEGAL	HEALTHCARE	FINANCE	GOVERNMENT	EDUCATION	ENTERPRISE
A	Sepialine Argos OnBoard for Kyocera is part of the Argos Print Management solution, that tracks and controls print, copy, scan and fax activity on a wide variety of printers and MFPs. It also provides user authentication and print, copy and scan tracking to any HyPAS-enabled Kyocera MFPs.	√					√
	Tiered Color Monitor Gain flexibility and control of your color printing with Kyocera Tiered Color Monitor. Whether printing a simple text document with a color company logo, or a full color document, you gain a visual snapshot to current and historical color usage when Tiered Color Monitor is enabled on the device.	√	√	√	√	/	√
TAKE ADVA	E & CLOUD NTAGE OF PRINTING AND SCANNING CAPABILITIES ON THE GO FROM TODAY'S MOBILE TECHNOLOGY.						
AirPrint	AirPrint Take advantage of native driverless printing from Apple's iOS and OS X products to select Kyocera MFPs and printers.	√	√	√	√	√	√
	Cortado* Access files scanned from Kyocera MFPs on the go to support the mobile workforce's anytime/anywhere document requirements.	√	√	√	√	√	√
PrintMe	EFI PrintMe Increase workplace productivity with Apple mobile device direct printing from a Fiery-enabled Kyocera MFP.						√
(\$\frac{1}{2}\)	EveryonePrint* Secure mobile printing from any smartphone, tablet or mobile device to any Kyocera printer or MFP. Integrates with existing networks and expands the capabilities of mobile workers.					√	√
	Google Cloud Print A flexible solution that allows users to print directly to a Kyocera device from a smartphone, tablet, PC, and any other web-connected device. Print anything, to any cloud-connected printer without installing a specific printer driver on your device. This solution provides anytime, anywhere access to documents and information wherever needed.	√	√	√	√	√	√
	Google Connector* Google Connector enables users to access, search and print Google e-mails, attachments and calendars directly from any HyPAS-enabled Kyocera MFP using the device's control panel.	√	√	√	√	√	√
	KYOCERA Cloud Connect Connect users to their Evernote or Google Drive cloud storage directly from a Kyocera MFP touchscreen for anytime/anywhere document scanning and printing.	√	√	√	√	√	√
⊗ KyDCERa	KYOCERA Mobile Print Effortlessly print, scan, store and retrieve documents right at the MFP with this value add application for mobile devices. KYOCERA's Mobile Print allows for easy wireless connectivity to a certified Kyocera MFP for a faster document process.	√	√	√	√	√	√
S KyDCERa	KYOCERA Mobile Print for Students Students can securely print documents and images and copy and print text from a clipboard to Kyocera MFPs and printers using their Apple or Android smartphone or tablet. Wi-Fi Direct allows					√	

students to connect to a certified Kyocera MFP device without connecting to the network.

MOBILE & CLOUD (continued from previous page) TAKE ADVANTAGE OF PRINTING AND SCANNING CAPABILITIES ON THE GO FROM TODAY'S MOBILE AND CLOUD TECHNOLOGY.				FINANCE	GOVERNMENT	EDUCATION	ENTERPRISE
MODILO	Mopria Enable simple and seamless mobile printing to Kyocera MFPs and printers from Android mobile devices. Mopria gives users the ability to wirelessly locate and connect with nearby compatible devices at work, at home or on-the-go.	/	√	√	√	√	√
₹ KYDCERa	MyPanel Conveniently operate select Kyocera MFPs or printers remotely from your smartphone or tablet.	/	√	√	√	✓	√
	MENT MANAGEMENT TURE, STORE, SHARE AND RETRIEVE YOUR DOCUMENTS.						
ARTSYL TECHNOLOGIES	ArtsylTech* Regardless of document type, integrate and collect incoming paper and electronic documents from Kyocera MFPs, user desktop or department scanners and fax servers intuitively without the need to set up predetermined profiles. ArtsylTech SimpleCapture automatically categorizes a document based on its attributes and learns as it goes.		√			√	√
Doulvare	DocuWare Connector Offers unprecedented integration with DocuWare through Kyocera MFPs and multi-functional printers by connecting to both the on premise and cloud version of DocuWare. Hardcopy documents can be securely scanned to DocuWare from any connected Kyocera MFP for processing, archiving or sharing; in addition, archived documents can be quickly located and printed on-demand from the control panel.	√	✓	√	√	√	√
GoldFax	GoldFax* Fax enable all Kyocera HyPAS-capable MFPs without the added cost of fax hardware or the need to connect a fax line. The GoldFax Connector improves productivity and adherence to regulatory requirements.	√	√	/	√		✓
	MaxxVault* A scalable document management solution, MaxxVault Enterprise assists organizations of any size in reducing costs and improving productivity through an automated process for moving documents quickly and efficiently through an organization for review, analysis, processing and approval.		√	/			√
C	OnBase Connector* With Kyocera's OnBase Connector, you can scan, index and route documents into Hyland Software's OnBase 13 application directly from your Kyocera MFP.		√	✓	√	√	√
	PreservDOX PreservDOX allows you to store critical business documents on your designated Kyocera MFP's hard drive, for increased protection and document backup.	√	√			√	√
	RightFax Connector Consolidate all faxing services on the network, giving users convenient access to faxing capabilities on the same devices used daily for printing, scanning and copying. Allows for reduced operating costs while adhering to security and compliance requirements.		√	√	√		√
	SharePoint Connector Utilize your existing Microsoft SharePoint solution and Kyocera MFPs to transform paper-intensive environments into efficient digital workflows. Helps reduce operating expenses and improves efficiency and accountability by providing an audit trail for documents that were traditionally stored in hard copy format.	√	√	✓	√	√	✓
⊗	Square 9 Connector Provides a real-time capture solution where users can scan paper documents directly into existing Square 9 Global Search workflows, capture images, extract high value data, notify users of a pending workflow activity, and search and print archived documents directly from the MFP control panel.	√	√	√	√	√	√

NETWORK DEVICE MANAGEMENT OPTIMIZE, TRACK AND MANAGE NETWORK DEVICES FROM LOCAL AND REMOTE LOCATIONS.				FINANCE	GOVERNMENT	EDUCATION	ENTERPRISE
Center FX	Command Center RX Enable users to view toner levels, paper availability and device status by entering the device's IP address into their Web browser.	√	√	√	√	√	√
DRIVER	KX Driver A single interface printer driver with a new user friendly design, and latest print features such as batch copies, blank page skip, multiple stapling positions, and the ability to insert a blank page to ensure the integrity of a chapter's first page.	/	/	√	√	√	✓
KYOCERA Net Admin	KYOCERA Net Admin Allow IT administrators complete control over their fleet with a Web-based device management solution. Offers customizable views for device groups according to dynamic criteria and comprehensive display of device information.	/	√	√	√	√	√
KYOCERA Net Viewer	KYOCERA Net Viewer Comprehensive network management tool allowing administrators to monitor, maintain and update all output devices locally and remotely.	√	√	√	√	√	√
Fr	Language Exchange Allow users in multilingual environments to operate the Kyocera MFP control panel in their native language. Supporting French, Spanish and Portuguese, these applications allows users to switch from the device default language to their native language with a single touch, simplifying device operations.	✓	√	√	√	√	√
Device Types	SAP Device Types Complete integration with SAP applications allows users to fully optimize Kyocera MFPs and printer feature sets.	√	√	√	√	√	√
	JT MANAGEMENT R BUSINESS DOCUMENTS AND DYNAMIC FORMS FROM VIRTUALLY ANY ENVIRONMENT.						
fiery	EFI Fiery* Integrated digital printing solutions, including scalable servers, controllers and RIPS, increase productivity and provide outstanding color and image quality.	√	√	√	√	√	/

fiery	EFI Fiery* Integrated digital printing solutions, including scalable servers, controllers and RIPS, increase productivity and provide outstanding color and image quality.	√	√	√	√	√	✓
PRESCRIBE®	PRESCRIBE Create, store and print frequently used forms directly from a Kyocera MFP, saving on business resources such as network bandwidth, storage space, cost of letterhead or form printing, and costs associated with inventory management.	√	√	√	√	√	√

HyPAS, AccuSender, DMConnect, HomePOINT, PanelPlus, PinPoint Scan, Private Scan, Teaching Assistant, AccessLock, Card Authentication, CentraQ, Tiered Color Monitor, Cloud Connect, MyPanel, Command Center RX, KX Driver, Net Admin, Net Viewer, Language Exchange, PreservDOX, and PRESCRIBE are trademarks of the KYOCERA Companies.

Cortado is a trademark of Cortado AG; Cryptek is a trademark of API Technologies Corp.; EFI, Fiery and PrintMe are trademarks of Electronics For Imaging, Inc.; Evernote is a trademark of Evernote Corporation; GoldFax is a trademark of DPD International; AutoStore, Equitrac, Nuance, SafeCom, and Square 9 are trademarks of Nuance Communications, Inc.; PaperCut MF is a trademark of PaperCut Software International Pty Ltd.; OpenText Alchemy Document Server and RightFax are trademarks of OpenText Corporation; SAP is a trademark of SAP AG; Microsoft Exchange and SharePoint are trademarks of Microsoft Corporation; SimpleCapture is a trademark of AntaylTech; MaxxVault Enterprise is a trademark of MaxxVault LLC; RF Ideas is a trademark of RF Ideas Inc.; Rigdale FollowMe is a trademark of Rigdale, Inc.; NetPad Touch is a trademark of Jamex, Inc.; Hyland Software and OnBase are registered trademarks of Hyland Software, Inc.; AirPrint is a trademark of Apple Computer, Inc.; Print Audit is a trademark of PJLM Softwares, Inc.; Sepialine is a trademark of Google, Google Cloud Print, Google Drive and Gmail are trademarks of Google, Inc.; EveryonePrint is a trademark of Next Print Solutions Aps; DocuWare is a trademark of DocuWare; Biscom is a trademark of Biscom, Inc.; Mopria is a trademark of the Mopria Alliance.

All other trademarks are the property of their respective owners.

For the latest on connectivity, visit usa.kyoceradocumentsolutions.com.

 $KYOCERA\ Document\ Solutions\ America,\ Inc.\ Headquarters:\ 225\ Sand\ Road,\ Fairfield,\ NJ\ 07004-0008,\ USA\ @2017\ KYOCERA\ Document\ Solutions\ America,\ Inc.$





FROM THE SOURCE

Success Story

Kyocera Total Document Solution addresses Firm's Needs Kyocera MFP, PRESCRIBE and PaperCut Business Application Case Study

THE SITUATION

The most effective document management systems are those that provide an integrated solution. Consider a corporation relying on a group of non-networked, single-function devices. When its administrators saw the cost of printing documents, they took a closer look at their fleet. They realized they needed to consolidate redundant devices and create a network of shared multi-function devices. They also expressed a desire to track the usage of each device and user. They felt this would give them more visibility and control over their print environment.

The firm needed an integrated Total Document Solution.

THE CHALLENGE & THE SOLUTION

The administrators entertained bids from two competitive manufacturers and Kyocera—but the first two failed to offer an integrated solution that addressed all of the firm's needs.

The Kyocera dealer suggested replacing the non-networked, single-function devices with three networked TASKalfa color multifunction products (MFPs), each equipped with Papercut MF, a leading print management software package. This system would free the administrators to monitor the print fleet in a single glance. Plus, small RFID stickers could turn ID badges into MFP access cards, allowing the company to track each user's output. The stickers would also eliminate unclaimed print jobs, since users would have to swipe their ID badges to release their printed documents.

The dealer pointed out that Kyocera's native Printer Description Language (PDL), PRESCRIBE, could allow users to easily include the corporate masthead on their print jobs, thus eliminating the cost of expensive stationery.

THE RESULTS

Kyocera's Total Document Solution has satisfied the company's needs. The administrators can track the system holistically—and itemize usage by employee and cost. Redundant and costly single-function devices have been eliminated, and the firm no longer has to pay for expensive corporate letterhead.

THE BENEFITS

The firm now processes all of its documents through one Total Document Solution. It has cut costs and increased visibility within their print environment. What's more, the firm will run more efficiently as it expands and grows.



FROM THE SOURCE

Success Story

A Growing Medical Practice Looks to Kyocera's Total Document Solution Approach A Fleet of over 500 MFPs and Printers, KYOCERA NetAdmin and KYOCERA's KX Driver

THE SITUATION

A medical practice was experiencing strong growth and making numerous acquisitions. Each newly acquired branch had its own unique fleet of office devices, causing integration and management challenges for both corporate IT and branch employees. Logistically, the client needed to standardize their office devices in order to streamline the management and deployment of the fleet. For this organization, a provider who could offer centralized management and a balanced deployment was critical.

THE CHALLENGE & THE SOLUTION

With rapid expansion, the client needed the ability to deploy a standardized fleet of office devices. This would ease the burden on its IT staff, as they would be able to centrally manage and deploy a common fleet of devices. Training and assisting users would also become a more streamlined process.

The client was previously using multiple competitor's MFPs and printers, across 19 locations, all with different print drivers from the various manufacturers. The client had an established relationship with a Kyocera dealer, and the dealer — in conjunction with a Kyocera Business Application Consultant — proposed a new, standardized fleet of Kyocera devices.

The dealer recommended installing a fleet of over 500 Kyocera MFP's and printers, KYOCERA NetAdmin, and KYOCERA's KX Driver. KYOCERA NetAdmin is a device management and reporting software that enables network administrators to centrally control and monitor networked devices. KYOCERA NetAdmin also allows network administrators to easily generate device meter information for internal reporting purposes. KYOCERA's KX Driver, a "single interface" print driver, would also make it easy to manage the print driver fleet. The KX Driver offers the same basic look and feel to the user regardless of the Windows Operating System (OS) or the Kyocera device being used.

Because of the commonality of the devices and the KYOCERA KX Driver, the Kyocera dealer provided an excellent solution to address its client's needs. Together, KYOCERA NetAdmin and KYOCERA's KX Driver also allowed the client to more easily manage their fleet. The dealer also explained that the Kyocera devices, through the HyPAS (Hybrid Platform for Advanced Solutions) platform, are scalable solutions that could grow with the practice as its business needs changed. The HyPAS platform expands the MFP's core capabilities to touch-screen operations that would address future workflow needs.

THE RESULTS

The fleet of Kyocera devices was deployed, KYOCERA's KX Driver and KYOCERA NetAdmin were installed and configured by the IT staff. The IT staff then connected a 70-inch SmartTV to a server hosting KYOCERA NetAdmin, providing them with a real-time dashboard view of their entire fleet across 19 locations, and the ability to quickly troubleshoot common user issues, often before users even report the issue to the IT staff. The result was more streamlined and efficient device management.

THE BENEFITS

The client now has a standardized fleet of Kyocera devices, which using the KX Driver, creates a common user experience regardless of the location. If there are any device issues, they are routed through their HelpDesk using NetAdmin to view device information and diagnose issues.



FROM THE SOURCE

Success Story

The Verdict is In! DA's Office turns to Kyocera's Total Document Solutions Approach Kyocera MFPs, AccessLock™, RightFax Connector and DMS Link™ Business Application Case Study

THE SITUATION

The most efficient infrastructures are those appropriately sized. Although counterintuitive, many organizations are better served by less comprehensive solutions, whose size and power can meet their needs and afford them room to grow—without exceeding their budget.

Consider the district attorney's office that had been relying on a competitor's MFPs equipped with its own proprietary technology. The system offered the administrators the features they wanted—walk-up authentication, full control over scanning, and seamless connection to RightFax—but the fleet was long past its prime and quite expensive to maintain.

THE CHALLENGE & THE SOLUTION

The office began to look for alternate solutions. Their needs were clear: they wanted the same capabilities to which they'd become accustomed, but in a more affordable package.

The customer's Kyocera dealer proposed building a fleet of 47 Kyocera devices. They conducted several walk-throughs, checked meter-counts, and assessed the workflow needs of the office's various departments. Then, after determining the overall document flow of the operation, they suggested a mix of black-and-white A3 devices and one color device.

To customize the system to the office's needs, they equipped all of the devices with a number of Kyocera developed business applications: AccessLock™ for walk-up authentication; RightFax Connector for seamless faxing and outputting of documents; and DMS Link™ for sending scanned documents efficiently into their central database.

THE RESULTS

The office administrators tried the system and agreed that the new Kyocera fleet performed brilliantly, offering improved features and performance over their aging and expensive devices from another manufacturer.

THE BENEFITS

The office's Total Document Solution had all the power, speed, and capabilities of the previous solution at a fraction of the price. The office saved an enormous amount of money in service fees and on their new document management system.

The Kyocera Total Document Solution was flexible and powerful enough to meet the critical business needs of the customer. It met the county's diverse requirements, while also producing significant savings. Consequently, the office will be more productive now and into the future.



SIMPLIFIED PRINTING, ROBUST FEATURES, ONE COMMON DRIVER.

EXPERIENCE A NEW LEVEL OF EFFICIENCY AND TIME SAVING CAPABILITIES.



KYOCERA KX DRIVER 7.0 BRINGS EFFICIENCY AND TIME SAVING CAPABILITIES TO YOUR PRINTING.

In today's office environment, ease of use, simplicity and functionality are key. The KYOCERA KX Driver[™] has been long recognized for its ability to deliver on each of these requirements. Now, the redesigned Windows-compatible KX Driver version 7.0, available for all Kyocera MFPs and printers, takes the user experience to an entirely new level, bringing efficiency and time saving capabilities to your printing.

The KX Driver's redesigned User Interface is based on the concept of unification, and the design is implemented across multiple Kyocera products to create a similar, user-friendly experience, regardless of the device in use.

DRIVING CONTROL THROUGH CENTRALIZED ADMINISTRATIVE OPTIONS

While the KX Driver 7.0 offers robust productivity and time-saving benefits to users, administrators will also appreciate the ease that this driver brings to security and cost control. For example, Chapter Page Insert enables a user to specify the beginning page of a chapter in a document to ensure that the first page of all chapters is printed on the front side of the paper. Users do not have to manually rearrange the layout of pages in the document to achieve this result, because the printer driver will do it automatically during printing. This is just one example of a time saving and efficiency enhancing feature that has been implemented.


POWER YOUR NETWORK PRINTING WITH ADVANCED FUNCTIONALITY

The KX Driver 7.0 offers a suite of enhancements that enables you to harness the full capabilities of your Kyocera MFPs and printers:

- Application based printing brings intelligent print output to your business, allowing you to adjust print settings for different applications (i.e. Microsoft Word, Adobe PDF, etc.)
- > E-mail notification informs a selected e-mail address when printing is complete through the Status Monitor
- Security Watermark deters unauthorized copying so you can print secure documents with confidence
- Default print settings on shared drivers allow you to streamline printing functionality



KYOCERA KX DRIVER 7.0



Redesigned User Interface with colored tabs and dialogue boxes with large, easy to view icons.



Easily insert parameters to determine where the first page of a chapter will begin.

OPERATING SYSTEM COMPATIBILITY

- > Windows Vista
- Windows 7
- > Windows 8
- > Windows 8.1
- > Windows 10
- > Windows 10 Anniversary Update
- > Windows Server 2008

For the latest on connectivity visit usa.kyoceradocumentsolutions.com. Specifications and design are subject to change without notice. KX Driver is the trademark of KYOCERA.


All other trademarks are the property of their respective owners.

KYOCERA Document Solutions America, Inc. Headquarters: 225 Sand Road, Fairfield, NJ 07004-0008, USA ©2017 KYOCERA Document Solutions America, Inc.

THE BENEFITS OF KYOCERA KX DRIVER 7.0

The KX Driver 7.0 offers all of the features users have come to appreciate in Kyocera's print drivers, and more!

- Simple User Interface design features color tabs, colored dialog box background, and bolding highlights during icon selection.
- Accelerate the printing process by batching copies together with a convenient cover page for each document set, all within a single print job.
- > Blank Page Skip feature helps reduce paper waste.
- > Retrieve a job accounting list to monitor device usage.
- Maintain the integrity of a chapter's first page with the Chapter Page Insert feature.
- Stapling Position feature provides improved usability by enabling selection of corresponding binding edge.
- Users can change their own user name in the shared printer driver for easier logins without changing the default user name set by an administrator.




The ability to prompt for an account code enhances security at the MFP.





PRINTING TO MATCH YOUR ON-THE-GO WORK STYLE.

PRINT FILES, WEB PAGES, AND IMAGES ON DEMAND.



MOBILE PRINT EMPOWERS YOUR WORKFORCE WHILE GIVING YOU THE CONFIDENCE IN KNOWING YOU ARE PREPARED FOR ANYTHING AND ABLE TO ACCESS AND PRINT YOUR IMPORTANT DOCUMENTS FROM ALMOST ANYWHERE.

Today's business environment is becoming increasingly mobile. Frequent travel, working between multiple locations, and virtual offices bring with them new demands for on-the-go access to files and documents. Smartphones and tablets meet the need for digital access to content, but digital access is often not enough. The mobile workforce is looking to transform their entire office into a mobile experience, and requires print and scan capabilities that mirror the flexibility of their mobile devices. KYOCERA Mobile Print is a value add app that enables users to securely print documents, web pages, images – as well as copy and print text from a clipboard – on demand from virtually anywhere on their Apple and Android smartphone or tablet devices to select KYOCERA MFPs and printers. As an added feature, users can scan files and images from KYOCERA MFPs to their mobile devices.

The KYOCERA Mobile Print app puts you in control of your document imaging, eliminating the need to carry cumbersome printed files on the chance you need them. Additionally this app eliminates the hassle and lack of security associated with e-mailing files to someone connected to a network in order to have them printed for you.

3 EASY STEPS TO PRINTING ON THE GO

- Connect your mobile device to the same Wi-Fi network as the KYOCERA MFP or Printer you will be using to print
- 2. Use the Mobile Print app to open the document, image, text or web page you wish to print
- 3. Select the device you wish to print to, set your preferences and press Print IT'S THAT SIMPLE!





KYOCERA MOBILE PRINT

HYPAS

KYOCERA'S HyPAS (Hybrid Platform for Advanced Solutions) is a powerful and scalable software solution platform. Through direct enhancement of the MFP's core capabilities, to the integration with widely accepted software applications, HyPAS will enhance your specific document imaging needs, resulting in improved information sharing, resource optimization and document workflows.



FILE FORMATS SUPPORTED

PRINT

- > Apple: PDF, JPG, PNG, TXT, XPS, HTML, iWork, Microsoft Office
- > Android: PDF, JPG, PNG, TXT (at lower resolution) XPS, GIF, BMP, HTML

SCAN

> Apple and Android: JPG, PDF

IMPORT FILES:

- > Apple: e-mail, iTunes, Wi-Fi
- > Android: e-mail

WITH KYOCERA MOBILE PRINT, YOUR MOBILE DEVICE DOES ALL THE WORK, BECOMING AN INTEGRATED PART OF YOUR DOCUMENT WORKFLOW.

There's no need to be physically connected to a corporate network; the app can quickly identify KYOCERA Printers and MFPs via a Wi-Fi connection. Once you've located a device, simply access the documents you want to print. The app can handle many common file formats. A few quick strokes are all it takes to transform digital files, scans and images to printed sheets. A wide array of settings including quality, duplex, pages per sheet, and job accounting maximizing output control. Mobile Print integrates with e-mail, Evernote® and Google Drive™, further enhancing the print versatility of your mobile device. You can even print web pages accessed through the app's built-in web browser.

Scanning documents to your mobile device has never been easier. Simply scan the desired content with any supported KYOCERA MFP, and then conveniently send it to a mobile device where it can be stored, accessed as needed, or shared as an e-mail attachment, enabling you to continue to work while on the go.

THE BENEFITS OF KYOCERA MOBILE PRINT

- > Print on the go in a mobile environment via an app that is free, convenient, and easy to use
- > Flexible access to information wherever you need it
- No costly or burdensome infrastructure required the app resides on the mobile device and interfaces seamlessly with select KYOCERA MFPs and Printers
- > Automated identification of compatible devices
- > Robust settings enable greater control:
 - Print Quality, Paper Size, Duplex, Color, Pages per Sheet, Number of Copies, Page Range, Job Accounting, Staple, Punch
 - Scan File Name, Original Size, Quality, Color, Resolution
- Accountability track print jobs when job accounting is enabled at the MFP or printer
- > Protect sensitive information with encrypted PDF capability
- Copy and print text from other applications using KYOCERA Mobile Print's Clipboard Printing functionality

For the latest on connectivity visit www.kyoceradocumentsolutions.com
Specifications and design are subject to change without notice. All trademarks are the property of their respective owners.

KYOCERA Document Solutions America, Inc. Headquarters: 225 Sand Road, Fairfield, NJ 07004-0008, USA ©2013 KYOCERA Document Solutions America, Inc.





> PRINT > COPY > SCAN > FAX

TASKalfa 8052ci/7052ci

COLOR MULTIFUNCTIONAL SYSTEMS

POWERFUL COLOR PERFORMANCE... CONNECT AND COLLABORATE.





TASKalfa 8052ci Series

ADVANCED TECHNOLOGY, WITH POWER

TO IMPRESS

The TASKalfa 8052ci Series tackles the most demanding print, copy, scan and optional fax tasks with ease, enabling busy workgroups to accomplish more in less time. Designed as a high-volume document processing hub, the TASKalfa 8052ci Series delivers vibrant, crisp output at up to 70 pages per minute in Color and 80 pages per minute in Black-and-White. Equally impressive, the standard 220 image-per-minute color Dual Scan Document Processor quickly routes your mission-critical files to email, folder, FTP–virtually any destination.

To reduce outsourcing costs and expedite job turnaround, the TASKalfa 8052ci Series

supports professional paper handling and in-line finishing accessories. For advanced color graphics applications, the optional Fiery® Controller optimizes color accuracy and consistency. And Kyocera's robust suite of integrated business applications leverage information how, when and where you need it.

The TASKalfa 8052ci Series covers all the bases...user-friendly operation, flexible desktop controls, ultra-reliability and unique long-life technology. The expertly-engineered TASKalfa 8052ci Series drives greater enterprise-wide productivity by simplifying day-to-day document workflow.



INSPIRED INNOVATION, SEAMLESS EFFICIENCY

The TASKalfa 8052ci Series' intuitive display panel, versatile paper handling and exceptional expandability ensures that present and evolving application requirements are met. Engineered to adapt, the TASKalfa 8052ci Series helps build collaborative workgroups by bridging the divide between people and information.





USER-FRIENDLY, TABLET-LIKE OPERATION

The large, tiltable 9" color touch screen display is highly customizable, allowing instant access to frequently-used functions. Organize icons in a layout that works best for you. Personalize the display with your company logo. Help menu and magnification features enable comfortable viewing and enhanced accessibility. A standard soft numeric keypad is incorporated into the display; an optional external hard numeric keypad is available.





HIGH-CAPACITY, FLEXIBLE MEDIA HANDLING

Ideal for high-volume environments, the TASKalfa 8052ci Series offers a standard 4,150-sheet paper supply, upgradable to 7,650 sheets. A maximum of eight trays handle paper sizes up to 12" x 48" (via Multipurpose Tray) and paper weights up to 166 lb. Index (300gsm). The standard 270-sheet Dual Scan Document Processor gets the job done, quickly and reliably.





ADVANCED FINISHING, WITHOUT THE HASSLE

The optional 4,000-sheet External Finisher streamlines cumbersome manual tasks with 65-sheet multi-position stapling, and support for Booklet Folder/Tri-fold Unit, Multi-bin Mailbox and Hole Punch Unit options.





COLOR PRODUCTION, IN-HOUSE, ON-TIME

For advanced color workflows, the optional EFI® Fiery Printing System is the preferred resource for graphics-rich environments. When combined with the TASKalfa 8052ci Series, you gain powerful color matching and file processing utilities that produce amazing results from job start to job finish.

PROCESS TRANSFORMATION,

IN A SINGLE PLATFORM

The unsurpassed performance of the TASKalfa 8052ci Series enables you to better manage virtually every aspect of document creation, output, distribution, storage and retrieval. Your workforce can now communicate and collaborate in a secure, efficient digital workflow, one where people can easily access and share information, and drive business forward.







REMARKABLE VERSATILITY



Produce vibrant color and crisp blackand-white documents at true 1200 x 1200 dpi.



Pay only for the color you use with Kyocera's Tiered Color System.



Scan invoices, statements and forms at up to 220 images per minute, via the standard 270-sheet Dual Scan Document Processor.



Streamline scanning with Blank Page Skip; detects and removes blank pages, saving time and device memory.



Print-from and scan-to a USB thumb drive—directly from the control panel; no PC required.



Print and share frequently-used files with Document Box, a secure area on the hard drive where documents are conveniently stored and easily retrieved.



Optimize device uptime and reduce costs with KYOCERA Fleet Services (KFS), a secure cloud-based monitoring system that offers visibility into settings, consumable levels, usage, and much more.



Distribute scanned files to multiple destinations...email, folder, FTP, etc.



Save time and simplify IT management with KYOCERA's Command Center RX, a standard web-based interface that enables device monitoring, as well as system setting and address book entry/ updates...right from your desktop.



Support your mobile workforce by putting print, scan and send features at their fingertips with applications, such as KYOCERA Mobile Print, Apple AirPrint®, and Google Cloud Print™. Standard Near Field Communication (NFC) for Android and Wi-Fi Direct provides added smart device convenience.



Turn scanned documents into searchable PDFs with standard OCR, dramatically reducing the time to locate and replicate information.



Toner Lock prevents accidental removal of cartridges before they are depleted, for uninterrupted workflow.

REMOTE MONITORING REDEFINED



Optimize device uptime and reduce costs with KYOCERA Fleet Services (KFS), a highly-secure cloud-based monitoring solution that offers real-time visibility into...

- Device Status: Take a proactive approach to error resolution to ensure that your fleet operates at peak performance.
- · Counter Activity: Eliminate administrative burden with automatic meter reading, for accurate and timely billing.
- Supply Levels: View consumable levels to prevent unnecessary workflow interruptions.
- Usage Trends: Identify print, copy, scan and error code trends to make more informed decisions (fleet right-sizing), and further optimize workflow.

LEVERAGE YOUR INVESTMENT

To enhance the TASKalfa 8052ci Series' core capabilities, and maximize return-oninvestment, Kyocera offers a extensive portfolio of customizable business applications. Each is designed using Kyocera's cutting-edge HyPAS technology, a flexible, open platform that seamlessly integrates with the highly-scalable Kyocera MFP. The customized app personalizes system operation to match your specific workflow, for immediate and measurable gains in office productivity.

To learn more about which business applications are right for your business, visit Kyocera's website at:





http://usa.kyoceradocumentsolutions.com













MAINTAIN DEVICE & DATA SECURITY

To thwart unauthorized access to device functions, and protect confidential information, the TASKalfa 8052ci Series offers standard security features, as well as optional enhancements.

- User Authentication limits MFP access to only those who have a registered login name and password.
- Private Print function temporarily saves print jobs in Document Box and only releases them after entry of a user-defined PIN code on the control panel.
- PDF Encryption restricts access for displaying, printing and editing PDFs by assigning a secure password.
- Optional Data Security Kit for overwrite and encryption, to help safeguard mission-critical workflows.



CONSERVE ENERGY & RESOURCES

The TASKalfa 8052ci Series dramatically reduces waste and unnecessary energy consumption, in order to minimize environmental footprint.

- Unique long-life technology and consumables that reduce waste, lower running costs and minimize service interventions.
- Manage your energy costs. Programmable Energy Saver function and low Typical Electricity Consumption (TEC) values support your energy-saving goals.
- Energy Star® compliant with Low Power Mode and Sleep Mode settings.





ONE SERIES. TWO MODELS



There are two models in this Series, the TASKalfa 8052ci and TASKalfa 7052ci, so you can choose the system that best meets your application needs.





	TASKalfa 8052ci	TASKalfa 7052ci			
Functions	an / Optional Fax				
Speed (Letter)	70 ppm Color / 80 ppm Black	65 ppm Color / 70 ppm Black			
Display Panel	9" Color TSI with Tab	let-like Home Screen			
Max. Resolution	Up to 1200	x 1200 dpi			
Memory (Standard)	4.5 GB RAM / 8 GB	SSD + 320 GB HDD			
Document Processor (Standard)	Dual Scan Document Proc	essor (DSDP) / 270 Sheets			
Finishing (Optional)	4,000 Sheet External Finisher (3-position Staple), Optional 7-Bin Mailbox, Booklet/Tri-fold, 2 and 3 Hole Punch				
Paper Capacity	Standard 4,150 Sheets (Upgradable to 7,650 Sheets)				
Paper Sources (Standard/Max.)	5 / 8 including Mult	i-purpose Tray (MPT)			
HyPAS-enabled	Standard				
USB Host Printing	Supports Direct Printing and Scanni	ng: TIFF, JPEG, XPS, PDF (Version 1.7)			
Mobile Print Capability	Apple AirPrint®, Google Cloud	Print™, KYOCERA Mobile Print			
Wireless LAN, Wi-Fi Direct	Stan	dard			
NFC Support (for Android)	Stan	dard			
KYOCERA Fleet Services (KFS) Ready Yes					
Maximum Monthly Volume	400,000 Pag	0,000 Pages Per Month			

KYOCERA Document Solutions America, Inc.

225 Sand Road, PO Box 40008, Fairfield, New Jersey 07004-0008, USA Tel +1.973.808.8444 Support +1.800.255.6482

http://usa.kyoceradocumentsolutions.com

©2017 KYOCERA Document Solutions America, Inc. All Rights Reserved
Specifications are subject to change without notice. TASKalfa, PRESCRIBE, KX Driver, HyPAS, AccuSender,
Teaching Assistant, PinPoint Scan, DMConnect, HomePOINT, and Command Center RX are trademarks of the
Kyocera Companies. MAC and AirPrint are trademarks of Apple, Inc. Google Cloud Print is a trademark of Google, Inc.
All other trademarks are the property of their respective owners.

IC# 855D400486





TASKalfa 8052ci

COLOR MULTIFUNCTIONAL SYSTEM

POWERFUL COLOR PERFORMANCE... CONNECT AND COLLABORATE.



The TASKalfa 8052ci is a powerful Color MFP that tackles the most demanding print, copy, scan and optional fax tasks with ease. Designed as a high-volume document processing hub, the TASKalfa 8052ci delivers vibrant, crisp output at up to 70 pages per minute in color and 80 pages per minute in black-and-white. Fully-customizable, the TASKalfa 8052ci supports added paper drawers, professional in-line finishing, advanced EFI® Fiery Controller and Kyocera's robust suite of integrated business applications. The TASKalfa 8052ci covers all the bases...user-friendly operation, exceptional scalability, ultra-reliability and unique long-life Kyocera technology.

- > Vibrant Imaging up to 70 Pages per Minute in Color and 80 Pages per Minute in Black-and-White
- > Exceptional Print Quality up to 1200 dpi
- > Standard 4,150-sheet Paper Capacity, Expandable to 7,650 Sheets

- > Flexible Media Support and Paper Sizes up to 12" x 48"
- > Customizable 9" Color Touch Screen with Tablet-like Home Screen
- Advanced Finishing Options for Professional Output, including a 4,000-sheet External Finisher and Optional Booklet Folding
- > Optional EFI® Fiery Controller for Advanced Color Workflows
- > Efficient High-speed Color Scanning up to 220 ipm
- > Standard USB Host Interface for On-the-Go Printing and Scanning
- > Convenient Wireless Printing and Scanning
- > Apple AirPrint®, Google Cloud Print™ and KYOCERA Mobile Print Compatible for Anytime, Anywhere Connectivity
- > Standard Near Field Communication (NFC) for Android and Wi-Fi Direct Provides Added Smart Device Convenience
- KYOCERA Fleet Services, a secure cloud-based monitoring system, optimizes device uptime and reduces costs



BASIC SPECIFICATIONS

Configuration: Color Multifunctional System – Print/Scan/Copy/Optional Fax

Pages Per Minute:

Black – Letter: 80 ppm, Legal: 48 ppm, Ledger: 40 ppm, 12" x 18": 40 ppm (print only)

Color – Letter: 70 ppm, Legal: 42 ppm, Ledger: 35 ppm, 12" x 18": 35 ppm (print only)

Warm Up Time: 44 Seconds or Less (Power On)

First Page Out:

Copy: 4.8 Seconds or Less Black, 5.9 Seconds or Less Color Print: 4.9 Seconds or Less Black, 6.1 Seconds or Less Color Display: 9" Color Touch Screen Control Panel

Resolution: 600 x 600 dpi; 9600 dpi x 600 dpi; 1200 x 1200 dpi

Memory / Hard Disk Drive: 4.5 GB RAM / 8 GB SSD / 320 GB HDD Standard

Duplex: Standard Stackless Duplex Supports Statement to 12" x 18", 14 lb Bond – 166 lb Index (52 – 300gsm)

Standard Output Tray: Statement – 12" x 18" / 270 Sheets; up to 12" x 48" Banner (Single Sheet)

Electrical Requirements: 120V, 60Hz, 12A; 220-240V, 50Hz, 10A

Typical Electricity Consumption (TEC): 120V: 6.3 kWh/week; 220V: 5.9 kWh/week

Dimensions: 26.97" W x 31.10" D x 41.45" H

Weight: 401.24 lbs

Maximum Monthly Duty Cycle: 400,000 Pages per Month

DADED SLIDDLY

Standard Paper Sources: Dual 500 Sheet Trays, Dual 1,500 Sheet Trays, 150 Sheet MPT, Auto Selection / Switching

Optional Paper Sources: Dual 500 Sheet Trays (PF-730[B]¹), Dual 1,500 Sheet Trays (PF-740[B]¹); Side LCT: 3,000 Sheet Capacity Tray (PF-7120); 500 Sheet Multi-Media Paper Feeder (PF-7130)

Paper Capacity: Standard: 4,150 Sheets; Maximum: 7,650 Sheets Paper Size:

Tray 1 – 5.5" x 8.5" – 12" x 18" (Statement to 12" x 18"); Tray 2 – 5.5" x 8.5" – 12" x 18", Custom Size; **PF-7100**: 5.5" x 8.5" – 12" x 18"; **PF-7100**: 5.5" x 8.5" – 12" x 18"; **PF-7200**: 8.5" x 11" - 12" x 18"; **MPT**: 5.5" x 8.5" – 12" x 18" (Multiple Sheets); up to 12" x 48" Banner (Single Sheet)

Paper Weight: Trays / MPT: 16 lb Bond – 166 lb Index (60 – 300gsm)

Input Materials: Standard/Optional Drawer: Plain Paper, Bond Paper, Recycled Paper, Envelopes; MPT: Plain Paper, Bond Paper, Recycled Paper, Cardstock, Transparencies, Labels, Envelopes

SECURITY SPECIFICATIONS

Standard: Local Authentication, Network Authentication (IPsec, HTTPS, LDAP over SSL, SMMPv3); Secure Print (IPP over SSL); Scan to Email (POP3/SMTP over SSL); Scan to FTP (FTP over SSL); Scan to SMB/PC/USB; FTP over SSL

Optional: Data Security Kit (E): HDD Overwrite Mode, HDD Data Encryption

PRINT SPECIFICATIONS

Standard Controller: Freescale QorlQ T1042 (Dual Core) / 1.2GHz PDLs / Emulations: PRESCRIBE, PCL6 (PCL-XL / PCL5c), KPDL3 (PS3), PDF, OpenXPS, XPS, PPML; Optional (UG-34): IBM ProPrinter, Line Printer, LQ-850

Print Resolution: Up to 1200 x 1200 dpi

Fonts: 136 KPDL3, 93 PCL6, 8 Windows Vista, 1 Bitmap OS Compatibility: Windows: XP/Vista/7/8/8.1/10/Server 2003/Server 2008/Server 2008 R2/Server 2012/Server 2012 R2; Novell NetWare 3.x/4.x/5.x/6.x; Mac OS 10.x; AirPrint Enabled; Sun OS 4.1.x; Solaris 2.x; AlX; HP-UX (LPR)

Mobile Printing: Apple AirPrint®, Google Cloud PrintTM,

Interfaces: Standard: 10/100/1000BaseTX, Hi-Speed USB 2.0, 4 USB Host Interfaces, 2 Expansion Slots, Wireless LAN (communication distance 98.5 feet)

Optional: 10/100/1000BaseTX (IB-50 for Dual NIC), IEEE 802.11b/g/n IB-51 for Wireless LAN Interface (communication distance 328.1 feet)

Network Print and Supported Protocols: TCP/IP, FTP, LPR, NetBEUI, IPv4, IPv6, IPsec, SSL, HTTP, LPD, IPP, RawPort, LLTD, SNTP, DHCP, SMTP, POP3, DNS, SNMPv1/v2, WSD Scan/Print

Drivers: KX Driver, KX (XPS) Driver, PCL Mini Driver, KPDL Mini Driver, Network Fax Driver, TWAIN Driver, WIA Driver, Status Monitor, Novell NDPS, Common Profile, Output to PDF, Security Watermark, Color Optimizer, Linux SANE Driver, Linux Driver, Mac Driver, Windows Inbox Driver, KX PRESCRIBE Macro Generator

Utilities: KYOCERA Net Direct Print, File Management Utility, KYOCERA Print Center, KYOCERA Net Admin, KYOCERA Net Viewer, Quick Setup, KYOCERA Net Manager(Pro), KYOCERA Net Manager (Basic), ID Register, Software Management Service, Upgrade Studio, Web Package Builder, Web Package Maker, Removal Tool, Wi-Fi Setup Tool

SCAN SPECIFICATIONS

Scan Type: Color and Black & White Scanner

Scan Resolution: 600 dpi, 400 dpi, 300 dpi, 200 dpi, 200 x 100 dpi, 200 x 400 dpi

File Formats: TIFF (MMR compression), PDF (MMR compression), PDF (high compression), OpenXPS, XPS, JPEG

PDF Extension: Searchable PDF (OCR)

Scan Speeds (mono/color, @300 dpi): Simplex: 120 ipm B&W / Color Duplex: 220 ipm B&W / Color

Connectivity / Supported Protocols: 10/100/1000BaseTX, TCP/IP, Hi-Speed USB 2.0

Scanning Functions: Scan to Folder (SMB), Scan to Email, Scan to FTP, Scan to FTP over SSL, Scan to USB, WSD Scan, TWAIN Scan Original Size: Through DP: Statement to Ledger (5.5" x 8.5" – 11" x 17"): Glass: Up to 11" x 17"

Drivers: TWAIN Driver / KM-WSDL / WSD

COPY SPECIFICATIONS

Copy Resolution: 600 x 600 dpi

Image Mode: Text, Photo, Text/Photo, Graphic/Map

Continuous Copy: 1 - 9,999 / Auto Reset to 1

Additional Features: Auto Magnification, Auto Paper Select, Auto Start, Auto Drawer Change, Interrupt Copy, Positive / Negative Reverse, Mirror Image, Rotate Copy, Border Erase, Split Copy, Electronic Sort, Margin Shift, Page Number, Form Overlay, XY Zoom, Prevent Bleed Through, Text Stamp, Bates Stamp, Blank Page Skip

Job Management: 1,000 Department Codes, Job Programs, Job Build, Shortcut Keys, Repeat Copy

Color Adjustment: One Touch, Hue, Auto Exposure, Sharpness Magnification / Zoom: Full Size, 4 Reduction, 4 Enlargement Preset Ratios. 25 – 400% in 1% Increments

Document Box: Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System)

STANDARD DOCUMENT PROCESSOR

Type / Capacity: Dual Scan Document Processor / 270 Sheets

Acceptable Originals: 5.5" x 8.5" - 11" x 17'

Acceptable Weights:

Simplex: 16 lb Bond – 68 lb Index (60 – 256gsm) Duplex: 13 lb – 32 lb Bond (50 – 120gsm)

OPTIONAL FAX SPECIFICATIONS

Fax Type: Fax System 12

Compatibility / Data Compression: G3 Fax / MMR, MR, MH, JBIG Transmission Speed / Modem Speed: Less than 3 Seconds per Page / 33.6 Kbps

Fax Memory: Standard 170 MB Driver: Network Fax Driver

Fax Functions: Network Fax, Duplex Transmission and Reception, Encrypted Transmission and Reception, Polling Transmission and Reception, Broadcast

ODTIONAL 4 000 CHEET CINICHED DE 74402

Stack / Staple Capacity: Main Tray (A): 4,000 Sheets; Sub Tray (B): 200 Sheets / 65 Sheets (up to 24 lb Bond [90gsm]) Paper Size: 5.5" x 8.5" – 12" x 18"

Paper Weight: 14 lb Bond - 166 lb Index (52 - 300gsm)

Edge Staple Position: 3 Positions: Top Left, Bottom Left, Center Bind

Optional Punch: PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" – 12" x 18"; 14 lb Bond –166 lb Index (52 – 300gsm) **Dimensions:** 23.91" W x 26.32" D x 41.78" H

Optional Booklet Folder / Tri-fold Unit³: BF-730 Booklet Folder supports 8.5" x 11", 8.5" x 14", 11" x 17"; Fold booklet staple: 16 lb - 24 lb Bond (60 - 90gsm) 16 sheets; 25 lb - 28 lb Bond (91 - 105gsm) 13 sheets; Fold booklet no staple: 16 lb - 24 lb Bond (60 - 90gsm) 5 sheets; 25 lb Bond -72 lb Index (91 - 120gsm) 3 sheets; 32 lb Bond -110 lb Cover (121 - 256gsm) 1 sheet; 71 lb Cover 121 - 256gsm) 1 sheet; 71 lb Cover 121 - 256 lb Bond 121 lb Bond $121 \text$

Optional Multi-bin Mailbox²: MT-730(B) Includes 7 Trays; Supports 16 lb Bond – 90 lb Index (60 – 163gsm); Stack Capacity per Bin: 100 Sheets: 5.5" x 8.5", 8.5" x 11"; 50 Sheets: 8.5" x 14", 11" x 17"

ADDITIONAL OPTIONS

Banner Guide (A), Internet Fax Kit (A), Card Authentication Kit (B), Gigabit NIC (IB-50), IEEE 802.11b/g/n (IB-51), ThinPrint (UG-33), Emulation (UG-34), Keyboard Holder 10, Key Counter, Key Counter Attachment Kit, Copy Tray (D), Data Security Kit (E), EFI Fiery Printing System*, Numeric Keypad (NK-7110)

- Requires PF-7130
- ² Only 1 Output Option can be installed
- 3 Requires DF-7110
- 4 Requires Printing System Interface Kit

ONLY FROM KYOCERA

KYOCERA Document Solutions is a global leader in the digital imaging industry, with an award-winning line of document solutions that consistently set the standard for high performance, superior image quality, enhanced workflow applications, ease-of-use and durability.

Looking to streamline your document workflow? Kyocera offers a robust portfolio of business applications that seamlessly and securely integrate with our MFPs. To learn more about which business applications are right for your business, visit the Solutions section on our website.

Specifications and design are subject to change without notice.

For the latest on connectivity, please visit www.kyoceradocumentsolutions.com/us.

MAC and AirPrint are trademarks of Apple, Inc. Google Cloud Print is a trademark of Google, Inc.

TASKAIFa, PRESCRIBE, KX Driver, and Command Center RX are the trademarks of the Kyocera Companies.

All other trademarks are the property of their respective owners.















KYOCERA Document Solutions America, Inc. Headquarters: 225 Sand Road, Fairfield, NJ 07004-0008, USA ©2017 KYOCERA Document Solutions America, Inc. IC# 855D400484





> PRINT > COPY > SCAN > FAX

TASKalfa 6052ci Series

COLOR MULTIFUNCTIONAL SYSTEMS

POWERFUL COLOR PERFORMANCE...

CONNECTING WORKFLOW





TASKalfa 6052ci/5052ci/4052ci/3552ci

BLAZE NEW TRAILS...IN COLOR.

In today's competitive work environment, how can your company get noticed? Change direction, and blaze new trails...in color, with Kyocera, a leading provider of Color Multifunctional Systems. At Kyocera, we empower our customers to maximize document workflow efficiency, productivity and security with advanced hardware and software solutions that cost-effectively streamline document processing. When it comes to business communication—in paper or digital form—why not get noticed? Connect in color, with Kyocera.

The TASKalfa 6052ci Series of Color Multifunctional Systems leverage the latest advances in color technology to form an impressive suite of powerful communication hubs. From intuitive walk-up features to versatile desktop software and web-based device management tools, your workforce can access, store and route information easier than ever before, whether in the office or on the go.

Offering superior versatility, the fully-customizable TASKalfa 6052ci Series is designed to meet wide-ranging application needs, with expandable paper supply, professional in-line finishing, advanced EFI Fiery® color management and plug-and-play business solutions.

Indeed, with superior adaptability, the innovative TASKalfa 6052ci Series becomes part of an optimized Total Document Solution (TDS) approach, one that fits the way you do business.



SMART DESIGN. MAXIMUM PRODUCTIVITY. TRUE ECONOMY.

Engineered for ease of operation, the TASKalfa 6052ci Series offers workgroups—large and small alike—superior design elements that efficiently address varied media handling, volume and document processing requirements.





INTUITIVE, TABLET-LIKE DISPLAY

Customizable, full color 9" touch screen display allows for instant access to frequently-used functions by organizing icons in a layout that works best for you. A standard soft key numeric keypad is included, and an optional external hard key numeric keypad is available.





WIDE MEDIA SUPPORT, SCALABLE PAPER SUPPLY

Best-in-class media handling and capacity with a 1,150-sheet standard paper supply, upgradeable to 7,150 sheets. Supports media sizes up to 12" x 48" and paper weights up to 166 lb. index (300 gsm), for unrivaled application flexibility.





ADVANCED IN-LINE FINISHING

Streamline cumbersome manual tasks, and reduce outsourcing costs, with professional finishing options:

- 4,000 Sheet External Finisher
- 1,000 Sheet External Finisher
- 500 Sheet Internal Finisher





BRING COLOR PRODUCTION IN-HOUSE

For complex color workflows, the optional EFI Fiery® Printing System is the preferred resource for image and graphics-rich environments. When combined with the TASKalfa 6052ci Series, you gain powerful color matching and file processing utilities that produce amazing results from job start to finish.

CONNECT WITH YOUR INFORMATION.

The TASKalfa 6052ci Series enables you to better manage virtually every aspect of document creation, output, distribution and storage. With unsurpassed performance, your workforce can now collaborate and communicate in a secure, efficient digital workflow. This drives greater productivity, increases efficiency, enhances security and reduces costs, as you connect people with your most valuable asset—information.





Produce vibrant color and crisp black and white documents at resolutions up to 1200 dpi.



Support your mobile workforce by putting print, scan and send features at their fingertips with applications, such as KYOCERA Mobile Print, Apple AirPrint®, and Google Cloud Print™. Standard Near Field Communication (NFC) for Android and Wi-Fi Direct provides added smart device convenience.



Scan invoices, statements and forms at up to 180 images per minute, via the optional Dual Scan Document Processor (DP-7110).



Distribute scanned files to multiple destinations...email, folder, FTP, etc.



Streamline scanning with Blank Page Skip which detects and removes blank pages, saving time and device memory.



Turn scanned documents into searchable PDFs with optional OCR, which dramatically reduces the time to locate and replicate information.



Save time and simplify IT management with KYOCERA's Command Center RX, a standard web-based interface that enables remote printing, file sharing, device monitoring, settings updates and address book entry, right from your desktop.



Reduce costs with Proof Copy Mode, which lets you print (and approve) a sample copy before duplicating large documents.



Print-from and scan-to a USB thumb drive—directly from the control panel; no PC required.



Print and share frequently used files with Document Box, a secure area on the hard drive where documents are conveniently stored and easily retrieved.

REMOTE MONITORING REDEFINED.

Optimize device uptime and reduce costs with KYOCERA Fleet Services (KFS), a highly-secure cloud-based monitoring solution that offers real-time visibility into...



- Device Status: Take a proactive approach to error resolution to ensure that your fleet operates at peak performance.
- Counter Activity: Eliminate administrative burden with automatic meter reading, for accurate and timely billing.
- Supply Levels: View consumable levels to prevent unnecessary workflow interruptions.
- Usage Trends: Identify print, copy, scan and error code trends to make more informed decisions (fleet right-sizing), and further optimize workflow.

HARNESS THE POWER.

Kyocera's robust portfolio of customizable business applications enhance the TASKalfa 6052ci Series' core capabilities, further boosting productivity and ensuring fast return on investment.

From mobile and cloud to cost control and security solutions, Kyocera business applications keep your information flowing. Built on Kyocera's cutting-edge HyPAS technology, this flexible software development platform seamlessly and securely integrates with Kyocera MFPs. The advantage: Simplified workflows that enable users to leverage information how, when and where they need it.

To learn more about which business applications are right for your business, visit Kyocera's website at:









SECURE YOUR DOCUMENTS

Concerned about unauthorized access to confidential information? The TASKalfa 6052ci Series offers standard security features built into the device software, as well as optional enhancements to help keep sensitive documents from falling into the wrong hands.

- PDF Encryption restricts access for displaying and printing PDFs by assigning a secure password.
- Private Print function with password protection and User Authentication.
- Optional Data Security Kit for overwrite and encryption, to help safeguard mission-critical workflows.

PROTECT THE ENVIRONMENT

The TASKalfa 6052ci Series dramatically reduces waste, and unnecessary energy consumption, in order to minimize the environmental footprint.

- Unique long-life technology and consumables.
- Manage your energy costs. Programmable
 Energy Saver function, and Low Typical
 Electricity Consumption (TEC) values
 support your goals for energy conservation.
- Energy Star® compliant, with Low Power Mode and Sleep Mode settings.
- Environmentally considerate Waste Toner Bottle design.

ONE SERIES. FOUR MODELS.



There are four models in the TASKalfa 6052ci Series, so you can choose the system that best meets your volume, finishing and application needs.









	TASKalfa 6052ci	TASKalfa 5052ci	TASKalfa 4052ci	TASKalfa 3552ci		
Functions Print / Copy / Scan / Optional Fax						
Speed (Letter)	55 _{ppm} Color/ 60 _{ppm} Black	50 _{ppm} Color/ 50 _{ppm} Black	40 _{ppm} Color/ 40 _{ppm} Black	35 _{ppm} Color/ 35 _{ppm} Black		
Display Panel		9" Color TSI with Tabl	et-Like Home Screen			
Max Resolution		1200 x	1200 dpi			
Optional Document Processors	Reversing Automatic Document Processor / 140 sheets Dual Scan Document Processor / 270 sheets					
Optional Finishing	500 She	et Internal, 1,000 Sheet	or 4,000 Sheet Extern	al Finisher		
Paper Capacity	Sta	ndard 1,150 Sheets (Up	gradable to 7,150 Shee	ets)		
HyPAS-enabled		Stand	dard			
Mobile Print Capability	Apple AirPrint®, Google Cloud Print™, KYOCERA Mobile Print					
NFC Support (for Android), Wi-Fi Direct & Wireless LAN	Standard					
KYOCERA Fleet Services (KFS) Ready	Standard					

For full TASKalfa 6052ci Series spec sheets, please visit http://usa.kyoceradocumentsolutions.com

KYOCERA Document Solutions America, Inc.

225 Sand Road, PO Box 40008, Fairfield, New Jersey 07004-0008, USA Tel +1.973.808.8444 Support +1.800.255.6482

http://usa.kyoceradocumentsolutions.com

©2016 KYOCERA Document Solutions America, Inc. All Rights Reserved

Specifications are subject to change without notice. TASKalfa, PRESCRIBE, KX Driver, HyPAS, AccuSender, Teaching Assistant, PinPoint Scan, DMConnect, HomePOINT, and Command Center RX are trademarks of the Kyocera Companies. Apple AirPrint is a trademark of Apple, Inc. Google Cloud Print is a trademark of Google, Inc. EFI and Fiery are trademarks of Electronics for Imaging, Inc. Energy Star is a trademark of the U.S. Environmental Protection Agency. All other trademarks are the property of their respective owners.

IC# 855D400456





TASKalfa 6052ci

COLOR MULTIFUNCTIONAL SYSTEM

POWERFUL COLOR PERFORMANCE... CONNECTING INFORMATION AND WORKFLOW.



The TASKalfa 6052ci delivers vibrant high-impact color, along with the exceptional workflow efficiency your office environment needs to keep information moving. With an unrivaled feature-set, and professional finishing options, the TASKalfa 6052ci handles the most demanding print, scan, copy and optional fax jobs with ease. Add to that Kyocera's award-winning ultra-reliability and unique long-life technology, and you have a powerful document solution that achieves superior performance and proven productivity across your enterprise.

- > Vivid Imaging up to 55 Pages per Minute in Color and 60 Pages per Minute in Black-and-White
- > Exceptional Print Quality at up to 1200 dpi
- > Scalable Paper Capacity for Longer Job Runs
- > Flexible Media Support and Paper Sizes up to 12" x 48"

- Customizable 9" Color Touch Screen with Intuitive, Tablet-like Home Screen
- Robust Portfolio of Business Applications for Enhanced Capabilities, such as Scan Distribution to Back-end Applications and Document Management Systems
- Advanced Finishing Options for Professional Output, including a 4,000-sheet External Finisher and optional Booklet Folding
- > Optional EFI® Fiery Controller for Advanced Color Workflows
- > Standard USB Host Interface for On-the-Go Printing and Scanning
- > Efficient Color Scanning up to 180 ipm
- > Convenient Wireless Printing and Scanning
- > Apple AirPrint[®], Google Cloud Print[™] and KYOCERA Mobile Print Compatible for a Mobile Printing Solution
- KYOCERA Fleet Services, a secure cloud-based monitoring system, optimizes device uptime and reduces costs



Configuration: Color Multifunctional System -Print/Scan/Copy/Optional Fax

Pages Per Minute:

Black – Letter: 60 ppm, Legal: 36 ppm, Ledger: 30 ppm, 12" x 18": 30 ppm (print only)

Color - Letter: 55 ppm, Legal: 33 ppm, Ledger: 27 ppm, 12" x 18": 27 ppm (print only)

Warm Up Time: 17 Seconds or Less (Power On)

First Page Out:

Copy: 3.4 Seconds or Less Black, 4.4 Seconds or Less Color Print: 3.8 Seconds or Less Black, 5.1 Seconds or Less Color

Display: 9" Color Touch Screen Control Panel Resolution: 600 x 600 dpi; 9600 dpi x 600 dpi; 1200 x 1200 dpi

Memory / Hard Disk Drive: 4 GB RAM / 8 GB SSD / 320 GB HDD Standard

Duplex: Standard Stackless Duplex Supports Statement to 12" x 18", 14 lb Bond - 166 lb Index (52 - 300gsm)

Standard Output Tray: Statement - 12" x 18" / 500 sheets; up to 12" x 48" Banner (Single Sheet)

Electrical Requirements: 120V, 60Hz, 12A; 220-240V, 50Hz, 7.2A Typical Electricity Consumption (TEC): 120V: 3.2 kWh/week; 220V: 3.1 kWh/week

Dimensions: 23.70" W x 26.18" D x 31.10" H

Weight: 202.83 lbs

Maximum Monthly Duty Cycle: 250,000 Pages per Month

Standard Paper Sources: Dual 500 Sheet Trays, 150 Sheet MPT, Auto Selection / Switching

Optional Paper Sources: Dual 500 Sheet Trays (PF-7100), Dual 1,500-sheet Trays (PF-7110); Side LCT: 3,000 Sheet Capacity Trav (PF-7120)1

Paper Capacity: Standard: 1,150 Sheets; Maximum: 7,150 Sheets Paper Size:

Tray 1 – 5.5" x 8.5" – 8.5" x 14" (Statement to Legal); Tray 2 – 5.5" x 8.5" - 12" x 18", Custom Size; PF-7100: 5.5" x 8.5" 12" x 18"; **PF-7110**, **PF-7120**: 8.5" x 11"; **MPT**: 5.5" x 8.5" -12" x 18" (Multiple Sheets); Up to 12" x 48" Banner (Single Sheet)

Paper Weight: Trays / MPT: 14 lb Bond – 166 lb Index (52 – 300gsm)

Input Materials: Standard/Optional Drawer: Plain Paper, Bond Paper, Recycled Paper, Envelopes; MPT: Plain Paper, Bond Paper, Recycled Paper, Cardstock, Transparencies, Labels, Envelopes

Standard: Local Authentication, Network Authentication (IPSec, HTTPS, LDAP over SSL, SNMPv3); Secure Print (IPP over SSL); Scan to Email (POP3/SMTP over SSL); Scan to FTP (FTP over SSL); Scan to SMB/PC/USB; FTP over SSI

Optional: Data Security Kit (E): HDD Overwrite Mode, HDD

PRINT SPECIFICATIONS

Standard Controller: Freescale QorlQ T1024 (Dual Core) / 1.2GHz PDLs / Emulations: PRESCRIBE, PCL6 (PCL-XL / PCL5c), KPDL3 (PS3), XPS, OPEN XPS; Optional (UG-34): IBM ProPrinter, Line Printer, LO-850

Print Resolution: Up to 1200 x 1200 dpi

Fonts: 136 KPDL3, 93 PCL6, 8 Windows Vista, 1 Bitmap OS Compatibility: Windows: XP/Vista/7/8/8.1/10/Server 2003/ Server 2008/Server 2008 R2/Server 2012/Server 2012 R2; Novell NetWare 3.x/4.x/5.x/6.x; Mac OS 10.x; AirPrint Enabled; Sun OS 4.1.x; Solaris 2.x; AIX; HP-UX (LPR)

Mobile Printing: Apple AirPrint®, Google Cloud Print™, KYOCERA Mobile Print

Interfaces: Standard: 10/100/1000BaseTX, Hi-Speed USB 2.0, 4 USB Host Interfaces, 2 Expansion Slots, Wireless LAN (communication distance 98.5 feet)

Optional: 10/100/1000BaseTX IB-50 for Dual NIC, IEEE 802.11b/g/n IB-51 for Wireless LAN Interface (communication distance 328.1 feet)

Network Print and Supported Protocols: TCP/IP, NetBEUI, IPv4, IPv6, IPsec, HTTP, LPD, FTP, IPP, RawPort, LLTD, SNTP, DHCP, SMTP, POP3, DNS, SNMPv1/v2, WSD Scan/Print

Drivers: KX Driver, PCL Mini Driver, KPDL Mini Driver, KX Driver for XPS, Network Fax Driver, TWAIN Driver, WIA Driver, PPD for MAC, PPD for Linux

Utilities: KYOCERA Net Admin, KYOCERA Net Viewer, PDF Direct Print, Command Center RX

SCAN SPECIFICATIONS

Scan Type: Color and Black & White Scanner

Scan Resolution: 600 dpi, 400 dpi, 300 dpi, 200 dpi, 200 x 100 dpi, 200 x 400 dpi

File Formats: TIFF (MMR compression), PDF (MMR compression), PDF (high compression), OpenXPS, XPS, JPEG

PDF Extension: Searchable PDF (OCR) Option

Scan Speeds (mono/color, @300 dpi):

DP-7100: Simplex: 80 ipm B&W / 80 ipm Color: Duplex: 48 ipm B&W / 48 ipm Color DP-7110: Simplex: 100 ipm B&W / 100 ipm Color;

Duplex: 180 ipm B&W / 180 ipm Color

Connectivity / Supported Protocols: 10/100/1000BaseTX, TCP/IP, Hi-Speed USB 2.0

Scanning Functions: Scan to Folder (SMB), Scan to Email, Scan to FTP. Scan to FTP over SSL, Scan to USB, WSD Scan, TWAIN Scan

Original Size: Through DP: Statement to Ledger (5.5" x 8.5" -11" x 17"); Glass: Up to 11" x 17'

Drivers: TWAIN/WIA Driver

COPY SPECIFICATIONS

Copy Resolution: 600 x 600 dpi

Image Mode: Text, Photo, Text/Photo, Graphic/Map

Continuous Copy: 1 - 999 / Auto Reset to 1

Additional Features: Auto Magnification, Auto Paper Select, Auto Start, Auto Drawer Change, Interrupt Copy, Positive / Negative Reverse, Mirror Image, Rotate Copy, Border Erase, Split Copy, Electronic Sort, Margin Shift, Page Number, Form Overlay, XY Zoom, Prevent Bleed Through, Text Stamp, Bates Stamp, Blank Page Skip

Job Management: 1,000 Department Codes, Job Programs, Job Build, Shortcut Keys, Repeat Copy

Color Adjustment: One Touch, Hue, Auto Exposure, Sharpness Magnification / Zoom: Full Size, 4 Reduction, 4 Enlargement Preset Ratios, 25 - 400% in 1% Increments

Document Box: Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System)

OPTIONAL DOCUMENT PROCESSORS²

Type / Capacity:

DP-7100: Reversing Automatic Document Processor / 140 Sheets DP-7110: Dual Scan Document Processor / 270 Sheets

Acceptable Originals: 5.5" x 8.5" - 11" x 17'

Acceptable Weights:

DP-7100: Simplex: 13 lb Bond – 90 lb Index (35 – 160gsm); Duplex: 16 lb – 32 lb Bond (50 – 120gsm) **DP-7110:** Simplex: 13 lb Bond - 120 lb Index (35 - 220gsm); Duplex: 16 lb - 120 lb Index (50 - 220gsm)

OPTIONAL FAX SPECIFICATIONS

Fax Type: Fax System 12

Compatibility / Data Compression: G3 Fax / MMR, MR, MH, JBIG

Transmission Speed / Modem Speed: Less than 3 seconds /

Fax Memory: Standard 170 MB

Fax Functions: Network Fax, Duplex Transmission and Reception, Encrypted Transmission and Reception, Polling Transmission and Reception, Broadcast

OUTPUT & FINISHING OPTIONS

OPTIONAL 500 SHEET INTERNAL FINISHER DF-71003

Stack / Staple Capacity: 500 Sheets / 50 Sheets

(up to 24 lb Bond [90gsm])

Paper Size: 5.5" x 8.5" - 12" x 18"

Paper Weight: 14 lb Bond - 166 lb Index (52 - 300gsm)

Edge Staple Position: 3 Positions: Front 1 Staple, Edge 1 Staple,

Optional Punch: PH-7100 2 and 3 Hole Punch Unit, Supports 5.5" x 8.5" - 12" x 18"; 14 lb Bond - 166 lb Index (52 - 300gsm) Dimensions: 19.60" W x 20.98" D x 6.73" H

OPTIONAL 1000 SHEET FINISHER DE-71203.4

Stack / Staple Capacity: Main Tray: 1,000 Sheets / 50 Sheets (up to 24 lb Bond [90gsm])

Paper Size: 5.5" x 8.5" - 12" x 18"

Paper Weight: 14 lb Bond - 166 lb Index (52 - 300gsm) Edge Staple Position: 3 Positions: Top Left, Bottom Left, Center

Optional Punch: PH-7A 2 and 3 Hole Punch Unit, Supports 5.5" x 8.5" - 12" x 18"; 14 lb Bond - 166 lb Index (52 - 300gsm)

Dimensions: 21.57" W x 24.35" D x 41.34" H

OPTIONAL 4,000 SHEET FINISHER DF-71103.4

Stack / Staple Capacity: Main Tray (A): 4,000 Sheets; Sub Tray (B): 200 Sheets / 65 Sheets (up to 24 lb Bond [90gsm])

Paper Size: 5.5" x 8.5" - 12" x 18"

Paper Weight: 14 lb Bond - 166 lb Index (52 - 300gsm) Edge Staple Position: 3 Positions: Top Left, Bottom Left, Center

Optional Punch: PH-7A 2 and 3 Hole Punch Unit, Supports 5.5" x 8.5" - 12" x 18"; 14 lb Bond -166 lb Index (52 - 300gsm) Dimensions: 23.91" W x 26.32" D x 41.78" H

Optional Booklet Folder / Tri-fold Units: BF-730 Booklet Folder supports 8.5" x 11", 8.5" x 14", 11" x 17"; Fold booklet staple: 16 lb – 24 lb Bond (60 – 90gsm) 16 sheets; 25 lb – 28 lb Bond (91 - 105gsm) 13 sheets; Fold booklet no staple: 16 lb 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb Bond – 72 lb Index (91 - 120gsm) 3 sheets: 32 lb Bond - 110 lb Cover (121 - 256gsm) 1 sheet; Trifold supports 8.5" x 11" only: 16 lb - 24 lb Bond (60 - 90gsm) 5 sheets; 25 lb Bond - 72 lb Index (91 - 120gsm) 3 sheets: 16 lb - 28 lb Bond (60 - 105gsm) 1 sheet

Optional Multi-Bin Mailbox5: MT-730(B) includes 7 Trays; Supports 16 lb Bond - 90 lb Index (60 - 163gsm); Stack Capacity per Bin: 100 Sheets: 5.5" x 8.5", 8.5" x 11"; 50 Sheets: 8.5" x 14", 11" x 17"

ADDITIONAL OPTIONS

Bridge Unit Attachment Kit (AK-7100), Banner Guide 10, Internet Fax Kit (A), Card Authentication Kit (B), Gigabit NIC (IB-50), Wireless LAN IEEE 802.11b/g/n (IB-51), ThinPrint (UG-33), Emulation (UG-34), Document Tray (DT-7100), Scan Extension Kit (A) for Searchable PDF/OCR, Keyboard Holder 10, Data Security Kit (E), EFI Fiery Printing System⁶, Numeric Keypad (NK-7110), Job Separator (JS-7100)

Requires PF-7100 or PF-7110

² Only 1 Document Processor can be installed ³ Only 1 Output Option can be installed

Requires Bridge Unit Attachment Kit (AK-7100)

5 Requires DF-7110

Requires Printing System Interface Kit

ONLY FROM KYOCERA

KYOCERA Document Solutions is a global leader in the digital imaging industry, with an award-winning line of document solutions that consistently set the standard for high performance, superior image quality, enhanced workflow applications, ease-of-use and durability.

Looking to streamline your document workflow? Kyocera offers a robust portfolio of business applications that seamlessly and securely integrate with our MFPs. To learn more about which business applications are right for your business, visit the Solutions section on our website.

Specifications and design are subject to change without notice. For the latest on connectivity, please visit www.kyoceradocumentsolutions.com/us. MAC and AirPrint are trademarks of Apple, Inc. Google Cloud Print is a trademark of Google, Inc. TASKalfa, PRESCRIBE, KX Driver, and Command Center RX are the trademarks of the Kyocera Companies. All other trademarks are the property of their respective owners.





















TASKalfa 8002i

BLACK & WHITE MULTIFUNCTIONAL SYSTEM

POWERFUL PERFORMANCE... CONNECT AND COLLABORATE.



The TASKalfa 8002i is a high-performance Black-and-White MFP that powers through your most demanding print, copy, scan and optional fax tasks with exceptional speed and accuracy. Designed for unmatched ease of use, striking image quality, and incredible efficiency, the high-volume TASKalfa 8002i processes print and scan jobs at up to 80 pages per minute and 220 images per minute, respectively. Equip the scalable TASKalfa 8002i with added paper drawers, advanced finishing and plug-and-play Kyocera business applications. With ultra-reliability and unique long life technology, the TASKalfa 8002i enables users to connect and collaborate in today's fast-paced, mobile workplace.

- > Crisp Black-and-White Output up to 80 Pages per Minute
- > Exceptional Print Quality up to 1200 dpi
- > Standard 4,150-sheet Paper Capacity, Expandable to 7,650 Sheets

- > Flexible Media Support and Paper Sizes up to 12" x 48"
- > Customizable 9" Color Touch Screen with Tablet-like Home Screen
- Advanced Finishing Options for Professional Output, including a 4,000-sheet External Finisher and Optional Booklet Folding
- > Efficient High-speed Color Scanning up to 220 ipm
- > Standard USB Host Interface for On-the-Go Printing and Scanning
- > Convenient Wireless Printing and Scanning
- > Apple AirPrint®, Google Cloud Print™ and KYOCERA Mobile Print Compatible for Anytime, Anywhere Connectivity
- > Standard Near Field Communication (NFC) for Android and Wi-Fi Direct Provides Added Smart Device Convenience
- KYOCERA Fleet Services, a secure cloud-based monitoring system, optimizes device uptime and reduces costs



BASIC SPECIFICATIONS

Configuration: Black and White Multifunctional System – Print/Scan/Copy/Optional Fax

Pages Per Minute:

Letter: 80 ppm, Legal: 48 ppm, Ledger: 40 ppm, 12" x 18": 40 ppm (print only)

Warm Up Time: 30 Seconds or Less (Power On)

First Page Out:

Copy: 4.7 Seconds or Less Print: 5.4 Seconds or Less

Display: 9" Color Touch Screen Control Panel

Resolution: 600 x 600 dpi; 9600 dpi x 600 dpi; 1200 x 1200 dpi

Memory / Hard Disk Drive: 4.5 GB RAM / 8 GB SSD /

Duplex: Standard Stackless Duplex Supports Statement to 12" x 18", 14 lb Bond – 166 lb Index (52 – 300gsm)

Standard Output Tray: Statement – 12" x 18" / 270 Sheets; up to 12" x 48" Banner (Single Sheet)

Electrical Requirements: 120V, 60Hz, 12A; 220-240V, 50Hz, 7.2A Typical Electricity Consumption (TEC): 120V: 4.7 kWh/week;

220V: 4.5 kWh/week

Dimensions: 26.97" W x 31.10" D x 41.45" H

Weight: 330 lbs

Maximum Monthly Duty Cycle: 450,000 Pages per Month

PAPER SUPPLY

Standard Paper Sources: Dual 500 Sheet Trays, Dual 1,500 Sheet Trays, 150 Sheet MPT, Auto Selection / Switching

Optional Paper Sources: Dual 500 Sheet Trays (PF-730[B]¹), Dual 1,500 Sheet Trays (PF-740[B]¹); Side LCT: 3,000 Sheet Capacity Tray (PF-7120); 500 Sheet Multi-Media Paper Feeder (PF-7130)

Paper Capacity: Standard: 4,150 Sheets; Maximum: 7,650 Sheets Paper Size:

Tray 1 – 5.5" x 8.5" – 12" x 18" (Statement to 12" x 18"); Tray 2 – 5.5" x 8.5" – 12" x 18", Custom Size; **PF-7100**: 5.5" x 8.5" – 12" x 18"; **PF-7100**: 5.5" x 8.5" – 12" x 18"; **PF-7200**: 8.5" x 11" - 12" x 18"; **MPT**: 5.5" x 8.5" – 12" x 18" (Multiple Sheets); up to 12" x 48" Banner (Single Sheet)

Paper Weight: Trays / MPT: 16 lb Bond – 166 lb Index (60 – 300 gs m)

Input Materials: Standard/Optional Drawer: Plain Paper, Bond Paper, Recycled Paper, Envelopes; MPT: Plain Paper, Bond Paper, Recycled Paper, Cardstock, Transparencies, Labels, Envelopes

SECURITY SPECIFICATIONS

Standard: Local Authentication, Network Authentication (IPsec, HTTPS, LDAP over SSL, SMMPy3); Secure Print (IPP over SSL); Scan to Email (POP3/SMTP over SSL); Scan to FTP (FTP over SSL); Scan to SMB/PC/USB; FTP over SSL

Optional: Data Security Kit (E): HDD Overwrite Mode, HDD Data Encryption

PRINT SPECIFICATIONS

Standard Controller: Freescale QorlQ T1042 (Dual Core) / 1.2GHz PDLs / Emulations: PRESCRIBE, PCL6 (PCL-XL / PCL5), KPDL3 (PS3), PDF, OpenXPS, XPS, PPML; Optional (UG-34): IBM ProPrinter, Line Printer, LQ-850

Print Resolution: Up to 1200 x 1200 dpi

Fonts: 136 KPDL3, 93 PCL6, 8 Windows Vista, 1 Bitmap

OS Compatibility: Windows: XP/Vista/7/8/8.1/10/Server 2003/ Server 2008/Server 2008 R2/Server 2012/Server 2012 R2; Novell NetWare 3.x/4.x/5.x/6.x; Mac OS 10.x; AirPrint Enabled; Sun OS 4.1.x; Solaris 2.x; AIX; HP-UX (LPR) Mobile Printing: Apple AirPrint®, Google Cloud PrintTM,

Interfaces: Standard: 10/100/1000BaseTX, Hi-Speed USB 2.0, 4 USB Host Interfaces, 2 Expansion Slots, Wireless LAN (communication distance 98.5 feet)

Optional: 10/100/1000BaseTX (IB-50 for Dual NIC), IEEE 802.11b/g/n IB-51 for Wireless LAN Interface (communication distance 328.1 feet)

Network Print and Supported Protocols: TCP/IP, FTP, LPR, NetBEUI, IPv4, IPv6, IPsec, SSL, HTTP, LPD, IPP, RawPort, LLTD, SNTP, DHCP, SMTP, POP3, DNS, SNMPv1/v2, WSD Scan/Print

Drivers: KX Driver, KX (XPS) Driver, PCL Mini Driver, KPDL Mini Driver, Network Fax Driver, TWAIN Driver, WIA Driver, Status Monitor, Novell NDPS, Common Profile, Output to PDF, Security Watermark, Color Optimizer, Linux SANE Driver, Linux Driver, Mac Driver, Windows Inbox Driver, KX PRESCRIBE Macro Generator

Utilities: KYOCERA Net Direct Print, File Management Utility, KYOCERA Print Center, KYOCERA Net Admin, KYOCERA Net Viewer, Quick Setup, KYOCERA Net Manager(Pro), KYOCERA Net Manager (Basic), ID Register, Software Management Service, Upgrade Studio, Web Package Builder, Web Package Maker, Removal Tool, Wi-Fi Setup Tool

SCAN SPECIFICATIONS

Scan Type: Color and Black & White Scanner

Scan Resolution: 600 dpi, 400 dpi, 300 dpi, 200 dpi, 200 x 100 dpi, 200 x 400 dpi

File Formats: TIFF (MMR compression), PDF (MMR compression), PDF (high compression), OpenXPS, XPS, JPEG

PDF Extension: Searchable PDF (OCR)

Scan Speeds (mono/color, @300 dpi): Simplex: 120 ipm B&W / Color Duplex: 220 ipm B&W / Color

Connectivity / Supported Protocols: 10/100/1000BaseTX, TCP/IP, Hi-Speed USB 2.0

Scanning Functions: Scan to Folder (SMB), Scan to Email, Scan to FTP, Scan to FTP over SSL, Scan to USB, WSD Scan, TWAIN Scan

Original Size: Through DP: Statement to Ledger (5.5" x 8.5" - 11" x 17"); Glass: Up to 11" x 17" $\,$

COPY SPECIFICATIONS

Copy Resolution: 600 x 600 dpi

Image Mode: Text, Photo, Text/Photo, Graphic/Map

Continuous Copy: 1 - 9,999 / Auto Reset to 1

Drivers: TWAIN Driver / KM-WSDL / WSD

Additional Features: Auto Magnification, Auto Paper Select, Auto Start, Auto Drawer Change, Interrupt Copy, Positive / Negative Reverse, Mirror Image, Rotate Copy, Border Erase, Split Copy, Electronic Sort, Margin Shift, Page Number, Form Overlay, XY Zoom, Prevent Bleed Through, Text Stamp, Bates Stamp, Blank Page Skin

Job Management: 1,000 Department Codes, Job Programs, Job Build, Shortcut Keys, Repeat Copy

Color Adjustment: One Touch, Hue, Auto Exposure, Sharpness Magnification / Zoom: Full Size, 4 Reduction, 4 Enlargement

Preset Ratios. 25 – 400% in 1% Increments

Document Box: Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System)

STANDARD DOCUMENT PROCESSOR

Type / Capacity: Dual Scan Document Processor / 270 Sheets

Acceptable Originals: 5.5" x 8.5" - 11" x 17'

Acceptable Weights:

Simplex: 16 lb Bond – 68 lb Index (60 – 256gsm) Duplex: 13 lb – 32 lb Bond (50 – 120gsm)

OPTIONAL FAX SPECIFICATIONS

Fax Type: Fax System 12

Compatibility / Data Compression: G3 Fax / MMR, MR, MH, JBIG Transmission Speed / Modem Speed: Less than 3 Seconds per Page / 33.6 Kbps

Fax Memory: Standard 170 MB Driver: Network Fax Driver

Fax Functions: Network Fax, Duplex Transmission and Reception,

Encrypted Transmission and Reception, Polling Transmission and Reception, Broadcast

OPTIONAL 4,000 SHEET FINISHER DF-71102

Stack / Staple Capacity: Main Tray (A): 4,000 Sheets; Sub Tray (B): 200 Sheets / 65 Sheets (up to 24 lb Bond [90gsm]) Paper Size: 5.5" x 8.5" – 12" x 18"

Paper Weight: 14 lb Bond - 166 lb Index (52 - 300gsm)

Edge Staple Position: 3 Positions: Top Left, Bottom Left, Center Bind

Optional Punch: PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" – 12" x 18"; 14 lb Bond –166 lb Index (52 – 300gsm) **Dimensions:** 23.91" W x 26.32" D x 41.78" H

Optional Booklet Folder / Tri-fold Unit³: BF-730 Booklet Folder supports 8.5" x 11", 8.5" x 14", 11" x 17"; Fold booklet staple: 16 lb – 24 lb Bond (60 – 90gsm) 16 sheets; 25 lb – 28 lb Bond (91 – 105gsm) 13 sheets; Fold booklet no staple: 16 lb – 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb Bond – 72 lb Index (91 – 120gsm) 3 sheets; 32 lb Bond – 110 lb Cover (121 – 256gsm) 1 sheet; Tri-fold Unit supports 8.5" x 11" only: 16 lb – 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb Bond – 72 lb Index (91 – 120gsm) 3 sheets; 16 lb – 28 lb Bond (60 – 105gsm) 1 sheet

Optional Multi-bin Mailbox²: MT-730(B) Includes 7 Trays; Supports 16 lb Bond – 90 lb Index (60 – 163gsm); Stack Capacity per Bin: 100 Sheets: 5.5" x 8.5", 8.5" x 11"; 50 Sheets: 8.5" x 14", 11" x 17"

ADDITIONAL OPTIONS

Banner Guide (A), Internet Fax Kit (A), Card Authentication Kit (B), Gigabit NIC (IB-50), IEEE 802.11b/g/n (IB-51), ThinPrint (UG-33), Emulation (UG-34), Keyboard Holder 10, Key Counter, Key Counter Attachment Kit, Copy Tray (D), Data Security Kit (E), Numeric Keypad (NK-7110)

Requires PF-7130

² Only 1 Output Option can be installed ³ Requires DF-7110

ONLY FROM KYOCERA

KYOCERA Document Solutions is a global leader in the digital imaging industry, with an award-winning line of document solutions that consistently set the standard for high performance, superior image quality, enhanced workflow applications, ease-of-use and durability.

Looking to streamline your document workflow? Kyocera offers a robust portfolio of business applications that seamlessly and securely integrate with our MFPs. To learn more about which business applications are right for your business, visit the Solutions section on our website.

Specifications and design are subject to change without notice.

For the latest on connectivity, please visit www.kyoceradocumentsolutions.com/us.

MAC and AirPrint are trademarks of Apple, Inc. Google Cloud Print is a trademark of Google, Inc.

TASKalfa, PRESCRIBE, KX Driver, and Command Center RX are the trademarks of the Kyocera Companies.

All other trademarks are the property of their respective owners.















KYOCERA Document Solutions America, Inc. Headquarters: 225 Sand Road, Fairfield, NJ 07004-0008, USA ©2017 KYOCERA Document Solutions America, Inc. IC# 855D400488





> PRINT > COPY > SCAN > FAX

TASKalfa 6002i Series

BLACK & WHITE MULTIFUNCTIONAL SYSTEMS

POWERFUL PERFORMANCE...

CONNECTING WORKFLOW AND INFORMATION.





TASKalfa 6002i/5002i/4002i

VERSATILITY, INNOVATION...

NO COMPROMISES.

Businesses that excel make no compromises; they demand the best. Choosing the best office systems—those that fit evolving document workflow needs—should be no different. Kyocera, a leading provider of innovative, high-performance Multifunctional Systems is ready to help. At Kyocera, we empower our customers to maximize document workflow efficiency, productivity and security with advanced hardware and software solutions that cost-effectively streamline document processing. When it comes to business communication—in paper or digital form—don't compromise, connect with the best...Kyocera.

The TASKalfa 6002i Series of Black & White Multifunctional Systems are world-class office solutions that combine print, copy

and color scan functionality into one powerful platform. And to ensure that your business runs at peak performance, the TASKalfa 6002i Series offers an unmatched array of standard features, professional finishing options, and host of customizable business applications that further optimize workflow. From intuitive walk-up operation to versatile desktop software and Web-based device management tools, your workforce can access, store and route information easier than ever before, whether in the office or on the go.

Indeed, with superior adaptability, the innovative TASKalfa 6002i Series becomes part of an optimized Total Document Solutions (TDS) approach, one that fits the way you do business.



SMART DESIGN. MAXIMUM PRODUCTIVITY. TRUE ECONOMY.

Engineered for ease of operation, the TASKalfa 6002i Series offers workgroups—large and small alike—superior design elements that efficiently address varied media handling, volume and document processing requirements.













INTUITIVE, TABLET-LIKE DISPLAY

Customizable, full color 9" touch screen display allows for instant access to frequently-used functions by organizing icons in a layout that works best for you. A standard soft key numeric keypad is included, and an optional external hard key numeric keypad is available.

WIDE MEDIA SUPPORT, SCALABLE PAPER SUPPLY

Best-in-class media handling and capacity with a 1,150-sheet standard paper supply, upgradeable to 7,150 sheets. Supports media sizes up to 12" x 48" and paper weights up to 166 lb. Index (300 gsm), for unrivaled application flexibility.

ADVANCED IN-LINE FINISHING

Streamline cumbersome manual tasks, and reduce outsourcing costs, with professional finishing options:

- 4,000 Sheet External Finisher
- 1,000 Sheet External Finisher
- 500 Sheet Internal Finisher

CONNECT WITH YOUR INFORMATION.

The TASKalfa 6002i Series enables you to better manage virtually every aspect of document creation, output, distribution and storage. With unsurpassed performance, your workforce can now collaborate and communicate in a secure, efficient digital workflow. This drives greater productivity, increases efficiency, enhances security and reduces costs, as you connect people with your most valuable asset—information.





Produce crisp Black and White documents at resolutions up to 1200 dpi.



Support your mobile workforce by putting print, scan and send features at their fingertips with applications, such as Kyocera Mobile Print, Apple AirPrint®, and Google Cloud Print™. Standard Near Field Communication (NFC) for Android and Wi-Fi Direct provides added smart device convenience.



Scan invoices, statements and forms at up to 180 images per minute, via the optional Dual Scan Document Processor (DP-7110).



Distribute scanned files to multiple destinations...email, folder, FTP, etc.



Streamline scanning with Blank Page Skip; detects and removes blank pages, saving time and device memory.



Turn scanned documents into searchable PDFs with optional OCR, which dramatically reduces the time to locate and replicate information.



Save time and simplify IT management with Kyocera's Command Center RX, a standard web-based interface that enables remote printing, file sharing, device monitoring, settings updates and address book entry, right from your desktop.



Print-from and scan-to a USB thumb drive—directly from the control panel; no PC required.

HARNESS THE POWER.

Kyocera's robust portfolio of customizable Business Applications enhance the TASKalfa 6002i Series' core capabilities, further boosting productivity and ensuring fast return on investment capabilities, further boosting productivity and ensuring fast return on investment.

From document management to cost control and security solutions, Kyocera Business Applications keep your information flowing. Built on Kyocera's cutting-edge HyPAS technology, this flexible software development platform seamlessly and securely integrates with Kyocera MFPs. The advantage? Simplified workflows that enable users to leverage information how, when and where they need it.

To learn more about which business applications are right for your business, visit Kyocera's website at:

http://usa.kyoceradocumentsolutions.com









SECURE YOUR DOCUMENTS

Concerned about unauthorized access to confidential information? The TASKalfa 6002i Series offers standard security features built into the device software, as well as optional enhancements to help keep sensitive documents from falling into the wrong hands.

- PDF Encryption restricts access for displaying and printing PDFs by assigning a secure password.
- Private Print function with password protection and User Authentication.
- Optional Data Security Kit for overwrite and encryption, to help safeguard mission-critical workflows.

PROTECT THE ENVIRONMENT

The TASKalfa 6002i Series dramatically reduces waste, and unnecessary energy consumption, in order to minimize environmental footprint.

- Unique long-life technology and consumables.
- Manage your energy costs. Programmable
 Energy Saver function, and Low Typical
 Electricity Consumption (TEC) values
 support your goals for energy conservation.
- Energy Star compliant, with Low Power Mode and Sleep Mode settings.
- Environmentally considerate Waste Toner Bottle design.

ONE SERIES. THREE MODELS.



There are three models in the TASKalfa 6002i Series, so you can choose the system that best meets your volume, finishing and application needs.







	TASKalfa 6002i	TASKalfa 5002i	TASKalfa 4002i
Functions	Print / Copy / Scan / Optional Fax		
Speed (Letter)	60 ppm Black	50 ppm Black	40 ppm Black
Display Panel	9" Color TSI with Tablet-Like Home Screen		
Max Resolution	Up to 1200 x 1200 dpi		
Optional Document Processors	Reversing Automatic Document Processor / 140 sheets Dual Scan Document Processor / 270 sheets		
Optional Finishing	500 Sheet Internal, 1,000 Sheet or 4,000 Sheet External Finisher		
Paper Capacity	Standard 1,150 Sheets / Upgradable to 7,150 Sheets		
HyPAS-enabled	Standard		
Mobile Print Capability	Apple AirPrint®, Google Cloud Print™, KYOCERA Mobile Print		
NFC Support (for Android)	Standard		

For full TASKalfa 6002i Series spec sheets, please visit http://usa.kyoceradocumentsolutions.com

KYOCERA Document Solutions America, Inc.

225 Sand Road, PO Box 40008, Fairfield, New Jersey 07004-0008, USA Tel +1.973.808.8444 Support +1.800.255.6482

http://usa.kyoceradocumentsolutions.com

©2016 KYOCERA Document Solutions America, Inc. All Rights Reserved

KYOCERA Document Solutions does not warrant that any specifications mentioned will be error free. Specifications are subject to change without notice. TASKalfa, PRESCRIBE, KX Driver, HyPAS, AccuSender, Teaching Assistant, PinPoint Scan, DMConnect, HomePOINT, and Command Center RX are trademarks of the KYOCERA Companies. MAC and AirPrint are trademarks of Apple, Inc. Google Cloud Print is a trademark of Google, Inc. All other trademarks are the property of their respective owners.

IC# 855D400458





TASKalfa 6002i

BLACK & WHITE MULTIFUNCTIONAL SYSTEM

POWERFUL PERFORMANCE... CONNECTING INFORMATION AND WORKFLOW.



The TASKalfa 6002i is a best-in-class Black and White MFP that combines print, copy, and color scan functionality into one powerful platform. To ensure that your organization runs at peak efficiency, the TASKalfa 6002i offers an unmatched array of standard features, professional finishing options, and host of customizable business applications that further streamline workflow. Add to that Kyocera's award-winning ultra-reliability and unique long-life technology, and proven leadership in technology innovation, and the TASKalfa 6002i will transform end-to-end document processes...and drive bottomline business growth.

- > Crisp Black and White Output up to 60 Pages per Minute
- > Exceptional Print Quality at up to 1200 dpi
- > Scalable Paper Capacity for Longer Job Runs

- > Flexible Media Support and Paper Sizes up to 12" x 48"
- Customizable 9" Color Touch Screen with Intuitive, Tablet-like Home Screen
- Robust Portfolio of Business Applications for Enhanced Capabilities, such as Scan Distribution to Back-end Applications and Document Management Systems
- Advanced Finishing Options for Professional Output, including a 4,000-sheet External Finisher and optional Booklet Folding
- > Standard USB Host Interface for On-the-Go Printing and Scanning
- > Efficient Color Scanning up to 180 ipm
- > Convenient Wireless Printing and Scanning
- > Apple AirPrint[®], Google Cloud Print[™] and KYOCERA Mobile Print Compatible for a Mobile Printing Solution



BASIC SPECIFICATIONS

Configuration: Black & White Multifunctional System -Print/Scan/Copy/Optional Fax

Pages Per Minute: Letter: 60 ppm, Legal: 36 ppm, Ledger: 30 ppm, 12" x 18": 30 ppm (print only)

Warm Up Time: 17 Seconds or Less (Power On)

First Page Out:

Copy: 3.4 Seconds or Less Print: 3.8 Seconds or Less

Display: 9" Color Touch Screen Control Panel

Resolution / Bit Depth: 600 x 600 dpi; 9600 dpi x 600 dpi; 1200 x 1200 dpi

Memory / Hard Disk Drive: 4GB RAM / 8GB SSD /

320GB HDD Standard

Duplex: Standard Stackless Duplex Supports Statement to 12" x 18", 14 lb Bond - 166 lb Index (52 - 300gsm)

Standard Output Tray: Statement - 12" x 18" / 500 sheets; up to 12" x 48" Banner (Single Sheet)

Electrical Requirements: 120V, 60Hz, 12A: 220-240V, 50Hz, 7.2A Typical Electricity Consumption (TEC): 120V: 3.0 kWh/week;

220V: 3.0 kWh/weel Dimensions: 23.70" W x 26.18" D x 31.10" H

Weight: 180.78 lbs

Maximum Monthly Duty Cycle: 250,000 Pages per Month

Standard Paper Sources: Dual 500 Sheet Travs, 150 Sheet MPT. Auto Selection/Switching

Optional Paper Sources: Dual 500 Sheet Trays (PF-7100), Dual 1,500 Sheet Trays (PF-7110); Side LCT: 3,000 Sheet Capacity Tray (PF-7120)1

Paper Capacity: Standard: 1,150 Sheets; Maximum: 7,150 Sheets Paper Size:

Tray 1 - 5.5" x 8.5" - 8.5" x 14" (Statement to Legal); Tray 2 -5.5" x 8.5" - 12" x 18", Custom Size; **PF-7100:** 5.5" x 8.5" 12" x 18"; PF-7110, PF-7120: 8.5" x 11"; MPT: 5.5" x 8.5" -12" x 18" (Multiple Sheets); Up to 12" x 48" Banner (Single Sheet)

Paper Weight: Trays / MPT: 14 lb Bond - 166 lb Index (52 - 300gsm)

Input Materials: Standard/Optional Drawer: Plain Paper, Bond Paper, Recycled Paper, Envelopes; MPT: Plain Paper, Bond Paper, Recycled Paper, Cardstock, Transparencies, Labels, Envelopes

SECURITY SPECIFICATIONS

Standard: Local Authentication, Network Authentication (IPsec, HTTPS, LDAP over SSL, SNMPv3); Secure Print (IPP over SSL); Scan to Email (POP3/SMTP over SSL); Scan to FTP (FTP over SSL); Scan to SMB/PC/USB; FTP over SSL

Optional: Data Security Kit (E): HDD Overwrite Mode, HDD Data Encryption

PRINT SPECIFICATION

Standard Controller: Freescale QorlQ T1024 (Dual Core) / 1.2GHz PDLs / Emulations: PRESCRIBE, PCL6 (PCL-XL / PCL5), KPDL3 (PS3), XPS, OPEN XPS; Optional (UG-34): IBM ProPrinter, Line

Print Resolution: Up to 1200 x 1200 dpi

Fonts: 136 KPDL3, 93 PCL6, 8 Windows Vista, 1 Bitmap

OS Compatibility: Windows: XP/Vista/7/8/8.1/10/Server 2003/ Server 2008/Server 2008 R2/Server 2012/Server 2012 R2; Novell NetWare 3.x/4.x/5.x/6.x; Mac OS 10.x; AirPrint Enabled; Sun OS 4.1.x; Solaris 2.x; AIX; HP-UX (LPR)

Mobile Printing: Apple AirPrint®, Google Cloud Print™, KYOCERA Mobile Print

Interfaces: Standard: 10/100/1000BaseTX, Hi-Speed USB 2.0, 4 USB Host Interfaces, 2 Expansion Slots

Optional: 10/100/1000BaseTX (IB-50 for Dual NIC), IEEE 802.11 b/g/n (IB-51 for Wireless LAN Interface)

Network Print and Supported Protocols: TCP/IP, NetBEUI, IPv4 IPv6, IPsec, HTTP, LPD, FTP, IPP, RawPort, LLTD, SNTP, DHCP, SMTP, POP3, DNS, SNMPv1/v2, WSD Scan/Print

Drivers: KX Driver, PCL Mini Driver, KPDL Mini Driver, KX Driver for XPS, Network Fax Driver, TWAIN Driver, WIA Driver, PPD for MAC, PPD for Linux

Utilities: KYOCERA Net Admin, KYOCERA Net Viewer, PDF Direct Print, Command Center RX

SCAN SPECIFICATIONS

Scan Type: Color and Black & White Scanner

Scan Resolution: 600 dpi, 400 dpi, 300 dpi, 200 dpi, 200 x 100 dpi, 200 x 400 dpi

File Formats: TIFF (MMR compression), PDF (MMR compression), PDF (high compression), OpenXPS, XPS, JPEG

PDF Extension: Searchable PDF (OCR) Option

Scan Speeds (mono/color, @300 dpi):

DP-7100: Simplex: 80 ipm B&W / 80 ipm Color; Duplex: 48 ipm B&W / 48 ipm Color

DP-7110: Simplex: 100 ipm B&W / 100 ipm Color;

Duplex: 180 ipm B&W / 180 ipm Color

Connectivity / Supported Protocols: 10/100/1000BaseTX, TCP/IP, Hi-Speed USB 2.0

Scanning Functions: Scan to Folder (SMB), Scan to Email, Scan to FTP, Scan to FTP over SSL, Scan to USB, WSD Scan, TWAIN Scan Original Size: Through DP: Statement to Ledger (5.5" x 8.5" -11" x 17"); Glass: Up to 11" x 17'

Drivers: TWAIN/WIA Driver

COPY SPECIFICATIONS

Copy Resolution: 600 x 600 dpi

Image Mode: Text, Photo, Text/Photo, Graphic/Map

Continuous Copy: 1 - 999 / Auto Reset to 1

Additional Features: Auto Magnification, Auto Paper Select, Auto Start, Auto Drawer Change, Interrupt Copy, Positive / Negative Reverse, Mirror Image, Rotate Copy, Border Erase, Split Copy, Electronic Sort, Margin Shift, Page Number, Form Overlay, XY Zoom, Prevent Bleed Through, Text Stamp, Bates Stamp, Blank Page Skip

Job Management: 1,000 Department Codes, Job Programs, Job Build, Shortcut Keys, Repeat Copy

Color Adjustment: One Touch, Hue, Auto Exposure, Sharpness Magnification / Zoom: Full Size, 4 Reduction, 4 Enlargement Preset Ratios, 25 – 400% in 1% Step Increments

Document Box: Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System)

OPTIONAL DOCUMENT PROCESSORS

Type / Capacity:

DP-7100: Reversing Automatic Document Processor / 140 Sheets DP-7110: Dual Scan Document Processor / 270 Sheets

Acceptable Originals: 5.5" x 8.5" - 11" x 17"

Acceptable Weights:

DP-7100: Simplex: 13 lb Bond – 90 lb Index (45 – 160gsm); Duplex: 16 lb - 32 lb Bond (50 - 120gsm) **DP-7110:** Simplex: 13 lb Bond - 120 lb Index (35 - 220gsm);

Duplex: 16 lb - 120 lb Index (50 - 220gsm)

OPTIONAL FAX SPECIFICATIONS

Fax Type: Fax System 12

Compatibility / Data Compression: G3 Fax / MMR, MR, MH, JBIG Transmission Speed / Modem Speed: Less than 3 seconds /

Fax Memory: Standard 170 MB

Driver: Network Fax Driver

Fax Functions: Network Fax, Broadcast, Duplex Transmission/ Reception, Encrypted Transmission/Reception, Polling Transmission/Reception

OUTPUT & FINISHING OPTIONS

OPTIONAL 500 SHEET INTERNAL FINISHER DF-71003

Stack / Staple Capacity: 500 Sheets / 50 Sheets (up to 24 lb Bond [90gsm])

Paper Size: 5.5" x 8.5" - 12" x 18"

Paper Weight: 14 lb Bond - 166 lb Index (52 - 300gsm)

Edge Staple Position: 3 Positions: Front 1 Staple, Edge 1 Staple,

Optional Punch: PH-7100 2 and 3 Hole Punch Unit, Supports 5.5" x 8.5" - 12" x 18"; 14 lb Bond - 166 lb Index (52 - 300gsm) Dimensions: 19.60" W x 20.98" D x 6.73" H

OPTIONAL 1.000 SHEET FINISHER DF-71203.4

Stack / Staple Capacity: Main Tray: 1,000 Sheets / 50 Sheets (up to 24 lb Bond [90gsm])

Paper Size: 5.5" x 8.5" - 12" x 18"

Paper Weight: 14 lb Bond - 166 lb Index (52 - 300gsm) Edge Staple Position: 3 Positions: Top Left, Bottom Left, Center

Optional Punch: PH-7A 2 and 3 Hole Punch Unit, Supports 5.5" x 8.5" – 12" x 18"; 14 lb Bond – 166 lb Index (52 – 300gsm)

Dimensions: 21.57" W x 24.35" D x 41.34" H

OPTIONAL 4,000 SHEET FINISHER DF-71103,4

Stack / Staple Capacity: Main Tray (A): 4,000 Sheets; Sub Tray (B): 200 Sheets / 65 Sheets (up to 24 lb Bond [90gsm])

Paper Size: 5.5" x 8.5" - 12" x 18"

Paper Weight: 14 lb Bond - 166 lb Index (52 - 300gsm)

Edge Staple Position: 3 Positions: Top Left, Bottom Left, Center

Optional Punch: PH-7A 2 and 3 Hole Punch Unit, Supports 5.5" x 8.5" - 12" x 18"; 14 lb Bond -166 lb Index (52 - 300gsm) Dimensions: 23.91" W x 26.32" D x 41.78" H

Optional Booklet Folder / Tri-fold Units: BF-730 Booklet Folder supports 8.5" x 11", 8.5" x 14", 11" x 17"; Fold booklet staple: 16 lb – 24 lb Bond (60 – 90gsm) 16 sheets; 25 lb – 28 lb Bond (91 - 105gsm) 13 sheets; Fold booklet no staple: 16 lb -24 lb Bond (60 - 90gsm) 5 sheets; 25 lb Bond - 72 lb Index (91 – 120gsm) 3 sheets; 32 lb Bond – 110 lb Cover (121 – 256gsm) 1 sheet; Trifold supports 8.5" x 11" only: 16 lb – 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb Bond – 72 lb Index (91 – 120gsm) 3 sheets; 16 lb - 28 lb Bond (60 - 105gsm) 1 sheet

Optional Multi-Bin Mailbox5: MT-730(B) includes 7 Trays; Supports 16 lb Bond – 90 lb Index (60 – 163gsm); Stack Capacity per bin: 100 Sheets: 5.5" x 8.5", 8.5" x 11"; 50 Sheets: 8.5" x 14", 11" x 17"

ADDITIONAL OPTIONS

Bridge Unit Attachment Kit (AK-7100), Banner Guide 10, Internet Fax Kit (A), Card Authentication Kit (B), Gigabit NIC (IB-50), Wireless LAN IEEE802.11b/g/n (IB-51), ThinPrint (UG-33), Emulation (UG-34), Document Tray (DT-7100), Scan Extension Kit (A) for Searchable PDF/OCR, Keyboard Holder 10, Data Security Kit (E), Numeric Keypad (NK-7110), Job Separator (JS-7100)

- 2 Only 1 Document Processor can be installed
- 3 Only 1 Output Option can be installed
- Requires Bridge Unit Attachment Kit (AK-7100)
- 5 Requires DF-7110

ONLY FROM KYOCERA

KYOCERA Document Solutions is a global leader in the digital imaging industry, with an award-winning line of document solutions that consistently set the standard for high performance, superior image quality, enhanced workflow applications, ease-of-use and durability.

Looking to streamline your document workflow? KYOCERA offers a robust portfolio of Business Applications that seamlessly and securely integrate with our MFPs. To learn more about which Business Applications are right for your business, visit the Solutions section on our website.

Specifications and design are subject to change without notice. For the latest on connectivity visit www.kyoceradocumentsolutions.com/us MAC and AirPrint are trademarks of Apple, Inc. Google Cloud Print is a trademark of Google, Inc TASKalfa, PRESCRIBE, KX Driver, and Command Center RX are the trademarks of The Kyocera Companies.

All other trademarks are the property of their respective owners.







TASKalfa 3252ci

COLOR MULTIFUNCTIONAL SYSTEM

POWERFUL COLOR PERFORMANCE... CONNECTING PEOPLE AND INFORMATION.



The TASKalfa 3252ci puts Color and B&W imaging at your fingertips...taking your business to the next level. From a single device, effortlessly print, scan, and copy via the system's intuitive, tablet-like color touch screen. As a flexible document processing hub, the versatile TASKalfa 3252ci incorporates a vast array of cutting-edge functionality to streamline document workflow and maximize office efficiency. Combined with Kyocera's awardwinning ultra-reliability, unique long-life technology and business application integration, the TASKalfa 3252ci is the ideal solution for growing businesses.

- > Vivid Color and B&W Imaging up to 32 Pages per Minute
- > Exceptional Print Quality at up to 1200 dpi
- > Scalable Paper Capacity for Longer Job Runs

- > Flexible Media Support and Paper Sizes up to 12" x 48"
- > Customizable 9" Color Touch Screen with Intuitive, Tablet-like Home Screen
- Robust Portfolio of Business Applications that Can Optimize Your Document Workflow
- > Advanced Finishing Options for Professional Output, including a Space-Saving 500-Sheet Internal Finisher
- > Optional Fiery Controller for Complex Color Workflows
- > Standard USB Host Interface for On-the-Go Printing and Scanning
- > Efficient Color Scanning up to 160 ipm
- > Convenient Wireless Printing and Scanning
- > Apple AirPrint[™], Google Cloud Print[™] and KYOCERA Mobile Print Compatible for a Mobile Printing Solution



BASIC SPECIFICATIONS

Configuration: Color Multifunctional System -Print/Scan/Copy/Optional Fax

Pages Per Minute:

Color and Black – Letter: 32 ppm, Legal: 19 ppm, Ledger: 16 ppm, 12" x 18": 16 ppm (print only)

Warm Up Time: 18 Seconds or Less (Power On)

First Page Out:

Copy: 5.3 Seconds or Less Black, 7.0 Seconds or Less Color Print: 5.9 Seconds or Less Black, 7.7 Seconds or Less Color Display: 9" Color Touch Screen Control Panel

Resolution: 600 x 600 dpi; 9600 dpi x 600 dpi; 1200 x 1200 dpi

Memory / Hard Disk Drive: 4GB RAM / 320GB HDD Standard

Duplex: Standard Stackless Duplex Supports Statement to 12" x 18", 14 lb Bond - 166 lb Index (52 - 300gsm)

Standard Output Tray: Statement - 12" x 18" / 500 sheets;

up to 12" x 48" Banner (Single Sheet)

Electrical Requirements: 120V, 60Hz, 12A; 220-240V, 50Hz, 7.2A Typical Electricity Consumption (TEC): 120V: 1.6 kWh/week; 220V: 1.5 kWh/week

Dimensions: 23.70" W x 26.18" D x 31.10" H

Weight: 202.83 lbs

Maximum Monthly Duty Cycle: 125,000 Pages per Month

Standard Paper Sources: Dual 500 Sheet Trays, 150 Sheet MPT,

Optional Paper Sources: Dual 500 Sheet Trays (PF-7100), Dual 1,500-sheet Trays (PF-7110); Side LCT: 3,000 Sheet Capacity Tray (PF-7120)1

Paper Capacity: Standard: 1,150 Sheets; Maximum: 7,150 Sheets Paper Size:

Tray 1 – 5.5" x 8.5" – 8.5" x 14" (Statement to Legal); Tray 2 – 5.5" x 8.5" - 12" x 18", Custom Size; PF-7100: 5.5" x 8.5" 12" x 18": PF-7110, PF-7120: 8.5" x 11": MPT: 5.5" x 8.5" -12" x 18" (Multiple Sheets); Up to 12" x 48" Banner

Paper Weight: Trays / MPT: 14 lb Bond – 166 lb index (52 –

Input Materials: Standard/Optional Drawer: Plain Paper, Bond Paper, Recycled Paper, Envelopes; MPT: Plain Paper, Bond Paper, Recycled Paper, Cardstock, Transparencies, Labels, Envelopes

SECURITY SPECIFICATIONS

Standard: Local Authentication, Network Authentication (IPsec, HTTPS, LDAP over SSL, SNMPv3); Secure Print (IPP over SSL); Scan to Email (POP3/SMTP over SSL); Scan to FTP (FTP over SSL): Scan to SMB/PC/USB: FTP over SSL

Optional: Data Security Kit (E): HDD Overwrite Mode, HDD Data Encryption

PRINT SPECIFICATION

Standard Controller: Freescale QorlQ T1024 (Dual Core) / 1.0GHz PDLs / Emulations: PRESCRIBE, PCL6 (PCL-XL / PCL5c), KPDL3 (PS3), XPS, OPEN XPS; Optional (UG-34): IBM ProPrinter, Line

Print Resolution: Up to 1200 x 1200 dpi

Fonts: 136 KPDL3, 93 PCL6, 8 Windows Vista, 1 Bitmap

OS Compatibility: Windows: XP/Vista/7/8/8.1/10/Server 2003/ Server 2008/Server 2008 R2/Server 2012/Server 2012 R2; Novell NetWare 3.x/4.x/5.x/6.x; Mac OS 10.x; AirPrint Enabled; Sun OS 4.1.x; Solaris 2.x; AIX; HP-UX (LPR)

Mobile Printing: Apple AirPrint™, Google Cloud Print™, KYOCERA Mobile Print

Interfaces: Standard: 10/100/1000BaseTX, Hi-Speed USB 2.0, 4 USB Host Interfaces, 2 Expansion Slots

Optional: 10/100/1000BaseTX (IB-50 for Dual NIC), IEEE 802.11 b/g/n (IB-51 for Wireless LAN Interface)

Network Print and Supported Protocols: TCP/IP, NetBEUI, IPv4 IPv6, IPsec, HTTP, LPD, FTP, IPP, RawPort, LLTD, SNTP, DHCP, SMTP, POP3, DNS, SNMPv1/v2, WSD Scan/Print

Drivers: KX Driver, PCL Mini Driver, KPDL Mini Driver, KX Driver for XPS, Network Fax Driver, TWAIN Driver, WIA Driver, PPD for MAC,

Utilities: KYOCERA Net Admin, KYOCERA Net Viewer, PDF Direct Print, Command Center RX

Scan Type: Color and Black & White Scanner

Scan Resolution: 600 dpi, 400 dpi, 300 dpi, 200 dpi, 200 x 100 dpi, 200 x 400 dpi

File Formats: TIFF (MMR compression), PDF (MMR compression), PDF (high compression), OpenXPS, XPS, JPEG

PDF Extension: Searchable PDF (OCR) Option

Scan Speeds (mono/color, @300 dpi):

DP-7120: Simplex: 48 ipm B&W / 48 ipm Color; Duplex: 15 ipm B&W / 15 ipm Color

DP-7100: Simplex: 80 ipm B&W / 80 ipm Color; Duplex: 48 ipm B&W / 48 ipm Color

DP-7110: Simplex: 80 ipm BW / 80 ipm Color; Duplex: 160 ipm B&W / 160 ipm Color

Connectivity / Supported Protocols: 10/100/1000BaseTX, TCP/IP, Hi-Speed USB 2.0

Scanning Functions: Scan to Folder (SMB), Scan to Email, Scan to FTP, Scan to FTP over SSL, Scan to USB, WSD Scan, TWAIN Scan

Original Size: Through DP: Statement to Ledger (5.5" x 8.5" -11" x 17"); Glass: Up to 11" x 17'

Drivers: TWAIN/WIA Driver

COPY SPECIFICATIONS

Copy Resolution: 600 x 600 dpi

Image Mode: Text, Photo, Text/Photo, Graphic/Map

Continuous Copy: 1 - 999 / Auto Reset to 1

Additional Features: Auto Magnification, Auto Paper Select, Auto Start, Auto Drawer Change, Interrupt Copy

Job Management: 1,000 Department Codes, Job Programs, Job Build, Shortcut Keys, Repeat Copy

Color Adjustment: One Touch, Hue, Auto Exposure, Sharpness Magnification / Zoom: Full Size, 4 Reduction, 4 Enlargement Preset Ratios, 25 - 400% in 1% Step Increments

Document Box: Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System)

OPTIONAL DOCUMENT PROCESSORS²

Type / Capacity:

DP-7120: Reversing Automatic Document Processor / 50 Sheets DP-7100: Reversing Automatic Document Processor / 140 Sheets DP-7110: Dual Scan Document Processor / 270 Sheets

Acceptable Originals: 5.5" x 8.5" - 11" x 17"

Acceptable Weights:

DP-7120: Simplex: 13 lb Bond - 90 lb Index (45 - 160gsm): Duplex: 16 lb - 32 lb Bond (50 - 120gsm)

DP-7100: Simplex: 13 lb Bond - 90 lb Index (45 - 160gsm); Duplex: 16 lb - 32 lb Bond (50 - 120gsm)

DP-7110: Simplex: 13 lb Bond – 120 lb Index (35 – 220gsm);

Duplex: 16 lb – 120 lb Index (50 – 220gsm)

OPTIONAL FAX SPECIFICATIONS

Fax Type: Fax System 12

Compatibility / Data Compression: G3 Fax / MMR, MR, MH, JBIG

Transmission Speed / Modem Speed: Less than 3 seconds /

Fax Memory: Standard 170 MB

Driver: Network Fax Driver

Fax Functions: Network Fax, Duplex Transmission and Reception, Encrypted Transmission and Reception, Polling Transmission and

OUTPUT & FINISHING OPTIONS

OPTIONAL 500 SHEET INTERNAL FINISHER DF-71003

Stack / Staple Capacity: 500 Sheets / 50 Sheets

(up to 24 lb Bond [90gsm])

Paper Size: 5.5" x 8.5" - 12" x 18'

Paper Weight: 14 lb Bond - 166 lb Index (52 - 300gsm)

Edge Staple Position: 3 Positions: Front 1 Staple, Edge 1 Staple,

Optional Punch: PH-7100 2 and 3 Hole Punch Unit, Supports 5.5" x 8.5" - 12" x 18"; 14 lb Bond - 166 lb Index (52 - 300gsm) Dimensions: 19.60" W x 20.98" D x 6.73" H

TIONAL 1,000 SHEET FINISHER DF-71203.4

Stack / Staple Capacity: Main Tray: 1,000 Sheets / 50 Sheets (up to 24 lb Bond [90gsm])

Paper Size: 5.5" x 8.5" - 12" x 18"

Paper Weight: 14 lb Bond - 166 lb Index (52 - 300gsm) Edge Staple Position: 3 Positions: Top Left, Bottom Left, Center

Optional Punch: PH-7A 2 and 3 Hole Punch Unit, Supports

5.5" x 8.5" – 12" x 18"; 14 lb Bond – 166 lb Index (52 – 300gsm) Dimensions: 21.57" W x 24.35" D x 41.34" H

OPTIONAL 4,000 SHEET FINISHER DF-71103,

Stack / Staple Capacity: Main Tray (A): 4,000 Sheets; Sub Tray (B): 200 Sheets / 65 Sheets (up to 24 lb Bond [90gsm])

Paper Size: 5.5" x 8.5" - 12" x 18"

Paper Weight: 14 lb Bond - 166 lb Index (52 - 300gsm) Edge Staple Position: 3 Positions: Top Left, Bottom Left, Center

Optional Punch: PH-7A 2 and 3 Hole Punch Unit, Supports 5.5" x 8.5" – 12" x 18"; 14 lb Bond –166 lb Index (52 – 300gsm) Dimensions: 23.91" W x 26.32" D x 41.78" H

Optional Booklet Folder / Tri-fold Unit 5 : BF-730 Booklet Folder supports 8.5" x 11", 8.5" x 14", 11" x 17"; Fold booklet staple: 16 lb – 24 lb Bond (60 – 90gsm) 16 sheets; 25 lb – 28 lb Bond (91 - 105gsm) 13 sheets: Fold booklet no staple: 16 lb -24 lb Bond (60 – 90gsm) 5 sheets; 25 lb Bond – 72 lb Index (91 – 120gsm) 3 sheets; 32 lb Bond – 110 lb Cover (121 – 256gsm) 1 sheet; Trifold supports 8.5" x 11" only: 16 lb – 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb Bond – 72 lb Index (91 – 120gsm) 3 sheets; 16 lb - 28 lb Bond (60 - 105gsm) 1 sheet

Optional Multi-Bin Mailbox MT-730(B)5: MT-730(B) includes 7 Trays; Supports 16 lb Bond - 90 lb Index (60 - 163gsm); Stack Capacity per bin: 100 Sheets: 5.5" x 8.5", 8.5" x 11"; 50 Sheets: 8.5" x 14", 11" x 17"

ADDITIONAL OPTIONS

Bridge Unit Attachment Kit (AK-7100), Banner Guide 10, Internet Fax Kit (A), Card Authentication Kit (B), Gigabit NIC (IB-50), Wireless LAN IEEE 802.11b/g/n (IB-51), ThinPrint (UG-33), Emulation (UG-34), Document Tray (DT-7100), Scan Extension Kit (A) for Searchable PDF/OCR, Keyboard Holder 10, Data Security Kit (E), EFI Fiery Printing System, Numeric Keypad (NK-7110), Job Separator (JS-7100)

- Requires PF-7100 or PF-7110
- ² Only 1 Document Processor can be installed
- 3 Only 1 Output Option can be installed
- 4 Requires Bridge Unit Attachment Kit (AK-7100)

ONLY FROM KYOCERA

KYOCERA Document Solutions is a global leader in the digital imaging industry, with an award-winning line of document solutions that consistently set the standard for high performance, superior image quality, enhanced workflow applications, ease-of-use and durability.

Looking to streamline your document workflow? KYOCERA offers a robust portfolio of Business Applications that seamlessly and securely integrate with our MFPs. To learn more about which Business Applications are right for your business, visit the Solutions section on our website.

Specifications and design are subject to change without notice For the latest on connectivity visit www.kyoceradocumentsolutions.com/us MAC and AirPrint are trademarks of Apple, Inc. TASKalfa, PRESCRIBE, KX Driver, and Command Center RX are the trademarks of The Kyocera Companies Other trademarks are the property of their respective owners.

KYOCERA Document Solutions America, Inc. Headquarters: 225 Sand Road, Fairfield, NJ 07004-0008, USA ©2016 KYOCERA Document Solutions America, Inc.



















TASKalfa 3011i

BLACK & WHITE MULTIFUNCTIONAL SYSTEM

POWERFUL PERFORMANCE... CONNECTING PEOPLE AND INFORMATION.



The Kyocera TASKalfa 3011i Black and White MFP brings impressive performance to power your document needs. Print, Copy and Color Scan capabilities, along with advanced finishing options, deliver fast, professional output. A customizable 9" color touch screen offers easy access directly from the MFP to a wide array of flexible features and business applications to optimize workflow, while wireless and remote access capabilities ensure vital information is easily retrievable no matter where your business takes you.

- > Crisp Black and White Output up to 30 Pages per Minute
- > Customizable 9" Color Touch Screen with Intuitive, Tablet-Like Home Screen

- Robust Portfolio of Business Applications that Can Optimize
 Your Document Workflow
- Advanced Finishing Options for Professional Output, including a 1,000-Sheet External Finisher
- > Scalable Paper Capacity for Longer Job Runs
- > Flexible Media Support and Paper Sizes up to 11" x 17"
- Standard USB Host Interface for On-the-Go Printing and Scanning
- > Efficient Color Scanning up to 160 ipm
- > Convenient Wireless Printing and Scanning
- > Apple AirPrint®, Google Cloud Print™ and KYOCERA Mobile Print Compatible for a Mobile Printing Solution



BASIC SPECIFICATIONS

Configuration: Black and White Multifunctional System -Print/Scan/Copy/Optional Fax

Pages Per Minute: Letter: 30 ppm, Legal: 15 ppm, Ledger: 15 ppm

Warm Up Time: 18 Seconds or Less (Power On)

First Page Out: Copy: 3.6 Seconds or Less; Print: 4.2 Seconds or Less

Display: 9" Color Touch Screen Control Panel

Resolution / **Bit Depth:** 600 x 600 dpi; 9600 x 600 dpi

interpolated / 8 bit depth

Memory / Hard Disk Drive: 2 GB RAM / 8 GB SSD / 320 GB HDD

Duplex: Standard Stackless Duplex Supports Statement to Ledger (5.5" x 8.5" - 11" x 17"), 16 lb Bond - 140 lb Index (60 - 160gsm)

Standard Output Tray: Statement - 11" x 17"; 250 Sheets

Electrical Requirements: 120V, 60Hz, 11.6A; 220-240V, 50Hz, 6.3A Typical Electricity Consumption (TEC): 120V: 1.8 kWh/week;

Dimensions / Weight: 23.39" W x 27.40" D x 26.77" H / 127.9 lbs

Maximum Monthly Duty Cycle: 125,000 Pages Per Month

PAPER SUPPLY

Standard Paper Sources:

Dual 500 Sheet Trays, 100 Sheet MPT; Auto Selection/Switching

Optional Paper Sources:

Dual 500 Sheet Trays (PF-791), Dual 1,500 Sheet Trays (PF-810)

Standard: 1,100 Sheets; Maximum: 4,100 Sheets

Paper Size: Trays 1, 2 and (PF-791): 5.5" x 8.5" - 11" x 17"; (PF-810): 8.5" x 11"; MPT: 5.5" x 8.5" - 11" x 17" (Multiple Sheets)

Paper Weight:

Trays: 16 lb Bond - 90 lb index (60 - 163gsm); MPT: 12 lb Bond - 140 lb Index (45 - 256gsm)

Bond Paper, Recycled Paper, Transparencies, Cardstock, Envelopes

Standard: Local Authentication, Network Authentication (IPsec, HTTPS, LDAP over SSL, SNMPv3); Secure Print (IPP over SSL); Scan to e-mail (POP3/SMTP over SSL); Scan to FTP (FTP over SSL); Scan to SMB/PC/USB; SSL

Optional: Data Security Kit (E): Network Data Encryption, HDD Overwrite Mode, HDD Data Encryption

PRINT SPECIFICATIONS

Standard Controller: Freescale QorlQ T1024 (Dual Core) / 1.0GHz

PDLs / Emulations:

Standard: PRESCRIBE, PCL6 (5e, XL), KPDL3 (PS3), XPS; Optional: UG-34 IBM ProPrinter, Line Printer, LQ-850

Print Resolution: 600 x 600 dpi; 9600 x 600 dpi

interpolated /8 bit depth Fonts: 136 KPDL3, 93 PCL6, 8 Windows Vista, 1 Bitmap

Windows OS Compatibility: Windows XP/2003/Vista/2008/7/8/10/ Server 2008 R2/Server 2012 R2

Novell OS Compatibility: Novel NetWare 3.x/4.x/5.x/6.x Mac OS Compatibility: OS 10.x, AirPrint Enabled

UNIX OS Compatibility: Sun OS 4.1.x; Solaris 2.x; AIX; HP-UX(LPR)

Mobile Printing: Apple AirPrint®, Google Cloud Print™, KYOCERA

Interfaces: Standard: 10/100/1000BaseTX, Hi-Speed USB 2.0, 4 USB Host Interfaces, 2 Expansion Slots

Optional: 10/100/1000BaseTX (IB-50 for Dual NIC);

Optional: IEEE 802.11 b/g/n (IB-51 for Wireless LAN Interface) Network Print and Supported Protocols: TCP/IP. NetBEUI, FTP.

LPR, IPv6, IPsec, SSL, WSD Print

Drivers: KX Driver, Mini Driver, KX Driver for XPS, XPS Mini Driver, Network Fax Driver, PPD for MAC

Utilities: KYOCERA Net Admin, KYOCERA Net Viewer, PDF Direct Print, Command Center RX

Scan Type: Color and Black & White Scanner

Scan Resolution: 600 dpi, 400 dpi, 300 dpi, 200 dpi, 200 x 100 dpi, 200 x 400 dni

File Formats: TIFF (MMR compression), PDF (MMR compression), PDF (high compression), OpenXPS, XPS, JPEG

PDF Extension: Searchable PDF (OCR) Option

DP-7120: Simplex: 48 ipm B&W / 48 ipm Color (300 dpi); Duplex: 15 ipm B&W / 15 ipm Color (300 dpi) **DP-7100:** Simplex: 80 ipm B&W / 80 ipm Color (300 dpi): Duplex: 48 ipm B&W / 48 ipm Color (300 dpi) DP-7110: Simplex: 80 ipm B&W / 80 ipm Color (300 dpi); Duplex: 160 ipm B&W / 160 ipm Color (300 dpi)

Connectivity / Supported Protocols: 10/100/1000BaseTX, TCP/IP, Hi-Speed USB 2.0

Scanning Functions: Scan to Folder (SMB), Scan to e-Mail, Scan to FTP, Scan to FTP over SSL, Scan to USB, WSD Scan, TWAIN Scan

Original Size:

Through DP: Statement to Ledger (5.5" x 8.5" - 11" x 17"); Glass: up to 11" x 17"

Drivers: TWAIN Driver, WIA Driver

COPY SPECIFICATIONS

Copy Resolution: 600 x 600 dpi

Image Mode: Text, Photo, Text/Photo, Graphic/Map

Continuous Copy: 1-999/ Auto Reset to 1

Additional Features: Positive/Negative Reverse, Mirror Image, Rotate Copy, Border Erase, Split Copy, Electronic Sort, Margin Shift, Page Number, Form Overlay, XY Zoom, Prevent Bleed Through, Text Stamp, Bates Stamp, Blank Page Skip

lob Management: 1,000 Department Codes, Job Programs. Job Build, Shortcut Keys, Repeat Copy

Magnification / Zoom: Full Size, 4 Reduction, 4 Enlargement Preset Ratios, 25 - 400% in 1% step increments

Document Box: Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System)

DOCUMENT PROCESSOR

Type / Capacity:

DP-7120: Reversing Automatic Document Processor / 50 Sheets DP-7100: Reversing Automatic Document Processor / 140 Sheets DP-7110: Dual Scan Document Processor / 270 Sheets

Acceptable Originals: 5.5" x 8.5" - 11" x 17"

Acceptable Weights (Simplex / Duplex):

DP-7120: Simplex: 13 - 32 lb Bond (45 - 160gsm); Duplex: 13 - 32 lb Bond (50 - 120gsm)

DP-7100: Simplex: 13 lb Bond - 90 lb Index (35 - 160gsm): Duplex: 16 lb - 32 lb Bond (50 - 120gsm)

DP-7110: Simplex: 13 lb Bond – 120 lb Index (35 – 220gsm); Duplex: 16 lb - 120 lb Index (50 - 220gsm)

FAX SPECIFICATIONS (OPTION)

Fax Type: Fax System 12

Compatibility / Data Compression: G3 Fax / MMR, MR, MH, JBIG Transmission Speed / Modem Speed: Approximately 3 seconds

per page / 33.6 Kbps

Fax Memory: Standard 170 MB

Driver: Network Fax Driver

Fax Functions: Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax

OPTIONAL 1.000 SHEET FINISHER DF-7120^{2,3}

Stack / Staple Capacity: Main Tray: 1,000 Sheets / 50 Sheets (up to 24 lb Bond 90gsm)

Paper Size: 5.5" x 8.5" - 11" x 17"

Paper Weight: 16 lb Bond - 140 lb Index (60 - 256gsm)

Edge Staple Position: 3 Positions: Top Left, Bottom Left, Center Bind

Optional Punch: PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" - 11" x 17", 13 lb Bond - 93 lb Cover (45 - 256gsm)

Dimensions: 21.57" W x 24.35" D x 41.34" H

OPTIONAL 3.000 SHEET FINISHER DF-7912,3

Stack / Staple Capacity: Main Tray: 3,000 Sheets; Sub Tray(B): 200 Sheets; Sub Tray(C): 50 Sheets / 65 Sheets: 8.5" x 11"; 30 Sheets: 8.5" x 14", 11" x 17"

Paper Size: Main Tray: 8.5" x 11" - 11" x 17"; Sub Trav(B): 5.5" x 8.5" - 11" x 17'

Paper Weight: 16 lb Bond - 140 lb Index (60 - 256gsm)

Edge Staple Position: 3 Positions: Top Left, Bottom Left, Center Bind

Optional Punch: PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" - 11" x 17", 13 lb Bond - 93 lb Cover (45 - 256gsm)

Dimensions: 23.91" W x 26.32" D x 37.45" H

Optional Multi-Bin Mailbox4: MT-730(B) includes 7 Trays; Supports 16 lb Bond - 90 lb Index (60 - 163gsm); Stack Capacity per bin: 100 Sheets: 5.5" x 8.5", 8.5" x 11"; 50 Sheets: 8.5" x 14", 11" x 17"

ADDITIONAL OPTIONS

AK-740 (Bridge Unit for Finisher), IB-50 Gigabit NIC (Dual NIC), IB-51 Wireless LAN, Card Authentication Kit (B), Cabinet, Card Reader Holder(E), Keyboard Holder (B), Data Security Kit (E), Scan Extension Kit (A) for Searchable PDF/OCR

1 Only 1 Document Processor can be installed

² Only 1 Output Option can be installed

3 Requires Bridge Unit Attachment Kit (AK-740)

4 Requires DF-791

ONLY FROM KYOCERA

KYOCERA Document Solutions is a global leader in the digital imaging industry, with an award-winning line of document solutions that consistently set the standard for high performance, superior image quality, enhanced workflow applications, ease-of-use and durability.

Looking to streamline your document workflow? KYOCERA offers a robust portfolio of Business Applications that seamlessly and securely integrate with our MFPs. To learn more about which Business Applications are right for your business, visit the Solutions section on our website.

Specifications and design are subject to change without notice.

For the latest on connectivity visit www.kvoceradocumentsolutions.com/us

MAC and AirPrint are trademarks of Apple, Inc.

IC# 855D400472

Google Cloud Print is a trademark of Google, Inc. TASKalfa, PRESCRIBE, KX Driver, and Command Center RX are the trademarks of The Kyocera Companies.

KYOCERA Document Solutions America, Inc. Headquarters: 225 Sand Road, Fairfield, NI 07004-0008, USA ©2016 KYOCERA Document Solutions America, Inc.

All other trademarks are the property of their respective owners.

















ECONOMICAL. ECOLOGICAL. ECOSYS TECHNOLOGY.



The ECOSYS P6035cdn brings powerful document imaging capabilities to the desktop in a small footprint. Exceptional functionality, including 37 ppm output in black or color and a large paper capacity, helps workgroups of all sizes to keep jobs moving. With its optional wireless printing, standard USB host interface and Apple AirPrint™ capabilities, your workforce will stay productive without being tied to the device. As importantly, KYOCERA ECOSYS long life consumables and an impressive drum yield make it an economical and ecological solution, as well as the smart choice for your business.

- > Fast Output Speed of 37 Pages per Minute in Color and Black
- > Maximum 2,100 Sheet Paper Capacity to Keep Your Jobs Moving
- > Standard Duplex and 600 Sheet Paper Capacity
- > Standard Gigabit Ethernet
- > ECOSYS Long Life Consumables
- > Standard USB Host Interface for On-the-Go Printing
- > Wireless Printing Capable
- > Apple AirPrint™ Enabled for a Mobile Printing Solution



ECOSYS TECHNOLOGY

KYOCERA's objective is to manufacture superior products with a low Total Cost of Ownership (TCO) and minimize the impact on the environment. ECOSYS printers incorporate a patented long life drum which is separate from the toner container, eliminating drum replacement when toner is depleted – and reducing landfill waste. ECOSYS printers provide a printing solution that incorporates long life consumables and one of the lowest costs per print. The operating costs of traditional cartridge-based printers can easily exceed many times the original purchase price during the life of the product.

HARNESS THE POWER OF YOUR ECOSYS PRINTER WITH CUSTOMIZED BUSINESS APPLICATIONS



KYOCERA MOBILE PRINT: Simply and conveniently print files, web pages, and images using your smartphone or tablet.



APPLE AIRPRINT: Driverless printing from iOS and OS X products to select KYOCERA devices.



COMMAND CENTER RX: View toner levels, paper availability and device status via users' Web browser.



PRESCRIBE: Create, store and print frequently used forms directly from a KYOCERA printer.

BASIC SPECIFICATIONS

Configuration: KYOCERA ECOSYS® Color Network Printer
Pages per Minute: Letter: 37 ppm, Legal: 30 ppm, A4: 35 ppm
Warm Up Time: 25 seconds or less from main power on

First Page Out:

Black: 6.5 seconds or less, Color: 7.5 seconds or less

Resolution: 600 x 600 dpi, 9,600 x 600 multi bit interpolated

Memory: Standard: 512 MB, Upgradable to 2 GB

Hard Disk Drive:

Optional **HD-6** (32 GB SSD); Optional **HD-7** (128 GB SSD)

Duplex Printing: Standard Stackless Duplex Supports Statement to Legal (5.5" x 8.5" - 8.5" x 14"), 16 lb Bond - 90 lb Index (60-163gsm)

Standard Output Tray: 500 Sheets

Dimensions / Weight: 15.4" W x 21.0" D x 18.5" H / 63.9 lbs

Noise: Printing: 52dB (A); Ready: 30dB (A)

Maximum Monthly Duty Cycle: 140,000 Pages per Month

POWER CONSUMPTION

Electrical Requirements: 120v, 60Hz, 10.0A; 220-240V, 50/60Hz, 5.6A

Typical Energy Consumption: 120V: 2.17 KWh/week;

220-240V: 2.20 KWh/week

Maximum (including options): 120V: 1,257 W; 220-240V: 1,326 W

Printing: 120V: 583 W; 220-240V: 523 W Ready Mode: 120V: 65 W; 220-240V: 65 W Sleep Mode: 120V: 2 W; 220-240V: 2.1 W Power Off: 120V: 0.3 W: 220-240V: 0.3 W

CONTROLLER SPECIFICATIONS

Standard Controller: PowerPC 465S / 1GHz

PDLs / Emulations: PRESCRIBE, PCL6 (PCLXL/PCL5c), KPDL3 (PS3 compatible), XPS

Discont Daine LICE TIFE

Direct Print: USB: TIFF, JPEG, XPS, Open XPS, PDF, PDF/A, Encrypted PDF

Encrypted PDF

Fonts: 93 Scalable Fonts for PCL/Postscript, 93 Fonts for KPDL3(PS3), 8 Fonts for Windows Vista, 1 Bitmap Font, PDF417

Barcodes: 1 Dimensional: 45, 2 Dimensional: 1 (PDF417)

Windows OS Compatibility: Windows XP/Vista/7/8/8.1/Server 2003/Server 2008/ Server 2008 R2 / Server 2012/ Server 2012 R2

Mac OS Compatibility: Mac OS 10.5 and later, AirPrint Enabled Interfaces: Standard: 10/100/1000BaseTX, Hi-Speed USB 2.0,

2 USB Host Interfaces, 1 Expansions Slot; Optional: 10/100/1000BaseTX (IB-50 for Dual NIC);

Optional IEEE 802.11 b/g/n (IB-51 for Wireless LAN Interface)
Network Protocols: TCP/IP, IPv4, IPv6; HTTP, LPD, FTP, IPP,

RawPort, LLTD, SNTP, DHCP, SMTP, POP3, DNS, SNMPv1/v2, WSD Print

Security: Network Authentication, IPsec, SNMPv3, IEEE802.1x,

Security: Network Authentication, IPSec, SMMPV3, IEEE802.1X, IPP over SSL/TLS, HTTPS, SMTP over SSL/TLS, POP3 over SSL/TLS, Enhanced WSD over SSL/TLS, ThinPrint over SSL/TLS (with option UG-33)

Drivers: KX Driver, Mini Driver, KX Driver for XPS, Mac Driver,

Utilities: KYOCERA Net Admin, KYOCERA Net Viewer, KYOCERA Net Direct Print, Command Center RX

Departmental Accounting: 100 Department Codes

Additional Print Features: Private Print, Proof and Hold, EcoPrint Mode, Internet Printing IPP 1.1, Job Storage*, Quick Copy*

Multi Language Support: English, German, Italian, French, Spanish, Portuguese, Dutch, Russian

PAPER SUPPLY

Standard Paper Sources: Single 500 Sheet Drawer, 100 Sheet Multipurpose Tray

Standard / Maximum Paper Sources: 2 / 5 including Multipurpose Tray

Standard / Maximum Paper Capacity: 600 Sheets / 2,100 Sheets

Standard Paper Drawer Size / Weight: Letter, Legal, Statement, A4, A5, A6, B5, Custom / 16 - 90 lb Index (60-163gsm)
Standard Duplex Paper Size / Weight: Letter, Legal, Statement,

A4, A5, B5, Custom / 16 - 90 lb Index (60-163gsm)

Multi-Purpose Tray Paper Size / Weight: Letter, Legal, Statement,

A4, A5, A6, B5, B6, Envelope, Custom / 16 lb Bond - 120 lb Index (60-220gsm)

Input Materials: Standard Drawer: Plain Paper. Bond Paper.

Recycled Paper; Optional Drawers: Plain Paper, Bond Paper, Recycled Paper, Coated, Envelopes, Labels; MPT: Cardstock Transparencies, Labels, Envelopes

PAPER HANDLING OPTIONS

Up to three (3) PF-5100 Drawers can be installed

PF-5100 PAPER FEEDER

Paper Capacity: 500 Sheets

Paper Size / Weight: Letter, Legal, Statement, A4, A5, B5, Envelope, Custom / 16 lb Bond - 120 lb Index (60-220gsm)

Dimensions / Weight: 15.4" W x 21.0" D x 4.6" H / 9.1 lbs

CONSUMABLES

Black Toner: TK-5152K for 12,000 pages**

(ships with 6,000 pages)

Cyan Toner: TK-5152C for 10,000 pages**

(ships with 5,000 pages)

Magenta Toner: TK-5152M for 10,000 pages**

(ships with 5,000 pages)

Yellow Toner: TK-5152Y for 10,000 pages**

(ships with 5,000 pages)

ADDITIONAL OPTIONS

Memory: 2 GB 144 pin DDR3 SDRAM DIMM; 1 GB 144 pin DDR3 SDRAM DIMM

HDD: Optional HD-6 (32 GB SSD), Optional HD-7 (128 GB SSD)

Wireless LAN: IB-51: IEEE 802.11 b/g/n Additional NIC: IB-50 Gigabit NIC

Security: Card Authentication Kit(B), Data Security Kit(E)

SD Card: 16 / 32 GB

*Optional HDD or Optional SD Card Required for Job Storage and Quick Copy

**Based on ISO 19798

Note: Maximum memory is 2 GB. Standard memory is 512 MB. Adding the 2 GB option will result in a maximum of 2 GB total memory.

Specifications and design are subject to change without notice. For the latest on connectivity visit www.kyoceradocumentsolutions.com/us. ECOSYS, Prescribe, Command Center RX and KYOCERA Mobile Print are trademarks of the KYOCERA Companies.

All other trademarks are the property of their respective owners

KYOCERA Document Solutions America, Inc. Headquarters: 225 Sand Road, Fairfield, NJ 07004-0008, USA ©2015 KYOCERA Document Solutions America, Inc. IC# 855D400432

Mac and AirPrint are trademarks of Apple, Inc.























> PRINT > COPY > COLOR SCAN > FAX

ECOSYS M3550idn

BLACK & WHITE MULTIFUNCTIONAL PRINTER

ECONOMICAL. ECOLOGICAL. ECOSYS TECHNOLOGY.



The **ECOSYS M3550idn** is a one-stop solution that streamlines document workflows while keeping your bottom line in check. Bringing multifunctional power and mobility to corporate workgroups, it combines crisp 52 ppm black and white output with fax and color scanning. A 7" customizable and tablet-like color touch screen redefines job efficiency by enabling easy storage of routine tasks as well as quick access to business applications that bring added capabilities to your document workflows. As importantly, ECOSYS long life consumables and an impressive drum yield deliver the economical and ecological solution making this device the smart choice for your business.

- > Fast Output Speed of 52 Pages per Minute
- > Standard Print, Copy, Color Scan and Fax
- > Standard 75 Sheet Document Processor
- > KYOCERA Business Applications Capable
- > Standard 7" Color Touch Screen with Tablet-Like Home Screen
- > ECOSYS Long Life Consumables
- > Standard USB Host Interface for On-the-Go Printing and Scanning
- > Wireless Printing Capable
- > Apple AirPrint™ Enabled for a Mobile Printing Solution



ECOSYS M3550idn

ECOSYS TECHNOLOGY

KYOCERA's objective is to manufacture superior products with a low Total Cost of Ownership (TCO) and minimize the impact on the environment. ECOSYS printers incorporate a patented long life drum which is separate from the toner container, eliminating drum replacement when toner is depleted and reducing landfill waste. ECOSYS printers provide a printing solution that incorporates long life consumables and one of the lowest costs per print. The operating costs of traditional cartridge-based printers can easily exceed many times the original purchase price during the life of the product.

HARNESS THE POWER OF YOUR ECOSYS MULTIFUNCTIONAL PRINTER WITH CUSTOMIZED BUSINESS APPLICATIONS



PINPOINT SCAN: Scan from your MFP to your PC with added speed, functions



DMS LINK: Simplify document workflow through digital imaging, distribution, retrieval and long-time archival.



KYOCERA HOMEPOINT: Securely browse document folders from any networked



ACCUSENDER: A simple, secure way to send large scanned documents to multiple destinations of the control of the to multiple destinations via e-mail from select KYOCERA MFPs.

BASIC SPECIFICATIONS

Configuration: Black & White Multifunctional Printer -Print / Color Scan / Copy / Fax

Pages per Minute: Letter: 52 ppm, Legal: 42 ppm, A4: 50 ppm

Warm Up Time: 21 seconds or less from main power on First Page Out: Copy: 8 Seconds or less; Print: 8 Seconds or less

Display: 7" Color Touch Screen Control Panel

Resolution / Bit Depth: 600 x 600 dpi, 1,800 x 600 multi bit interpolated resolution

Memory: Standard 1 GB, Upgradable to 2 GB Hard Disk Drive: Optional HD-6 (32 GB SSD);

Optional HD-7 (128 GB SSD)

Duplex: Standard Stackless Duplex Supports Statement to Legal (5.5" x 8.5" - 8.5" x 14"), 16 - 32 lb Bond (60-120gsm)

Standard Output Tray: Statement - Legal; 500 Sheets Dimensions / Weight: 18.7" W x 17.9" D x 23.2" H / 51.4 lbs Maximum Monthly Duty Cycle: 250,000 Pages per Month

POWER CONSUMPTION

Electrical Requirements: 120v, 60Hz, 10.4A; 220-240V,

Maximum (including options): 120V: 1,342 W; 220-240V: 1,418 W

Printing: 120V: 809 W; 220-240V: 777 W Ready Mode: 120V: 66.1 W; 220-240V: 70.8 W Sleep Mode: 120V: 2.6 W; 220-240V: 2.4 W Power Off: 120V: 0.5 W; 220-240V: 0.5 W

PAPER SUPPLY

Standard Paper Sources: Single 500 Sheet Drawer, 100 Sheet Multipurpose Tray

Optional Paper Sources: Up to four (4) optional 500 Sheet Paper

Drawers (PF-320) can be added

Paper Capacity: Standard: 600 Sheets; Maximum: 2,600 Sheets

Paper Size: Drawers: 5.5" x 8.5" - 8.5" x 14" (Statement to Legal); MPT: 2.8" x 5.8" - 8.5" x 14"

Paper Weight: Standard Drawer: 16 - 32 lb Bond (60-120gsm); MPT: 16 lb Bond - 120 lb Index (60-220gsm)

Input Materials:

Standard Drawer: Plain Paper, Bond Paper, Recycled Paper; Optional Drawers: Plain Paper, Bond Paper, Recycled Paper, Envelopes; MPT: Cardstock, Transparencies, Labels, Envelopes

SECURITY SPECIFICATIONS

Standard: Local Authentication, Network Authentication, IPsec, SNMPv3, IEEE802.1x, IPP over SSL/TLS, HTTP over SSL/TLS, FTP over SSL/TLS, SMTP over SSL/TLS, POP3 over SSL/TLS, Enhanced WSD over SSL/TLS, LDAP over SSL/TLS

Optional: Data Security Kit (E), HDD Overwrite Mode, **HDD Data Encryption**

Specifications and design are subject to change without notice. For the latest on connectivity visit www.kvoceradocumentsolutions.com/us. ECOSYS, PinPoint Scan, DMS Link, HomePOINT and AccuSender are trademarks of the KYOCERA Companies. Mac and AirPrint are trademarks of Apple, Inc. Other trademarks are the property of their respective owners.

KYOCERA Document Solutions America, Inc. Headquarters: 225 Sand Road, Fairfield, NJ 07004-0008, USA ©2015 KYOCERA Document Solutions America, Inc.

PRINT SPECIFICATIONS

Standard Controller: PowerPC 465S / 667MHz

PDLs / Emulations: PRESCRIBE, PCL6 (PCL5e/PCLXL), KPDL3 (PS3), XPS

Fonts: 93 Scalable Fonts for PCL/Postscript, 136 Fonts for KPDL3(PS3), 8 Fonts for Windows Vista, 1 Bitmap Font

Windows OS Compatibility: Windows XP/Vista/7/8/8.1/Server 2003/Server 2008/Server 2008 R2/Server 2012/Server 2012 R2

Mac OS Compatibility: Mac OS 10.5 and later, AirPrint Enabled

Interfaces: Standard: 10/100/1000BaseTX, Hi-Speed USB 2.0, 2 USB Host Interfaces, 1 Expansions Slot;

Optional: 10/100/1000BaseTX (IB-50 for Dual NIC); Optional IEEE 802.11 b/g/n (IB-51 for Wireless LAN Interface)

Network Print and Supported Protocols: TCP/IP, IPv4, IPv6; HTTP, LPD, FTP, IPP, RawPort, LLTD, SNTP, DHCP, SMTP, POP3. DNS, SNMPv1/v2, WSD

Drivers: KX Driver, Mini Driver, KX Driver for XPS, Network Fax Driver, PPD for MAC, PPD for Linux

Utilities: KYOCERA Net Admin, KYOCERA Net Viewer, KYOCERA Net Direct Print, Command Center RX

Document Box: Job Box for RAM based Private Print, Proof and Hold, Job Storage*, Quick Copy*, Removable Memory for Print-From / Scan-To USB

PDF Extension: High Compression PDF, PDF/A, Encrypted PDF

SCAN SPECIFICATIONS

Scan Type: Color and Black & White Scanner

Scan Resolution: 600dpi, 400dpi, 300dpi, 200dpi, 200x400dpi,

File Formats:

Black and White: TIFF, XPS, PDF: Color: TIFF, JPEG, XPS, PDF

Scan Speeds: Mono: 300 dpi - 62 ipm Simplex; 27 ipm Duplex; 600 dpi - 42 ipm Simplex; 18 ipm Duplex; Color: 300 dpi - 42 ipm Simplex; 18 ipm Duplex; 600 dpi - 21 ipm Simplex; 9 ipm Duplex

 $\textbf{Connectivity / Supported Protocols:}\ 10/100/1000 \texttt{BaseTX, TCP/IP;}$ Hi-Speed USB 2.0

Scanning Functions: Scan to Folder (SMB), Scan to e-Mail, Scan to FTP. Scan to FTP over SSL. Scan to USB. WSD Scan. TWAIN/WIA Scan

Original Size: Through DP: Statement to Legal (5.5" x 8.5" - 8.5" x 14"); Glass: up to 8.5" x 14"

Drivers: TWAIN Driver, WIA Driver

COPY SPECIFICATIONS

Image Mode: Text, Photo, Text/Photo, Graphic/Map

Continuous Copy: 1-999 / Auto Reset to 1

Additional Features: Auto Magnification, Auto Paper Select, Auto Start, Auto Drawer Change, Priority Copy, Job Programs Job Management: 100 Department Codes, Job Programs,

Magnification / Zoom: Full Size, 7 Reduction, 5 Enlargement Preset Ratios, 25 - 400% in 1% step increments

DOCUMENT PROCESSOR

Type / Capacity: Standard Reversing Automatic Document Processor / 75 Sheets

Acceptable Originals: 5.5" x 8.5" - 8.5" x 14"

Acceptable Weights: Simplex: 13 - 32 lb Bond (50-120gsm), Duplex 13 - 32 lb Bond (50-120gsm)

FAX SPECIFICATIONS

Compatibility / Data Compression: ITU-T Group 3 / MH, MR, MMR, JBIG

Transmission Speed / Modem Speed: 3 Seconds or less per page / 33.6 kbps

Fax Memory: 3.5 MB

Driver: Network Fax Driver

Fax Functions: Duplex Transmission/Reception, One Touch Dial (100 numbers), FAX/TEL Switching, Sequential Broadcast (up to 100 parties), Quick Dial (200 numbers), Fax Reports

PAPER HANDLING OPTIONS

Up to four (4) PF-320 Drawers can be installed

PF-320 PAPER FEEDER

Paper Capacity: 500 Sheets

Paper Size / Weight: Letter, Legal, A4, A5, B5 / 16 - 32 lb Bond (60-120gsm)

Dimensions / Weight: 14.96" W x 16.14" D x 4.76" H / 8.82 lbs (380 x 410 x 121 mm / 4.0 kg)

PT-320 FACE UP TRAY

Paper Capacity: 250 Sheets

Paper Size / Weight: 8.5" x 11", 8.5" x 14" / Oficio2, A4, A5, B5,

Dimensions / Weight: 9.84" W x 12.99" D x 2.76" H / 0.63 lbs

ADDITIONAL OPTIONS

Memory: 1 GB via 144 pin DDR3 SDRAM DIMM HDD: HD-6: 32 GB SSD; HD-7: 128 GB SSD SD Card: SDHC Card - 32G: 32 GB SD**; SDHC Card - 16G: 16 GB SD**

Wireless LAN: IB-51: IEEE 802.11 b/g/n Additional NIC: IB-50 Gigabit NIC

Security: Data Security Kit (E), Card Authentication Kit (B)

*Optional HDD or Optional SD Card Required for Job Storage

**Optional SD Card Required for HyPAS Business Applications





















ECONOMICAL. ECOLOGICAL. ECOSYS TECHNOLOGY.



Kyocera ECOSYS® printers deliver the high performance, crisp image quality and low Total Cost of Ownership that today's cost conscious businesses demand.

This next generation of ECOSYS printers boasts highly efficient printing speeds while offering a budget friendly and reliable printing solution for your office. They help to improve overall document productivity and lower operating expenses. Kyocera's unique ECOSYS technology brings decreased energy consumption and advanced reliability resulting in maximum uptime and reduced maintenance requirements.

And unlike competitive products, ECOSYS printers offer efficient performance without excessive costs for supplies and service.

- > 52 Pages Per Minute
- > Standard Duplex Printing
- > Standard Gigabit Ethernet
- > Optional Wireless LAN
- > 2,600 Sheet Maximum Paper Capacity
- > 5 Line LCD Display Panel for Ease of Use
- > Numeric Hard Keys for Simplified User Navigation
- > Convenient USB Host Printing
- > Low Total Cost of Ownership



ECOSYS

KYOCERA's objective is to manufacture superior products with a low Total Cost of Ownership (TCO) and minimize the impact on the environment. ECOSYS printers incorporate a patented long life drum which is separate from the toner container, eliminating drum replacement when toner is depleted – and reducing landfill waste. ECOSYS printers provide a printing solution that incorporates long life consumables and one of the lowest costs per print. The operating costs of traditional cartridge-based printers can easily exceed many times the original purchase price during the life of the product. Evaluate your printer costs today.

HARNESS THE POWER OF YOUR ECOSYS PRINTER WITH CUSTOMIZED BUSINESS APPLICATIONS



KYOCERA MOBILE PRINT: Simply and conveniently print files, web pages, and images using your smartphone or tablet.



CARD AUTHENTICATION: Use your existing HID employee identification cards to securely unlock your printer.



KX DRIVER: A common interface across all KYOCERA devices, providing comprehensive access to all device features.



KYOCERA NET ADMIN: A web-based platform giving network administrators easy control over every device in the organization.



KYOCERA NET VIEWER: All the functionality for network device management in an easy-to-use interface.

BASIC SPECIFICATIONS

Technology and Configuration: KYOCERA ECOSYS® Black & White Network Printer

Pages per Minute: Letter: 52, Legal: 42, A4: 50

Warm Up Time: 20 seconds or less
First Print Out Time: 9 seconds or less

Resolution: Fine 1200 Mode (1,200 x 1,200 dpi), Fast 1200 Mode (1,800 x 600 dpi), 600 x 600 dpi, 300 x 300 dpi

Memory: Standard 256 MB, upgradeable to 1,280 MB; Standard SD Card Slot

Hard Disk Drive: Optional HD-6 (32 GB SSD)

Duplex Printing: Standard Duplex, 37 Pages Per Minute Letter

Electrical Requirements: 120V, 60Hz, 9.7A;

220-240V, 50-60Hz, 5.2A

Dimensions / Weight: 15.35" W x 16.14" D x 12.6" H / 32.19 lbs

Typical Energy Consumption (TEC): 3.036k Wh/week (120V); 2.843k Wh/week (220-240V)

Noise (ISO 7779 / ISO 9296): Printing 55dB(A)

Maximum Monthly Duty Cycle: 250,000 Pages Per Month

Recommended Monthly Volume: 2,000 to 30,000 Pages Per Month

CONTROLLER SPECIFICATIONS

CPU / MHz: Embedded Power PC 465 / 750MHz

PDL / Emulations: PRESCRIBE, PCL6 (PCL5e/PCLXL, PCL5c), KPDL3, Line Printer, IBM Proprinter X24E, EPSON LQ850

Direct Print: USB: TIFF, JPG, XPS, PDF (version 1.7)

Fonts: 93 Scalable Fonts for PCL/Postscript, 93 Fonts for KPDL3, 8 Fonts for Windows Vista, 1 Bitmap Font

Barcodes: 1 Dimensional: 45, 2 Dimensional: 1 (PDF417)

Supported Client Operating Systems: Certified for Microsoft® Windows Vista® 32/64-bit, Windows XP® 32/64-bit, Windows 7 32/64-bit, Windows 8 32/64-bit, Windows Server 2003 32/64-bit, Windows Server 2008 32/64-bit, Mac OS X v10.39, v10.4, v10.5, AirPrint Enabled: Linux

Supported Network Operating Systems: Microsoft Windows, Server 2003, XP, Vista, 2003 64-bit, XP 64-bit, (for Microsoft IPv6 compatible with Windows 2003, XP, and Vista); Novell 5.1 and Later; Mac OS X 10.2.8, v10.3, v10.4, v10.5; Linux, Unix

Printer Management: Status Monitor, Command Center RX, KYOCERA Net Admin, KYOCERA Net Viewer

Connectivity / Interfaces: Standard 10/100/1000BaseTX, High Speed USB 2.0, e-KUIO, USB-Host x 2

Network Protocols: IPv6: HTTP, LPD, FTP, IPP, RawPort, ICMPv6, LLTD, SNTP, DHCPv6, SMTP, POP3, DNS, SNMPv1/v2c/v3, WSD

Security: IPsec, 802.1x, SSL/TLS (HTTPS), SNMPv₃, POP ₃/SMTP over SSL

Drivers: KX Driver For Windows, Mini Driver, KX(XPS) Driver, PPD for Mac, PPD for Linux/UNIX, Windows 64 Bit Drivers

Departmental Accounting: 100 Department Codes

Additional Print Features: LCD Operation Panel, N-Up Printing, Private Print, Document Storage, EcoPrint Mode, Poster Mode, Internet Printing IPP 1.0 or 1.1

Multi Language Support: English, Italian, French, Spanish, German, Portuguese, Dutch, Russian

PAPER SUPPLY

Standard Paper Sources: 500 Sheet Drawer, 100 Sheet Multipurpose Tray

Standard / Maximum Paper Sources: 2 / 6 including Multi-Purpose Tray Standard Paper Drawer Size / Weight: Letter, Legal, A4, A5, B5,

A6R, Custom 5.83" x 8.27" / 16-32 lb Bond (60 - 120gsm)

Standard Duplex Paper Size / Weight: Letter, Legal, A4, A5 / 16-32 lb Bond (60 - 120gsm)

Standard / Maximum Paper Capacity: 600 / 2,600 Sheets

Multi-Purpose Tray Paper Size / Weight:

Letter, Legal, A4, A5, B5, Custom 4.13" x 5.83" / 16 lb Bond - 120 lb Index (60 - 220gsm)

Input Materials: Plain, Preprinted, Bond, Recycled, Rough, Letterhead, Color, Pre-Punched, High Quality, Transparency, Labels, Bond, Vellum, Envelope, Cardstock, Thick Paper, Custom

Output Capacity: Standard: 500 Sheets; Maximum: 750 Sheets

PAPER HANDLING OPTIONS

PF-320 PAPER FEEDER

Paper Capacity: 500 Sheets

Paper Size / Weight: Letter, Legal, A4, A5, B5 / 16-32 lb Bond (60-120gsm)

Dimensions / Weight: 14.96" W x 16.14" D x 4.76" H / 8.82 lbs (380 x 410 x 121 mm / 4.0kg)

PF-315+ BULK FEEDER

Paper Capacity: 2,000 Sheets

Paper Size / Weight: Letter, A4, B5 / 16 lb Bond - 120 lb Index (60 - 220gsm)

Dimensions / Weight: 13.86" W x 13.58" D x 14.80" H / 16.53 lbs (352 x 345 x 376 mm / 7.5kg)

PT-320 FACE UP TRAY

Paper Capacity: 250 Sheets

Paper Size / Weight: 8.5" x 11", 8.5" x 14", Oficio2, A4, A5, B5, A6, Folio

Dimensions / Weight: 9.84 " W x 12.99 " D x 2.76 " H / 0.63 lbs

CONSUMABLES

Black Toner: TK-3122: Toner for 21,000 pages* (ships with 10,000 pages)

ADDITIONAL OPTIONS

Memory: 512 or 1024 MB 144 pin DDR2 SDRAM DIMMS

HDD: HD-6: 32 GB SSD

Wireless LAN: IB-51 IEEE 802.11 b/g/n
Additional NIC: IB-50 Gigabit NIC

Security: Data Security Kit (E), Card Authentication Kit (B)

* In accordance with ISO 19752

Specifications and design are subject to change without notice. For the latest on connectivity visit www.kyoceradocumentsolutions.com/us. ECOSYS and KX Driver are trademarks of the KYOCERA Companies. AirPrint and the AirPrint logo are trademarks of Apple, Inc. Other trademarks are the property of their respective owners.

KYOCERA Document Solutions America, Inc. Headquarters: 225 Sand Road, Fairfield, NJ 07004-0008, USA ©2013 KYOCERA Document Solutions America, Inc. IC# 855D400341



















LEVERAGE THE POWER OF YOUR MISSION-CRITICAL BUSINESS INFORMATION. ANYTIME. ANYWHERE.



A Simplified Approach to Managing Your Business Processes.






THE ALLIANCE ADVANTAGE: Harnessing the Power of Kyocera & Databank, Together

Your data is your business. Today, storing it more efficiently, accessing it more quickly, and managing it more effectively are essential to running your business more productively. And more competitively.

KYOCERA Document Solutions in alliance with DataBank IMX helps clients across industries manage the mission-critical data that drives their business. Our 4-step Business Process Improvement Services methodology begins with a deep-dive assessment of your business, and the unique way your documents and other information are accessed and processed, where, when, and by whom. Ultimately, we implement a customized, scalable platform designed to minimize expense and maximize the productivity of each person within your organization.

The results are immediate. The ROI is measurable. Information – digital or hard copy, archived or new – is captured, indexed, and transformed into living data, accessible anywhere on your network, in the cloud, or on employees' mobile devices. Multiple systems are seamlessly integrated into a single platform.

Simple. Usable. Powerful.



We continue to re-assess the platform and the processes it facilitates, then adjust as needed, optimizing it to your evolving business requirements.

Systems Design | Delivery & Integration | Document Imaging | Custom Document Workflow Solutions Business Process & Technology Consultative Services | Compliance-based Security



