



**Garden Grove Fire Department**  
 Station: **G05**  
 Shifts Or Platoon: **B**

Location: <b>12738 JOSEPHINE ST</b> <b>Garden Grove CA 92640</b>	Incident Type: <b>111 - Building fire</b>
Lat/Long: <b>N 33° 46' 39.37"</b> <b>W 117° 58' 45.6"</b>	FDID: <b>30035</b> Incident #: <b>2017-711922</b> Exposure ID: <b>27785473</b> Exposure #: <b>0</b> Incident Date: <b>10/20/2017</b> Dispatch Run #: <b>F172930054</b>
Location Type: <b>1 - Street address</b> Map Page: <b>798B6</b>	

<b>Report Completed by:</b>	Nguyen , Thanh	<b>ID:</b> 167	<b>Date:</b> 10/24/2017
<b>Report Reviewed by:</b>	Nguyen , Thanh	<b>ID:</b> 167	<b>Date:</b> 10/24/2017
<b>Report Printed by:</b>	Whittaker, Paul	<b>ID:</b> 9461	<b>Date:</b> 10/24/2017 <b>Time:</b> 13:33

Structure Type: <b>Enclosed building</b>	Property Use: <b>429 - Multifamily dwelling</b>
Automatic Extinguishment System Present: <input type="checkbox"/>	Detectors Present: <input checked="" type="checkbox"/> Cause of Ignition: <b>Cause undetermined after investigation</b>
Aid Given or Received: <b>Automatic aid received</b>	Primary action taken: <b>11 - Extinguishment by fire service personnel</b>
Additional actions: <b>21 - Search , 86 - Investigate</b>	
<b>Losses</b>	<b>Pre-Incident Values</b>
Property:	Property:
Contents:	Contents:
Total:	Total:
Civilian Injuries: <b>0</b>	Fire Service Injuries: <b>0</b>
Civilian Fatalities: <b>0</b>	Fire Service Fatalities: <b>0</b>
Total Casualties: <b>0</b>	Total Fire Service Casualties: <b>0</b>
Total # of apparatus on call: <b>9</b>	Total # of personnel on call: <b>17</b>

**Narrative from dispatch:**

[10/20/17 11:56:10 M072] GE5 BLDG DEPARTMENT OS, OUT OF SERVICE FOR 30 MIN  
 [10/20/17 11:15:23 M079] DUPE CALLS 54 61  
 [10/20/17 11:07:30 M079] DUPE CALLS 54 56 57 58  
 [10/20/17 09:53:46 M072] GB1 GE7 RELEASED, GE5/GE1/GT1 REMAIN OS, GE5 POINT OF CONTACT, 2N CLEAR  
 [10/20/17 09:22:33 M072] GB1 GM1/GE6 RELEASED  
 [10/20/17 09:14:14 M072] GE2 COMMUNICATION LINES TO THE REAR OF CHARLIE DIVISION NON FUNCTIONAL  
 [10/20/17 08:56:26 M035] RED CROSS UPDATED, 8 ADULTS/3 CHILDREN  
 [10/20/17 08:53:33 M072] GB1 8 ADULTS/3 CHILDREN DISPLACED  
 [10/20/17 08:53:06 M072] GE6 2 ADULTS 3 CHILDREN DISPLACED ON BRAVO SIDE, TOTAL OF 7 DISPLACED  
 [10/20/17 08:51:28 M072] GE6 2 ADULTS DISPLACED FROM BRAVO SIDE  
 [10/20/17 08:45:20 M072] GB1 REQ REDCROSS, 4 ADULTS DISPLACED  
 [10/20/17 08:31:34 M072] GB1 CB1/AT6 RELEASED  
 [10/20/17 08:27:52 M072] GB1 REQ EDISON  
 [10/20/17 08:26:17 M072] INCIDENT CLOCK STOPPED: 08:26:17  
 [10/20/17 08:26:14 M072] GB1 STOP THE INCIDENT CLOCK  
 [10/20/17 08:26:01 M072] GE6 EXPOSURE  
 [10/20/17 08:25:54 M072] GB1 CANCELLED GE3  
 [10/20/17 08:25:37 M072] INCIDENT CLOCK ACKED: 08:25:37  
 [10/20/17 08:25:24 M072] GB1 ADV IC 30 MIN ON INCIDENT CLOCK  
 [10/20/17 08:24:58 M079] GDIV1ADV, L/M ON CELL PHONE  
 [10/20/17 08:24:49 M072] GB1 GE6 ASSIGNED TO EXPOSURE  
 [10/20/17 08:24:29 M072] GB1 CANCELLED AUSAR2  
 [10/20/17 08:24:06 M072] AUSAR2 OS GILBERT/KATELLA  
 [10/20/17 08:23:20 M072] AT6 GAS/ELECTRICAL ARE OFF  
 [10/20/17 08:23:03 KOPS] INCIDENT CLOCK ELAPSED: 08:23:03  
 [10/20/17 08:22:44 M072] GE1 DELTA SIDE CLEAR, NO STRUCTURES WITHIN THE AREA  
 [10/20/17 08:22:29 M072] GB1 FIRE KNOCKDOWN AT THIS TIME  
 [10/20/17 08:22:15 M072] GE7 SECONDARY ALL CLEAR, COMPLETE KNOCKDOWN  
 [10/20/17 08:21:53 M072] GE1 EXPOSURE  
 [10/20/17 08:21:22 M072] GE2 CHARLIE/DELTA SIDE COVERED, DELTA LOOKS CLEAR  
 [10/20/17 08:20:22 M079] PER GGP, THEY ARE OS FOR TRAFFIC CONTROL  
 [10/20/17 08:20:09 M072] GE3 OS W/3  
 [10/20/17 08:19:58 M072] GE1 ALPHA/BRAVO CLEAR, CHECK DELTA SIDE



**NARRATIVE (2)****Narrative Title:** Structure Fire**Narrative Author:** Nguyen, Thanh**Narrative Date:** 10/24/2017 11:39:33**Narrative Apparatus ID:** GE5**Narrative:**

GE2 responded to the originally given address on Aristocrat for a pole fire. While en route, the incident was upgraded to a structure fire. GE2 responded to the address, and reported smoke coming from one street over. GE5 responded to Josephine Street which was one street west of the original address.

GE5 arrived on scene, and reported smoke showing from a single story multiplex structure. GE5 updated an address of 12724 Josephine Street which was visible from the street. GE5 initiated fire attack with an apartment lay, and requested support with a second handline. GE5 found a resident attempting to extinguish with a garden hose, and ordered the resident and others to stay away. GE5 and GE7 affected fire attack, and GT1 performed vertical ventilation. GB1 upgraded the incident to a working structure fire, and later to a second alarm. Additional crews shut off utilities to the building, and Edison dropped the line to the structure. It took fire fighters approximately 30 minutes to get the fire under control. A search of the apartment did not find any people.

The fire was investigated by Captain Weiss. The cause of the fire was undetermined after investigation.

There was no reported injuries to fire fighters or residents except for one male resident who requested a bandaid for his toe. He did not ask for EMS assistance. The City building department was requested, and an inspector red-tagged the building due to power and all other utilities being shut off. A total of 11 residents out of three units were displaced, and the Red Cross was on scene to provide assistance.

The tenant of the unit involved in fire, Van Vo, signed the fire department Property Release form and instructed to follow instructions on the form and to contact her insurance company. A copy of the form was given to her, and she was advised on how to obtain a fire report.

Capt. Nguyen

Member Making Report (Captain Thanh Nguyen): \_\_\_\_\_

Supervisor (Captain Thanh Nguyen): \_\_\_\_\_



[10/20/17 08:19:13 M080] GB1 PAGED MOVE UPS COMPLETE  
[10/20/17 08:18:59 M072] CB1 SAFTEY  
[10/20/17 08:18:55 M072] GB1 CB1 ASSUMED SAFTEY  
[10/20/17 08:17:12 M072] GE6 OS W/3  
[10/20/17 08:17:02 M072] GE5 KNOCKDOWN, COMING OUT FOR AIR, GE7 CHECKING FOR EXTENSION  
[10/20/17 08:15:41 M072] GE5 COMPLETED PRIMARY, WE HAVE KNOCKDOWN  
[10/20/17 08:15:00 M072] GM1 FIRE ATTACK  
[10/20/17 08:14:54 M072] GB1 GM1 ASSIGNED TO FIRE ATTACK, ASSIST W/SECONDARY CLEAR  
[10/20/17 08:14:33 M072] GM1 OS W/2  
[10/20/17 08:13:57 M072] INCIDENT CLOCK ACKED: 08:13:57  
[10/20/17 08:13:07 M072] GE1 ON ALPHA SIDE NO EXTENSION, CANNOT MAKE IT TO CHARLIE/DELTA SIDE FOR CHECK  
[10/20/17 08:11:17 M072] GB1 UPGRADE 2ND ALARM  
[10/20/17 08:11:07 M080] Updated to ALARM LEVEL 2.  
[10/20/17 08:10:55 M072] GE5 PRIMARY CLEAR, REQ ADDL MAN POWER FOR SECONDARY  
[10/20/17 08:09:39 M072] AT6 VENT  
[10/20/17 08:09:33 M072] GB1 AT6 ASSIGNED VENT GROUP  
[10/20/17 08:08:51 M072] AT6 OS W/4 STAGED JOSEPHINE/LAMPSON  
[10/20/17 08:08:27 M072] GT1 HEADING TO 3RD UNIT FOR VENTILATION  
[10/20/17 08:08:10 M072] GE2 POSSIBLE EXTENSION TO ATTIC  
[10/20/17 08:08:03 KOPS] INCIDENT CLOCK ELAPSED: 08:08:03  
[10/20/17 08:07:48 M072] GE2 SMOKE FROM MULTIPLE VENTS ON ROOF  
[10/20/17 08:07:32 M072] GB1 GE1 ASSIST EXPOSURE GROUP, CHECK FOR EXTENSION  
[10/20/17 08:07:12 M072] GE1 OS W/3 FROM SOUTH  
[10/20/17 08:06:00 M072] GE2 CHARLIE DIVISION  
[10/20/17 08:05:49 M072] GE2 SC Removed  
[10/20/17 08:05:41 M072] GB1 GE2 IS NOW DIVISION CHARLIE  
[10/20/17 08:04:45 M072] GB1 JOSEPHINE COMMAND  
[10/20/17 08:04:37 M072] GE7 FIRE ATTACK  
[10/20/17 08:04:32 M072] GT1 VENT  
[10/20/17 08:04:28 M072] GE2 EXPOSURE  
[10/20/17 08:04:23 M072] GB1 GE7 ASSIST W/FIRE ATTACK  
[10/20/17 08:04:04 M072] GB1 OS, ASSUMING JOSEPHINE COMMAND, COMMAND POST AT JOSEPHINE NORTH OF INCIDENT, GE5 FIRE ATTACK, GT1 VENT, GE2 EXPOSURE, ALPHA SIDE TACTICAL  
[10/20/17 08:03:13 M072] GE5 BEST ACCESS FROM JOSEPHINE  
[10/20/17 08:02:20 M072] GT1 OS W/3  
[10/20/17 08:01:38 M072] GE2 HITTING FIRE FROM EAST SIDE, FLAMES ON WIRES  
[10/20/17 08:00:19 M072] GE5 FIRE ATTACK  
[10/20/17 08:00:10 M072] GE5 OS JOSEPHINE, 12724 JOSEPHINE, SINGLE STORY DUPLEX/MULTIPLEX, HEAVY SMOKE, FIRE ATTACK  
[10/20/17 08:00:04 M080] CB1 AVAIL INC 54  
[10/20/17 07:58:58 M072] GB1 UPGRADE TO WORKING  
[10/20/17 07:58:54 M080] Situation Updated: 167 (STRUCTURE FIRE-WORKING)  
[10/20/17 07:58:00 M072] GE2 ONE STREET TO WEST OF REPORTED ADDR, BACKYARD OF RES AT THAT LOCATION  
[10/20/17 07:56:35 M072] GE2 SMOKE TO REAR OF RES, DETERMINING IF RES OR RES ON STREET TO WEST, INV, CONTINUE C3  
[10/20/17 07:56:08 M027] INC DUPE TO 54/61  
[10/20/17 07:55:29 M079] DUPE CALLS 57 54  
[10/20/17 07:55:09 M072] DUPE CALLS 54 56  
[10/20/17 07:53:03 M080] INCIDENT CLOCK STARTED: 07:53:03 FOR 15 MINUTES  
[10/20/17 07:53:03 M080] Situation Updated: 166 (STRUCTURE FIRE-RESIDENTIAL)

