

Transmission Report

Date/Time 12-06-2017 04:24:10 p.m. Transmit Header Text
Local ID 1 1111111 Local Name 1 city clerk

This document : Confirmed
(reduced sample and details below)
Document size : 8.5"x11"

CITY OF GARDEN GROVE

11222 Acacia Parkway
P.O. Box 3070
Garden Grove, CA 92842

FAX NUMBER: (714) 741-5205

PLEASE DELIVER THE FOLLOWING MATERIAL AS SOON AS POSSIBLE

TO: Whom It May Concern
FROM: Denise Kohn PHONE: 714.741.5036
SUBJECT: Trans: 675434951, 676020091, 676020701
FAX NUMBER SENT TO: 678.924.4901
NUMBER OF PAGES: 19 (including cover page)
CONFIDENTIAL: Yes: No:
URGENT REPLY REQUESTED: Yes: No:
COMMENTS:

PLEASE NOTIFY AUTHOR IMMEDIATELY IF NOT RECEIVED PROPERLY

DATE SENT: 12/6/2017 TIME SENT: 4:15 pm

FAX COVER SHEET

Total Pages Scanned : 19

Total Pages Confirmed : 19

No.	Job	Remote Station	Start Time	Duration	Pages	Line	Mode	Job Type	Results
001	396	LexisNexis-4u	04:14:58 p.m. 12-06-2017	00:08:30	19/19	1	EC	HS	CP26400

Abbreviations:

HS: Host send PL: Polled local MP: Mailbox print CP: Completed TS: Terminated by system
HR: Host receive PR: Polled remote RP: Report FA: Fall G3: Group 3
WS: Waiting send MS: Mailbox save FF: Fax Forward TU: Terminated by user EC: Error Correct

CITY OF GARDEN GROVE

11222 Acacia Parkway
P.O. Box 3070
Garden Grove, CA 92842

FAX NUMBER: (714) 741-5205

PLEASE DELIVER THE FOLLOWING MATERIAL AS SOON AS POSSIBLE

TO: Whom It May Concern

FROM: Denise Kehn PHONE: 714.741.5036

SUBJECT: Trans: 675434951, 676020091, 676020701

FAX NUMBER SENT TO: 678.924.4901

NUMBER OF PAGES: 19 (including cover page)

CONFIDENTIAL: Yes: No:

URGENT REPLY REQUESTED: Yes: No:

COMMENTS:

PLEASE NOTIFY AUTHOR IMMEDIATELY IF NOT RECEIVED PROPERLY

DATE SENT: 12/6/2017

TIME SENT: 4:15 pm



CITY OF GARDEN GROVE OFFICE OF THE CITY CLERK

*Safeguard all official records of the City.
Conduct municipal elections and oversee legislative administration.
Provide reliable, accurate, and timely information to the
City Council, staff, and the general public.*

December 6, 2017

LexisNexis
P.O. Box 740167
Atlanta, GA 30374-0167

Dear Ms. Vazquez and Mr. Arredondo,

This letter is in regards to your request numbers 675434951, 676020091, and 676020701. Responses were sent for each of these requests on November 9, 2017, through the City's Online Records Request System to cru.incoming@lexisnexis.com. For your convenience, the information provided has been included in this fax.

Sincerely,

Denise Kehn
Records Specialist

Steven R. Jones
Mayor

Phat Bui
Mayor Pro Tem - District 4

Kris Beard
Council Member - District 1

John R. O'Neill
Council Member - District 2

Thu-Ha Nguyen
Council Member - District 3

Stephanie Klopfenstein
Council Member - District 5

Kim Bernice Nguyen
Council Member - District 6

Dec. 18

Request #3258

SECOND REQUEST

LexisNexis Reference No. 676020701

Copy of Garden Grove Fire Department Incident Report for a building fire that occurred on October 20, 2017, at 12738 Josephine in Garden Grove.

Requester: Rich Arredondo

Company: LexisNexis

Phone: (800) 934-9698

Correspondence

Assigned to Denise Kehn

less than a minute ago

Request received

1 minute ago

Due on Dec 18

Refer to Request # 3189
Attached



FAX:

676020701

5.948

P.O. BOX 740167
ATLANTA, GA 30374-0167
(678)924-4900 FAX (678)924-4901

On 10/23/17 we sent this request to your office
for processing. We have received NO RESPONSE.
Please research this request and Mail/Fax your reply with this
FAX BACK COVER SHEET we have provided for you.

DATE

AMOUNT
THANK YOU

GARDEN GROVE FIRE DEPARTMENT
ATTN:RECORDS DEPT.
11301 ACACIA PKWY
GARDEN GROVE, CA 92840-5310

SECOND REQUEST

THIS IS NOT A VALID CHECK VOID

PLEASE FAX YOUR REPLY TO US AT

TOLL FREE
1/800-934-6449

VOID VOID VOID VOID VOID VOID VOID VOID
VOID VOID VOID VOID VOID VOID VOID VOID

...OR CALL US AT 1/800-934-9698

TRAN: 676020701

REPORT REQUEST



P.O. BOX 740167
ATLANTA, GA 30374-0167
(678)924-4900 FAX (678)924-4901

SECOND REQUEST

AT&T

TOLL FREE FAX: 1/800-934-6449

PLEASE CHECK A
CIRCLE BELOW

10/24/17



Report Attached:

Report Cost: \$	Number of Pages: (including this sheet)
-----------------	--

- No Report Found with the information provided
- No Report Written - Loss entry only / Driver Exchange of Info.
- Loss location not in our Jurisdiction
Suggest You Try _____
- Not Releaseable / Not Ready _____
- Comments & Suggestions: _____

Report/Case # _____

Type of Report Fire Building

Date of Occurrence 10/20/17 Time 08:30 AM

Precinct or District _____

LOCATION OF LOSS 12738 JOSEPHINE

City GARDEN GROVE County ORANGE State CA

Additional Information TELCO AERIAL CABLE BURNED BY HOUSE FIRE

VEHICLE INFO **SECOND REQUEST** **DRIVERS or VICTIMS INFO**

Car Tag # _____ State _____ Insured Party UNKNOWN UNKNOWN

Make _____ Year _____ D.O.B. _____ SS# _____

VIN _____ Drivers Lic # _____ State _____

Driver #2 _____

Driver #3 _____

POLICE or FIRE AGENCY who wrote report?
GARDEN GROVE FD

Client Division 5841 Claim # CS207100A0086
Internal Codes RIDDER

Claims Adjuster XCYNL6X7
RICH ARREDONDO



TRAN: 676020701

SECOND REQUEST

Request #3189

LexisNexis Reference No. 676020701

Copy of Garden Grove Fire Department Incident Report for a building fire that occurred on October 20, 2017, at 12738 Josephine in Garden Grove.

Requester: Rich Arredondo
Company: LexisNexis
Phone: (800) 934-9698

Correspondence

✓ Request has been completed.

November 09

Message from Denise Kehn

November 09

LexisNexis Tran: 676020701

Dear Mr. Arredondo,

Please click on the link below to access a copy of Garden Grove Fire Incident Report No. 2017-711922 pertaining to a building fire that occurred on October 20, 2017, at 12738 Josephine in Garden Grove.

Check number 676020701 in the amount of \$10.00 has been voided. Cost for paper copies, in accordance with the City's adopted fee schedule, is 10 cents per image/page. Electronic copies are provided free of charge.

Sincerely,
Denise Kehn
Records Specialist
City Clerk's Office
City of Garden Grove
714-741-5036

request-3189-incident-2017-711922-...pdf

Privacy: public

Assigned to Lisa S Guardi, Morris B Spell

November 06

Request received

November 06

Closed on Nov 09



Garden Grove Fire Department
 Station: G05
 Shifts Or Platoon: B

Location: 12738 JOSEPHINE ST Garden Grove CA 92640	Incident Type: 111 - Building fire
Lat/Long: N 33° 46' 39.37" W 117° 58' 45.6"	FDID: 30035 Incident #: 2017-711922 Exposure ID: 27785473 Exposure #: 0 Incident Date: 10/20/2017 Dispatch Run #: F172930054
Location Type: 1 - Street address Map Page: 798B6	

Report Completed by: Nguyen , Thanh	ID: 167	Date: 10/24/2017
Report Reviewed by: Nguyen , Thanh	ID: 167	Date: 10/24/2017
Report Printed by: Whittaker, Paul	ID: 9461	Date: 10/24/2017 Time: 13:33

Structure Type: Enclosed building	Property Use: 429 - Multifamily dwelling																
Automatic Extinguishment System Present: <input type="checkbox"/>	Detectors Present: <input checked="" type="checkbox"/> Cause of Ignition: Cause undetermined after investigation																
Aid Given or Received: Automatic aid received	Primary action taken: 11 - Extinguishment by fire service personnel																
Additional actions: 21 - Search , 86 - Investigate																	
<table border="1"> <thead> <tr> <th>Losses</th> <th>Pre-Incident Values</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>Property:</td> <td>Property:</td> <td>Civilian Injuries: 0</td> <td>Fire Service Injuries: 0</td> </tr> <tr> <td>Contents:</td> <td>Contents:</td> <td>Civilian Fatalities: 0</td> <td>Fire Service Fatalities: 0</td> </tr> <tr> <td>Total:</td> <td>Total:</td> <td>Total Casualties: 0</td> <td>Total Fire Service Casualties: 0</td> </tr> </tbody> </table>	Losses	Pre-Incident Values			Property:	Property:	Civilian Injuries: 0	Fire Service Injuries: 0	Contents:	Contents:	Civilian Fatalities: 0	Fire Service Fatalities: 0	Total:	Total:	Total Casualties: 0	Total Fire Service Casualties: 0	
Losses	Pre-Incident Values																
Property:	Property:	Civilian Injuries: 0	Fire Service Injuries: 0														
Contents:	Contents:	Civilian Fatalities: 0	Fire Service Fatalities: 0														
Total:	Total:	Total Casualties: 0	Total Fire Service Casualties: 0														
Total # of apparatus on call: 9	Total # of personnel on call: 17																

Narrative from dispatch:

[10/20/17 11:56:10 M072] GE5 BLDG DEPARTMENT OS, OUT OF SERVICE FOR 30 MIN
 [10/20/17 11:15:23 M079] DUPE CALLS 54 61
 [10/20/17 11:07:30 M079] DUPE CALLS 54 56 57 58
 [10/20/17 09:53:46 M072] GB1 GE7 RELEASED, GES/GE1/GT1 REMAIN OS, GE5 POINT OF CONTACT, 2N CLEAR
 [10/20/17 09:22:33 M072] GB1 GM1/GE6 RELEASED
 [10/20/17 09:14:14 M072] GE2 COMMUNICATION LINES TO THE REAR OF CHARLIE DIVISION NON FUNCTIONAL
 [10/20/17 08:56:26 M035] RED CROSS UPDATED, 8 ADULTS/3 CHILDREN
 [10/20/17 08:53:33 M072] GB1 8 ADULTS/3 CHILDREN DISPLACED
 [10/20/17 08:53:06 M072] GE6 2 ADULTS 3 CHILDREN DISPLACED ON BRAVO SIDE, TOTAL OF 7 DISPLACED
 [10/20/17 08:51:28 M072] GE6 2 ADULTS DISPLACED FROM BRAVO SIDE
 [10/20/17 08:45:20 M072] GB1 REQ REDCROSS, 4 ADULTS DISPLACED
 [10/20/17 08:31:34 M072] GB1 CB1/AT6 RELEASED
 [10/20/17 08:27:52 M072] GB1 REQ EDISON
 [10/20/17 08:26:17 M072] INCIDENT CLOCK STOPPED: 08:26:17
 [10/20/17 08:26:14 M072] GB1 STOP THE INCIDENT CLOCK
 [10/20/17 08:26:01 M072] GE6 EXPOSURE
 [10/20/17 08:25:54 M072] GB1 CANCELLED GE3
 [10/20/17 08:25:37 M072] INCIDENT CLOCK ACKED: 08:25:37
 [10/20/17 08:25:24 M072] GB1 ADV IC 30 MIN ON INCIDENT CLOCK
 [10/20/17 08:24:58 M079] GDIV1ADV, L/M ON CELL PHONE
 [10/20/17 08:24:49 M072] GB1 GE6 ASSIGNED TO EXPOSURE
 [10/20/17 08:24:29 M072] GB1 CANCELLED AUSAR2
 [10/20/17 08:24:06 M072] AUSAR2 OS GILBERT/KATELLA
 [10/20/17 08:23:20 M072] AT6 GAS/ELECTRICAL ARE OFF
 [10/20/17 08:23:03 KOPS] INCIDENT CLOCK ELAPSED: 08:23:03
 [10/20/17 08:22:44 M072] GE1 DELTA SIDE CLEAR, NO STRUCTURES WITHIN THE AREA
 [10/20/17 08:22:29 M072] GB1 FIRE KNOCKDOWN AT THIS TIME
 [10/20/17 08:22:15 M072] GE7 SECONDARY ALL CLEAR, COMPLETE KNOCKDOWN
 [10/20/17 08:21:53 M072] GE1 EXPOSURE
 [10/20/17 08:21:22 M072] GE2 CHARLIE/DELTA SIDE COVERED, DELTA LOOKS CLEAR
 [10/20/17 08:20:22 M079] PER GGPDP, THEY ARE OS FOR TRAFFIC CONTROL
 [10/20/17 08:20:09 M072] GE3 OS W/3
 [10/20/17 08:19:58 M072] GE1 ALPHA/BRAVO CLEAR, CHECK DELTA SIDE

NARRATIVE (2)

Narrative Title: Structure Fire

Narrative Author: Nguyen, Thanh

Narrative Date: 10/24/2017 11:39:33

Narrative Apparatus ID: GE5

Narrative:

GE2 responded to the originally given address on Aristocrat for a pole fire. While en route, the incident was upgraded to a structure fire. GE2 responded to the address, and reported smoke coming from one street over. GE5 responded to Josephine Street which was one street west of the original address.

GE5 arrived on scene, and reported smoke showing from a single story multiplex structure. GE5 updated an address of 12724 Josephine Street which was visible from the street. GE5 initiated fire attack with an apartment lay, and requested support with a second handline. GE5 found a resident attempting to extinguish with a garden hose, and ordered the resident and others to stay away. GE5 and GE7 affected fire attack, and GT1 performed vertical ventilation. GB1 upgraded the incident to a working structure fire, and later to a second alarm. Additional crews shut off utilities to the building, and Edison dropped the line to the structure. It took fire fighters approximately 30 minutes to get the fire under control. A search of the apartment did not find any people.

The fire was investigated by Captain Weiss. The cause of the fire was undetermined after investigation.

There was no reported injuries to fire fighters or residents except for one male resident who requested a bandaid for his toe. He did not ask for EMS assistance. The City building department was requested, and an inspector red-tagged the building due to power and all other utilities being shut off. A total of 11 residents out of three units were displaced, and the Red Cross was on scene to provide assistance.

The tenant of the unit involved in fire, Van Vo, signed the fire department Property Release form and instructed to follow instructions on the form and to contact her insurance company. A copy of the form was given to her, and she was advised on how to obtain a fire report.

Capt. Nguyen

Member Making Report (Captain Thanh Nguyen): _____

Supervisor (Captain Thanh Nguyen): _____

[10/20/17 08:19:13 M080] GB1 PAGED MOVE UPS COMPLETE
[10/20/17 08:18:59 M072] CB1 SAFTEY
[10/20/17 08:18:55 M072] GB1 CB1 ASSUMED SAFTEY
[10/20/17 08:17:12 M072] GE6 OS W/3
[10/20/17 08:17:02 M072] GES KNOCKDOWN, COMING OUT FOR AIR, GE7 CHECKING FOR EXTENSION
[10/20/17 08:15:41 M072] GE5 COMPLETED PRIMARY, WE HAVE KNOCKDOWN
[10/20/17 08:15:00 M072] GM1 FIRE ATTACK
[10/20/17 08:14:54 M072] GB1 GM1 ASSIGNED TO FIRE ATTACK, ASSIST W/SECONDARY CLEAR
[10/20/17 08:14:33 M072] GM1 OS W/2
[10/20/17 08:13:57 M072] INCIDENT CLOCK ACKED: 08:13:57
[10/20/17 08:13:07 M072] GE1 ON ALPHA SIDE NO EXTENSION, CANNOT MAKE IT TO CHARLIE/DELTA SIDE FOR CHECK
[10/20/17 08:11:17 M072] GB1 UPGRADE 2ND ALARM
[10/20/17 08:11:07 M080] Updated to ALARM LEVEL 2.
[10/20/17 08:10:55 M072] GE5 PRIMARY CLEAR, REQ ADDL MAN POWER FOR SECONDARY
[10/20/17 08:09:39 M072] AT6 VENT
[10/20/17 08:09:33 M072] GB1 AT6 ASSIGNED VENT GROUP
[10/20/17 08:08:51 M072] AT6 OS W/4 STAGED JOSEPHINE/LAMPSON
[10/20/17 08:08:27 M072] GT1 HEADING TO 3RD UNIT FOR VENTILATION
[10/20/17 08:08:10 M072] GE2 POSSIBLE EXTENSION TO ATTIC
[10/20/17 08:08:03 KOP5] INCIDENT CLOCK ELAPSED: 08:08:03
[10/20/17 08:07:48 M072] GE2 SMOKE FROM MULTIPLE VENTS ON ROOF
[10/20/17 08:07:32 M072] GB1 GE1 ASSIST EXPOSURE GROUP, CHECK FOR EXTENSION
[10/20/17 08:07:12 M072] GE1 OS W/3 FROM SOUTH
[10/20/17 08:06:00 M072] GE2 CHARLIE DIVISION
[10/20/17 08:05:49 M072] GE2 SC Removed
[10/20/17 08:05:41 M072] GB1 GE2 IS NOW DIVISION CHARLIE
[10/20/17 08:04:45 M072] GB1 JOSEPHINE COMMAND
[10/20/17 08:04:37 M072] GE7 FIRE ATTACK
[10/20/17 08:04:32 M072] GT1 VENT
[10/20/17 08:04:28 M072] GE2 EXPOSURE
[10/20/17 08:04:23 M072] GB1 GE7 ASSIST W/FIRE ATTACK
[10/20/17 08:04:04 M072] GB1 OS, ASSUMING JOSEPHINE COMMAND, COMMAND POST AT JOSEPHINE NORTH OF INCIDENT, GE5 FIRE ATTACK, GT1 VENT, GE2 EXPOSURE, ALPHA SIDE TACTICAL
[10/20/17 08:03:13 M072] GE5 BEST ACCESS FROM JOSEPHINE
[10/20/17 08:02:20 M072] GT1 OS W/3
[10/20/17 08:01:38 M072] GE2 HITTING FIRE FROM EAST SIDE, FLAMES ON WIRES
[10/20/17 08:00:19 M072] GE5 FIRE ATTACK
[10/20/17 08:00:10 M072] GE5 OS JOSEPHINE, 12724 JOSEPHINE, SINGLE STORY DUPLEX/MULTIPLEX, HEAVY SMOKE, FIRE ATTACK
[10/20/17 08:00:04 M080] CB1 AVAIL INC 54
[10/20/17 07:58:58 M072] GB1 UPGRADE TO WORKING
[10/20/17 07:58:54 M080] Situation Updated: 167 (STRUCTURE FIRE-WORKING)
[10/20/17 07:58:00 M072] GE2 ONE STREET TO WEST OF REPORTED ADDR, BACKYARD OF RES AT THAT LOCATION
[10/20/17 07:56:35 M072] GE2 SMOKE TO REAR OF RES, DETERMINING IF RES OR RES ON STREET TO WEST, INV, CONTINUE C3
[10/20/17 07:56:08 M027] INC DUPE TO 54/61
[10/20/17 07:55:29 M079] DUPE CALLS 57 54
[10/20/17 07:55:09 M072] DUPE CALLS 54 56
[10/20/17 07:53:03 M080] INCIDENT CLOCK STARTED: 07:53:03 FOR 15 MINUTES
[10/20/17 07:53:03 M080] Situation Updated: 166 (STRUCTURE FIRE-RESIDENTIAL)