



**Garden Grove Fire Department**  
 Station: G07  
 Shifts Or Platoon: B

Location: <b>14391 LAKE ST</b> <b>Garden Grove CA 00000</b>	Incident Type: <b>111 - Building fire</b>
Lat/Long: <b>N 33° 46' 0.79"</b> <b>W 117° 56' 40.45"</b>	FDID: <b>30035</b> Incident #: <b>2017-714187</b> Exposure ID: <b>28687646</b> Exposure #: <b>0</b> Incident Date: <b>12/13/2017</b> Dispatch Run #: <b>F173470303</b>
Location Type: <b>1 - Street address</b> Map Page: <b>828F2</b>	

<b>Report Completed by:</b>	Pardoen , Brent C	<b>ID:</b> 3376	<b>Date:</b> 12/15/2017
<b>Report Reviewed by:</b>	Pardoen , Brent C	<b>ID:</b> 3376	<b>Date:</b> 12/15/2017
<b>Report Printed by:</b>	Guardi, Lisa	<b>ID:</b> 4433	<b>Date:</b> 12/21/2017 <b>Time:</b> 13:52

Structure Type: <b>Enclosed building</b>	Property Use: <b>419 - 1 or 2 family dwelling</b>		
Automatic Extinguishment System Present: <input type="checkbox"/>	Detectors Present: <input type="checkbox"/>	Cause of Ignition: <b>Cause under investigation</b>	
Aid Given or Received: <b>None</b>	Primary action taken: <b>11 - Extinguishment by fire service personnel</b>		
<b>Losses</b>	<b>Pre-Incident Values</b>		
Property:	Property:	Civilian Injuries: <b>0</b>	Fire Service Injuries: <b>0</b>
Contents:	Contents:	Civilian Fatalities: <b>0</b>	Fire Service Fatalities: <b>0</b>
Total:	Total:	Total Casualties: <b>0</b>	Total Fire Service Casualties: <b>0</b>
Total # of apparatus on call: <b>4</b>		Total # of personnel on call: <b>12</b>	

**Narrative from dispatch:**

[12/14/17 07:20:37 M024] DUPE CALL 303 304 306 307  
 [12/13/17 18:11:04 M007] OCFA HAS CLOSED CALL 17-136544  
 [12/13/17 17:46:00 M022] GB1 REQ OCEAN BLUE  
 [12/13/17 16:59:22 M054] GB1 DISSOLVING COMMAND, 2N CLEAR  
 [12/13/17 16:36:24 M054] INCIDENT CLOCK STOPPED: 16:36:24  
 [12/13/17 16:31:08 M054] GB1 MADE CONTACT W/INVESTIGATOR, ENRT TO LOCATION  
 [12/13/17 16:23:59 M054] GB1 REQ INVESTIGATOR  
 [12/13/17 16:23:45 M054] INCIDENT CLOCK ACKED: 16:23:45  
 [12/13/17 16:23:18 KOPS] INCIDENT CLOCK ELAPSED: 16:23:18  
 [12/13/17 16:22:37 M054] GB1 RELEASING VE32 & VB3  
 [12/13/17 16:22:15 M054] VE32 RIC  
 [12/13/17 16:21:31 M054] GB1 RELEASING CE66  
 [12/13/17 16:21:11 M054] GB1 FIRE UNDER CONTROL  
 [12/13/17 16:18:57 M054] GB1 AT6 CANCELLED  
 [12/13/17 16:12:39 M054] GE7 SECONDARY ALL CLEAR  
 [12/13/17 16:11:59 M054] AT6 OS W/4  
 [12/13/17 16:11:45 M054] CE78 SALVAGE  
 [12/13/17 16:11:05 M054] GB1 PRIMARY ALL CLEAR  
 [12/13/17 16:10:52 M054] CE66 UTILITIES SECURE  
 [12/13/17 16:10:15 M054] GE7 PRIMARY SEARCH ALL CLEAR, ATTIC FIRE IN CHECK  
 [12/13/17 16:08:54 M054] CE66 UTILITIES  
 [12/13/17 16:08:38 M054] INCIDENT CLOCK ACKED: 16:08:38  
 [12/13/17 16:08:24 M054] GT1 VENTILATION GROUP  
 [12/13/17 16:08:18 KOPS] INCIDENT CLOCK ELAPSED: 16:08:18  
 [12/13/17 16:08:10 M054] GT1 OS W/4  
 [12/13/17 16:07:50 M054] VB3 SAFETY  
 [12/13/17 16:07:28 M054] CE78 OS W/4  
 [12/13/17 16:07:14 M054] CE66 HEAVY BLACK SMOKE FROM DELTA SIDE, POSSIBLY IN ATTIC

[12/13/17 16:06:34 M022] VB3 AND HB4 ADV HE48 MOVED UP TO V02  
 [12/13/17 16:06:01 M054] VE32 RIG  
 [12/13/17 16:05:55 M054] VE32 OS W/4  
 [12/13/17 16:05:42 M054] CE66 FORCEABLE ENTRY ISSUE  
 [12/13/17 16:04:37 M054] GB1 SMOKE FROM ATTIC  
 [12/13/17 16:02:26 M054] CM46 PRIMARY GROUP  
 [12/13/17 16:01:43 M022] CARE ADV GA3 ONLY  
 [12/13/17 16:01:34 M022] AMBULANCE CANCELLED: CARE ADV  
 [12/13/17 16:00:53 M087] DUPE CALLS 303 311  
 [12/13/17 16:00:35 M054] CE66 OS W/4  
 [12/13/17 16:00:30 M054] GE1 WATER SUPPLY  
 [12/13/17 16:00:08 M054] GB1 LAKE COMMAND  
 [12/13/17 16:00:01 M054] GB1 OS  
 [12/13/17 15:59:54 M054] GE1 OS W/3  
 [12/13/17 15:59:38 M054] GE7 FIRE ATTACK  
 [12/13/17 15:59:30 M022] GB1 ADV GE4 MOVED UP TO G01  
 [12/13/17 15:59:29 M054] GE7 OS W/4, FULLY ENGULFED GARAGE,  
 [12/13/17 15:58:46 M054] GE7 FIRE ATTACK  
 [12/13/17 15:58:33 M022] AMBULANCE DISPATCHED: CARE C2  
 [12/13/17 15:57:47 M054] PAGED GB1 OF ADDITIONALL WORKING FIRE UNITS  
 [12/13/17 15:56:41 M054] GB1 UPGRADE TO WORKING FIRE  
 [12/13/17 15:56:41 M022] Situation Updated: 167 (STRUCTURE FIRE-WORKING)  
 [12/13/17 15:56:25 M087] DUPE CALLS 303 307  
 [12/13/17 15:55:43 M087] DUPE CALLS 303 306  
 [12/13/17 15:53:41 M007] CALL TRANSFER TO OCFA SUCCEEDED  
 [12/13/17 15:53:18 M087] INCIDENT CLOCK STARTED: 15:53:18 FOR 15 MINUTES

**NARRATIVE (2)****Narrative Title:** n/a**Narrative Author:** Waldschmidt, David**Narrative Date:** 12/13/2017 23:45:28**Narrative Apparatus ID:** n/a**Narrative:**

ge7 and first alarm units responded to single story residential for reported structure fire. Upon arrival heavy fire found coming from attached garage. ge7 initiated fire attack and primary search while . first alarm units performed ventilation, salvage/overhaul and secured utilities Fire extinguished and kept mostly to are of origin with minor extension to attached bedroom areas. Occupants state while walking through front room of house they saw flames coming from garage area and immediately evacuated structure and called 911. Fire is currently under investigation and cause at this time is undetermined and appears to be accidental in nature. no injuries reported. Clean up of red liquid in gutter secondary to spill in garage of unknown substance performed by ocean blue during overhaul. Release and assumption of risk of real property after emergency response signed by owner van ho telephone number 7144001298. Area scanned via TIC prior to clear time with no heat signatures found.

Captain Waldschmidt

**NARRATIVE (3)****Narrative Title:** STRUCTURE FIRE-GARAGE**Narrative Author:** Pardoen, Brent**Narrative Date:** 12/15/2017 08:56:31**Narrative Apparatus ID:** GE1**Narrative:**

GE1 RESPONDED ON A STRUCTURE FIRE AND WAS SECOND ENGINE ON SCENE. GE1 COMPLETED GE7 WATER SUPPLY AND WAS ASSIGNED TO BACK UP FIRE ATTACK WITH GE7.

CAPTAIN PARDOEN

<b>APPARATUS</b>			
<b>Fire Controlled Date / Time:</b>		12/13/2017 9:12:24 PM	
<b>Unit</b>	GB1	<b>Unit</b>	GE1
<b>Type:</b>	Chief officer car	<b>Type:</b>	Engine
<b>Use:</b>	Suppression	<b>Use:</b>	Suppression
<b>Response Mode:</b>	()	<b>Response Mode:</b>	Lights and Sirens
<b># of People</b>	1	<b># of People</b>	4
<b>Alarm</b>	12 /13/2017 15:52:27	<b>Alarm</b>	12 /13/2017 15:52:27
<b>Dispatched</b>	12 /13/2017 15:53:17	<b>Dispatched</b>	12 /13/2017 15:53:17
<b>Enroute</b>	12 /13/2017 15:55:38	<b>Enroute</b>	12 /13/2017 15:54:36
<b>Arrived</b>	12 /13/2017 16:00:28	<b>Arrived</b>	12 /13/2017 15:59:50
<b>Cancelled</b>	-- / -- / -- -- : -- : --	<b>Cancelled</b>	-- / -- / -- -- : -- : --
<b>Cleared Scene</b>	12 /13/2017 19:55:37	<b>Cleared Scene</b>	12 /13/2017 20:28:17
<b>In Quarters</b>	12 /13/2017 19:55:37	<b>In Quarters</b>	12 /13/2017 20:28:17
<b>In Service</b>	12 /13/2017 19:55:37	<b>In Service</b>	12 /13/2017 20:28:17
<b>Unit</b>	GE7	<b>Unit</b>	GT1
<b>Type:</b>	Engine	<b>Type:</b>	Truck or aerial
<b>Use:</b>	Suppression	<b>Use:</b>	Suppression
<b>Response Mode:</b>	()	<b>Response Mode:</b>	()
<b># of People</b>	3	<b># of People</b>	4
<b>Alarm</b>	12 /13/2017 15:52:27	<b>Alarm</b>	12 /13/2017 15:52:27
<b>Dispatched</b>	12 /13/2017 15:53:17	<b>Dispatched</b>	12 /13/2017 15:53:17
<b>Enroute</b>	12 /13 /2017 15:55:17	<b>Enroute</b>	12 /13/2017 15:54:37
<b>Arrived</b>	12 /13/2017 15:58:34	<b>Arrived</b>	12 /13/2017 16:08:07
<b>Cancelled</b>	-- / -- / -- -- : -- : --	<b>Cancelled</b>	-- / -- / -- -- : -- : --
<b>Cleared Scene</b>	12 /13/2017 21:06:09	<b>Cleared Scene</b>	12 /13/2017 21:12:24
<b>In Quarters</b>	12 /13/2017 21:06:09	<b>In Quarters</b>	12 /13/2017 21:12:24
<b>In Service</b>	12 /13/2017 21:06:09	<b>In Service</b>	12 /13/2017 21:12:24
<b>Number Of People not on apparatus: 0</b>			

<b>FIRE</b>			
<b>Acres Burned</b>	None or Less Than One	<b>Acres Burn From Wildland Form</b>	False
<b>Area Of Fire Origin</b>	Undetermined	<b>Heat Source</b>	Undetermined
<b>Item First Ignited</b>	Undetermined	<b>Fire Is Confined To Object Of Origin</b>	
<b>Type Of Material</b>	Undetermined	<b>Cause Of Ignition</b>	Cause under investigation
<b>Factor Contributing To Ignition</b>	Undetermined		
<b>Human Factors Contributing</b>	None		

<b>STRUCTURE FIRE</b>			
<b>Structure Type</b>	Enclosed building	<b>Building Status</b>	In normal use
<b># Of Stories At Above Grade</b>	1	<b># Of Stories Below Grade</b>	0
<b>Square Feet</b>	1600	<b>Length</b>	
<b>Width</b>		<b>Floor Of Origin</b>	1
<b>Fire Spread</b>	Confined to building of origin		
<b>Minor Damage</b>	0	<b>Significant Damage</b>	0
<b>Heavy Damage</b>	0	<b>Extreme Damage</b>	0

<b>ARSON</b>		
<b>Agency Name</b>	<b>Agency Address</b>	<b>Agency Phone</b>
	000000	

<b>PEOPLE -- PERSON 1</b>			
<b>Telephone Number</b>	6265457596	<b>Involvement</b>	Caller
<b>Name</b>	T-MOBILE (877) 653-7911	<b>Date of Birth</b>	
<b>Address</b>	14609 WARD ST CA 00000-		

<b>CUSTOM FIELDS FORM</b>	
<b>What happened?</b>	We provided fire and rescue service
<b>Fire Incident - What happened?</b>	

Member Making Report (Captain Brent C Pardoen): \_\_\_\_\_

Supervisor (Captain Brent C Pardoen): \_\_\_\_\_