



Garden Grove Fire Department
 Station: **G02**
 Shifts Or Platoon: **A**

Location: 9701 MAUREEN DR Garden Grove CA 92640	Incident Type: 111 - Building fire
Lat/Long: N 33° 48' 8.65" W 117° 57' 50.25"	FDID: 30035 Incident #: 2019-901709 Exposure ID: 37702064 Exposure #: 0 Incident Date: 02/08/2019 Dispatch Run #: F190390005
Location Type: 1 - Street address Map Page: 798C2	

Report Completed by:	Breneman , Jerry R	ID: 1605	Date: 02/08/2019
Report Reviewed by:	Breneman , Jerry R	ID: 1605	Date: 02/08/2019
Report Printed by:	Guardi, Lisa	ID: 4433	Date: 2/14/2019 Time: 10:50

Structure Type: Enclosed building	Property Use: 400 - Residential, other	
Automatic Extinguishment System Present: <input type="checkbox"/>	Detectors Present: <input type="checkbox"/>	Cause of Ignition: Cause under investigation
Aid Given or Received: None	Primary action taken: 11 - Extinguishment by fire service personnel	
Additional actions: 12 - Salvage & overhaul , 86 - Investigate		
Losses	Pre-Incident Values	
Property:	Property:	Civilian Injuries: 0 Fire Service Injuries: 0
Contents:	Contents:	Civilian Fatalities: 0 Fire Service Fatalities: 0
Total:	Total:	Total Casualties: 0 Total Fire Service Casualties: 0
Total # of apparatus on call: 4	Total # of personnel on call: 10	

Narrative from dispatch:

2019/02/08 00:33:36
 [02/08/19 00:33:36 KOPS] District: C Report No: 19-015533
 2019/02/08 00:23:45
 [02/08/19 00:23:45 KOPS] District: A Report No: A1903901
 2019/02/08 00:09:28
 [02/08/19 00:09:28 KOPS] District: G Report No: G1901709
 2019/02/08 02:55:23
 [02/08/19 02:55:23 M041] GE2 PD REMAINING OS
 2019/02/08 02:21:22
 [02/08/19 02:21:22 M060] GB1 DISSOLVING COMMAND, GE2 POINT OF CONTACT, RELEASE 2L
 2019/02/08 02:05:20
 [02/08/19 02:05:20] OCFA HAS CLOSED CALL 19-015533
 2019/02/08 01:33:00
 [02/08/19 01:33:00 M060] GB1 RELEASING AE4
 2019/02/08 01:31:34
 [02/08/19 01:31:34 M060] AE6 CHARLIE/DELTA SIDE BURNT THROUGH, USE CAUTION, STAY AWAY FROM CORNER
 2019/02/08 01:23:09
 [02/08/19 01:23:09 M060] GT1 PASSING VENT GROUP TO AT6, REHAB FOR GT1/GM1
 2019/02/08 01:20:06
 [02/08/19 01:20:06 M060] AE4 AE6 ASSUMING FIRE ATTACK, SWITCHING BOTTLES
 2019/02/08 01:16:46
 [02/08/19 01:16:46 M060] AE4 ELECTRICAL POLE ON DELTA SIDE
 2019/02/08 01:13:33
 [02/08/19 01:13:33 M060] AT6 NO HAZARD, JUST WATER
 2019/02/08 01:12:59
 [02/08/19 01:12:59 M060] GT1 FIRE INSIDE SECONDARY ROOF
 2019/02/08 01:11:05
 [02/08/19 01:11:05 M060] AE4 SOME SORT OF LIQUID IN A DECENT SIZE CONTAINER ON THE INSIDE OF INTERIOR, HAVE ALL CREWS WEAR PPE WHILE WORKING ON INTERIOR
 2019/02/08 01:09:24
 [02/08/19 01:09:24 M060] INCIDENT CLOCK STOPPED: 01:09:24
 2019/02/08 01:09:22

[02/08/19 01:09:22 M060] GB1 STOP INCIDENT CLOCK, REQ ETA FROM EDISON
2019/02/08 01:09:12
[02/08/19 01:09:12 M060] BARCLAY COMMAND ADVISED 45 MINS ON INCIDENT CLOCK
2019/02/08 01:08:55
[02/08/19 01:08:55 M060] INCIDENT CLOCK ACKED: 01:08:55
2019/02/08 01:08:52
[02/08/19 01:08:52 M060] GB1 NEGATIVE ON OVERHEAD NOTIFICATIONS
2019/02/08 01:08:45
[02/08/19 01:08:45 KOPS] INCIDENT CLOCK ELAPSED: 01:08:45
2019/02/08 01:06:14
[02/08/19 01:06:14 M060] GB1 ILLEGAL GROW OPERATION, REQ GT1 W/ ASSISTANCE ON INV
2019/02/08 01:02:33
[02/08/19 01:02:33 M060] AT6 GAS IS SHUT OFF, FAN IS AT FRONT DOOR
2019/02/08 00:57:08
[02/08/19 00:57:08 M060] AE4 CE46 PULLING ADDL LINE OVER WALL
2019/02/08 00:54:22
[02/08/19 00:54:22 M060] GB1 CONTINUE INCIDENT CLOCK DUE TO FIRE IN ATTIC
2019/02/08 00:53:51
[02/08/19 00:53:51 M060] INCIDENT CLOCK ACKED: 00:53:51
2019/02/08 00:53:44
[02/08/19 00:53:44 KOPS] INCIDENT CLOCK ELAPSED: 00:53:44
2019/02/08 00:53:41
[02/08/19 00:53:41 M060] BARCLAY COMMAND ADVISED 30 MINS ON INCIDENT CLOCK
2019/02/08 00:52:00
[02/08/19 00:52:00 M060] AE4 HOSE LINE ON FIRE IN ATTIC
2019/02/08 00:51:33
[02/08/19 00:51:33 M060] GB1 WORKING FIRE IN THE ATTIC
2019/02/08 00:51:27
[02/08/19 00:51:27 M022] EDISON REQ, ORDER #29-15567
2019/02/08 00:50:37
[02/08/19 00:50:37 M060] GB1 ALL UNITS BE ADVISED USE CAUTION, ELECTRICITY IS STILL LIVE
2019/02/08 00:50:09
[02/08/19 00:50:09 M060] GB1 USE CAUTION, START WARBLES
2019/02/08 00:49:38
[02/08/19 00:49:38 M060] AE4 REQ EDISON, UNABLE TO SHUT OFF ELECTRICITY
2019/02/08 00:49:16
[02/08/19 00:49:16 M060] AE4 SECONDARY ALL CLEAR, WORKING ON UTILITIES
2019/02/08 00:48:36
[02/08/19 00:48:36 M060] AB2 SAFETY
2019/02/08 00:47:42
[02/08/19 00:47:42 M060] GB1 INVESTIGATOR OS
2019/02/08 00:47:35
[02/08/19 00:47:35 M060] AE4 REQ INVESTIGATOR, HAZMAT NOT NEEDED
2019/02/08 00:46:40
[02/08/19 00:46:40 M060] AE4 KNOCK DOWN, PRIMARY ALL CLEAR, FERTILIZER OS
2019/02/08 00:46:18
[02/08/19 00:46:18 M060] GB1 AE4 FIRE ATTACK
2019/02/08 00:45:20
[02/08/19 00:45:20 M060] AT6 UTILITES
2019/02/08 00:44:46
[02/08/19 00:44:46 M060] GT1 AT6 ASSIST W/ UTILITES
2019/02/08 00:43:02
[02/08/19 00:43:02 M060] CM46 RIC
2019/02/08 00:43:02
[02/08/19 00:43:02 M060] CE46 RIC
2019/02/08 00:42:57
[02/08/19 00:42:57 M060] GB1 CE46 AND CM46 ASSUMING RIC
2019/02/08 00:42:14
[02/08/19 00:42:14 M060] AB2 OS
2019/02/08 00:42:06
[02/08/19 00:42:06 M060] BARCLAY IC ADVISED 17 MINS ON INCIDENT CLOCK
2019/02/08 00:40:53
[02/08/19 00:40:53 M026] OB1 AB1 AB2 PAGED REGARDING MOVE UP
2019/02/08 00:40:35
[02/08/19 00:40:35 M060] AE4 ON CHARLIE SIDE, VERTICAL VENTILATION NEEDED
2019/02/08 00:40:23
[02/08/19 00:40:23 M026] GB1 PAGED REGARDING MOVE UP
2019/02/08 00:39:43
[02/08/19 00:39:43 M060] GE2 HOLD OFF ON VENT, NEED FAN AT FRONT DOOR
2019/02/08 00:39:04
[02/08/19 00:39:04 M060] INCIDENT CLOCK ACKED: 00:39:04
2019/02/08 00:38:45
[02/08/19 00:38:45 KOPS] INCIDENT CLOCK ELAPSED: 00:38:45
2019/02/08 00:38:02

[02/08/19 00:38:02 M060] GB1 BARLCAY IC
 2019/02/08 00:37:47
 [02/08/19 00:37:47 M060] GB1 ASSUMING BARCLAY IC, COMMAND POST ON BARCLAY/MAUREEN, ALPHA IS ADDR FRONT
 2019/02/08 00:34:59
 [02/08/19 00:34:59 M022] AB1 ADV AB2 INTO GGV FOR WORKING FIRE BC
 2019/02/08 00:34:57
 [02/08/19 00:34:57 M060] AE4 ASSIST FIRE ATTACK
 2019/02/08 00:34:52
 [02/08/19 00:34:52 M060] AE6 AE4 ASSIST FIRE ATTACK
 2019/02/08 00:34:38
 [02/08/19 00:34:38 M060] GT1 VENT GROUP
 2019/02/08 00:34:22
 [02/08/19 00:34:22 M060] AE6 VENT GROUP
 2019/02/08 00:34:05
 [02/08/19 00:34:05 M060] AE6 BARCLAY COMMAND
 2019/02/08 00:34:01
 [02/08/19 00:34:01 M060] AE6 BARCLAY COMMAND, WORKING FIRE TO CHARLIE SIDE, GE2 FIRE ATTACK
 2019/02/08 00:33:33
 [02/08/19 00:33:33] CALL TRANSFER TO OCFA SUCCEEDED
 2019/02/08 00:33:26
 [02/08/19 00:33:26 M026] Situation Updated: 167 (STRUCTURE FIRE-WORKING)
 2019/02/08 00:33:22
 [02/08/19 00:33:22 M060] GB1 UPGRADE TO WF
 2019/02/08 00:33:07
 [02/08/19 00:33:07 M060] AE4 OS W/4\
 2019/02/08 00:32:18
 [02/08/19 00:32:18 M060] GE2 AE6 ASSUME COMMAND
 2019/02/08 00:31:35
 [02/08/19 00:31:35 M060] GE2 FIRE ATTACK
 2019/02/08 00:31:24
 [02/08/19 00:31:24 M060] AE6 OS W/4
 2019/02/08 00:31:19
 [02/08/19 00:31:19 M060] GE2 1 STORY SINGLE FAMILY RES, HEAVY FIRE SHOWING FROM CHARLIE SIDE, ATTACK
 MODE, ACCESS CHARLIE SIDE, CANNOT ACCESS FROM ALPHA SIDE, LINE OVER WALL OR BARCLAY
 2019/02/08 00:31:07
 [02/08/19 00:31:07 M022] GGPD REQ
 2019/02/08 00:28:02
 [02/08/19 00:28:02 M022] Situation Updated: 166 (STRUCTURE FIRE-RESIDENTIAL)
 2019/02/08 00:27:18
 [02/08/19 00:27:18 M060] Location Updated: 9701 MAUREEN DR (G2119)
 2019/02/08 00:27:10
 [02/08/19 00:27:10 M060] GE2 UPDATED LOC 9701 MAUREEN
 2019/02/08 00:26:13
 [02/08/19 00:26:13 M026] AT6 PAGED TO CANCEL
 2019/02/08 00:23:45
 [02/08/19 00:23:45 M026] INCIDENT CLOCK STARTED: 00:23:45 FOR 15 MINUTES
 2019/02/08 00:23:45
 [02/08/19 00:23:45 M026] Situation Updated: 165 (STRUCTURE FIRE-COMMERCIAL)
 2019/02/08 00:23:23
 [02/08/19 00:23:23 M060] GE2 UPGRADE TO STRUCTURE

NARRATIVE (2)

Narrative Title: FIRE

Narrative Author: Breneman, Jerry

Narrative Date: 02/08/2019 11:09:04

Narrative Apparatus ID: GE2

Narrative:

GE2 RESPONDED TO A SMOKE INVESTIGATION IN THE AREA OF BARCLAY AND KATELLA TO FIND HEAVY SMOKE FROM THE REAR OF A ONE STORY RESIDENTIAL AT THE UPDATED ADDRESS. GE2 BALANCED THE ASSIGNMENT TO A STRUCTURE RESPONSE AND WENT INTO ATTACK MODE USING 1 3/4" PRE-CONNECT. FIRE ATTACK WAS MADE ON THE CHARLIE SIDE OF THE STRUCTURE THROUGH A SLIDING DOOR WHERE A MAJORITY OF THE FIRE WAS LOCATED. FIRE WAS ALSO FOUND TO BE IN THE ATTIC SPACE OF THE STRUCTURE. GB1 ARRIVED ON SCENE, ASSUMED COMMAND, ASSIGNED GE2 TO FIRE ATTACK AND ASSIGNED ALL OTHER RESOURCES AS APPROPRIATE. A PRIMARY AND SECONDARY SEARCH WERE ALL CLEAR. DURING THESE SEARCHES IT WAS FOUND THAT THE HOME WAS BEING UTILIZED AS A MARIJUANA GROW HOUSE WHICH INCLUDED SCABBED-IN ELECTRICITY AND MODIFICATIONS TO THE CONSTRUCTION OF THE HOME. EDISON RESPONDED AND SECURED ELECTRICITY TO THE PROPERTY AND ALL OTHER UTILITIES WERE SHUT-OFF. FIRE KNOCK DOWN WAS ANNOUNCED IN JUST OVER 30 MINUTES. GI1 AND GI4 INVESTIGATED THE FIRE WHICH IS STILL ONGOING. OVERHAUL WAS CONDUCTED BY GE2 AND GT1 UTILIZING FOAM. GGPD REMAINED ON SCENE TO CONDUCT THEIR INVESTIGATION. GE2 COMPLETED.

APPARATUS			
Fire Controlled Date / Time:		2/8/2019 12:45:00 AM	
Unit	GB1	Unit	GE2
Type:	Chief officer car	Type:	Engine
Use:	Suppression	Use:	Suppression
Response Mode:	()	Response Mode:	()
# of People	1	# of People	4
Alarm	02 /08/2019 00:09:13	Alarm	02 /08/2019 00:09:13
Dispatched	02 /08/2019 00:23:44	Dispatched	02 /08/2019 00:09:28
Enroute	02 /08/2019 00:25:43	Enroute	02 /08/2019 00:10:44
Arrived	02 /08/2019 00:35:10	Arrived	02 /08/2019 00:25:02
Cancelled	-- /-- /-- -- :-- :--	Cancelled	-- /-- /-- -- :-- :--
Cleared Scene	02 /08/2019 02:24:04	Cleared Scene	02 /08/2019 02:57:06
In Quarters	02 /08/2019 02:35:03	In Quarters	-- /-- /-- -- :-- :--
In Service	02 /08/2019 02:24:04	In Service	02 /08/2019 02:57:06
Unit	GM1	Unit	GT1
Type:	ALS unit	Type:	Truck or aerial
Use:	EMS	Use:	Suppression
Response Mode:	()	Response Mode:	()
# of People	2	# of People	3
Alarm	02 /08/2019 00:09:13	Alarm	02 /08/2019 00:09:13
Dispatched	02 /08/2019 00:40:43	Dispatched	02 /08/2019 00:23:44
Enroute	02 /08/2019 00:40:43	Enroute	02 /08/2019 00:25:22
Arrived	02 /08/2019 00:46:45	Arrived	02 /08/2019 00:33:16
Cancelled	-- /-- /-- -- :-- :--	Cancelled	-- /-- /-- -- :-- :--
Cleared Scene	02 /08/2019 02:10:02	Cleared Scene	02 /08/2019 02:55:44
In Quarters	-- /-- /-- -- :-- :--	In Quarters	-- /-- /-- -- :-- :--
In Service	02 /08/2019 02:10:02	In Service	02 /08/2019 02:55:44
Number Of People not on apparatus: 0			

FIRE			
Acres Burned	None or Less Than One	Acres Burn From Wildland Form	False
Area Of Fire Origin	Equipment or service area, other	Heat Source	Heat from powered equipment, other
Item First Ignited	Undetermined	Fire Is Confined To Object Of Origin	
Type Of Material	Undetermined	Cause Of Ignition	Cause under investigation
Factor Contributing To Ignition	Electrical failure, malfunction, other		
Human Factors Contributing	None		
Equipment Involved In Ignition Flag	True	Equipment Involved	Electrical distribution, power transfer, other
Equipment Power Source	Electrical, other	Equipment Portability	Stationary

STRUCTURE FIRE			
Structure Type	Enclosed building	Building Status	Building status, other
# Of Stories At Above Grade	1	# Of Stories Below Grade	0
Square Feet	1800	Length	
Width		Floor Of Origin	1
Fire Spread	Confined to building of origin		
Minor Damage	0	Significant Damage	0
Heavy Damage	0	Extreme Damage	0

ARSON		
Agency Name	Agency Address	Agency Phone
	MAUREEN DRIVE	

PEOPLE -- PERSON 1			
Telephone Number	6572427336	Involvement	Caller
Name	CELL	Date of Birth	
Address	9501 CERRITOS AVE GARDEN GROVE, CA 92841-		

CUSTOM FIELDS FORM	
What happened?	We provided fire and rescue service
Was this patient homeless?	Not applicable
Fire Incident - What happened?	

PERSONNEL ON CALL			
Name	Personnel Rank	Role(s)	Apparatus
Bauer, Lucas B	Engineer		GT1
Breneman, Jerry R	Captain		GE2
Carlson, Dave	Firefighter / Paramedic		GE2
Hawkins, Christopher	Firefighter / Paramedic		GM1
Jemiola, Jordan R	Engineer		GE2
Lindsay, Corey L	Firefighter		GT1
Norrdin, Eric S	Firefighter / Paramedic		GM1
Strohm, Bill	Captain		GT1
Thorson, Eric	Paramedic / Tiller		GE2
Truhill, Justin P	Battalion Chief		GB1

Member Making Report (Captain Jerry R Breneman): _____

Incident Reviewer (Captain Jerry R Breneman): _____