



**Garden Grove Fire Department**  
 Station: **G02**  
 Shifts Or Platoon: **A**

Location: <b>10866 WESTMINSTER AVE # 37</b> <b>Garden Grove CA 92640</b>	Incident Type: <b>111 - Building fire</b>
Lat/Long: <b>N 33° 45' 30.9"</b> <b>W 117° 56' 30.11"</b>	FDID: <b>30035</b> Incident #: <b>2019-902878</b> Exposure ID: <b>38368619</b> Exposure #: <b>0</b> Incident Date: <b>03/07/2019</b> Dispatch Run #: <b>F190660145</b>
Location Type: <b>1 - Street address</b> Map Page: <b>828F1</b>	

<b>Report Completed by:</b>	Breneman , Jerry R	<b>ID:</b> 1605	<b>Date:</b> 03/07/2019
<b>Report Reviewed by:</b>	Breneman , Jerry R	<b>ID:</b> 1605	<b>Date:</b> 03/07/2019
<b>Report Printed by:</b>	Guardi, Lisa	<b>ID:</b> 4433	<b>Date:</b> 3/18/2019 <b>Time:</b> 10:59

Structure Type: <b>Fixed portable or mobile structure</b>	Property Use: <b>400 - Residential, other</b>
Automatic Extinguishment System Present: <input type="checkbox"/>	Detectors Present: <input checked="" type="checkbox"/> Cause of Ignition: <b>Unintentional</b>
Aid Given or Received: <b>None</b>	Primary action taken: <b>11 - Extinguishment by fire service personnel</b>
Additional actions: <b>86 - Investigate , -</b>	
<b>Losses</b>	<b>Pre-Incident Values</b>
Property:	Property: Civilian Injuries: <b>0</b> Fire Service Injuries: <b>0</b>
Contents:	Contents: Civilian Fatalities: <b>0</b> Fire Service Fatalities: <b>0</b>
Total:	Total: Total Casualties: <b>0</b> Total Fire Service Casualties: <b>0</b>
Total # of apparatus on call:	<b>5</b> Total # of personnel on call: <b>15</b>

**Narrative from dispatch:**

2019/03/07 11:17:20  
 [03/07/19 11:17:20 KOPS] District: C Report No: 19-026654  
 2019/03/07 11:17:12  
 [03/07/19 11:17:12 KOPS] District: G Report No: G1902878  
 2019/03/07 12:31:20  
 [03/07/19 12:31:20] OCFA HAS CLOSED CALL 19-026654  
 2019/03/07 12:13:44  
 [03/07/19 12:13:44 M033] GE2 STILL NOT AVAIL  
 2019/03/07 12:12:56  
 [03/07/19 12:12:56 M033] GE2 PAGED FOR STATUS  
 2019/03/07 11:45:06  
 [03/07/19 11:45:06 M024] CB1 RELEASING GE1 GE6  
 2019/03/07 11:35:07  
 [03/07/19 11:35:07 M024] CB1 RELEASING GE3  
 2019/03/07 11:32:50  
 [03/07/19 11:32:50 M024] INCIDENT CLOCK STOPPED: 11:32:50  
 2019/03/07 11:32:48  
 [03/07/19 11:32:48 M024] CB1 STOP INCIDENT CLOCK  
 2019/03/07 11:32:43  
 [03/07/19 11:32:43 M035] BC'S PAGED, GE4 TO G01 AND AE4 TO G02  
 2019/03/07 11:32:37  
 [03/07/19 11:32:37 M024] CB1 ADV 15 MIN ON INCIDENT CLOCK  
 2019/03/07 11:32:03  
 [03/07/19 11:32:03 M024] INCIDENT CLOCK ACKED: 11:32:03  
 2019/03/07 11:31:57  
 [03/07/19 11:31:57 KOPS] INCIDENT CLOCK ELAPSED: 11:31:57  
 2019/03/07 11:31:25  
 [03/07/19 11:31:25 M024] CB1 CANCEL AB2 CT64  
 2019/03/07 11:29:58  
 [03/07/19 11:29:58 M024] GE2 FIRE IS KNOCKED DOWN, REQ HORIZONTAL VENTILLATION  
 2019/03/07 11:29:23  
 [03/07/19 11:29:23 M024] GE1 SC Removed

2019/03/07 11:29:19  
 [03/07/19 11:29:19 M024] CB1 WESTMINSTER IC  
 2019/03/07 11:28:51  
 [03/07/19 11:28:51 M024] AB1 PAGED TO ADV AB2 IS ON THE CALL  
 2019/03/07 11:28:41  
 [03/07/19 11:28:41 M024] GE2 PRIMARY ALL CLEAR  
 2019/03/07 11:26:35  
 [03/07/19 11:26:35 M024] GE3 EXPOSURE GROUP  
 2019/03/07 11:26:27  
 [03/07/19 11:26:27 M024] GE3 OS WITH 3  
 2019/03/07 11:25:46  
 [03/07/19 11:25:46 M024] GT1 VENT GROUP  
 2019/03/07 11:25:45  
 [03/07/19 11:25:45 M027] Situation Updated: 167 (STRUCTURE FIRE-WORKING)  
 2019/03/07 11:25:28  
 [03/07/19 11:25:28 M024] GE6 ASSIST FIRE ATTACK  
 2019/03/07 11:25:22  
 [03/07/19 11:25:22 M024] GE6 OS WITH 3  
 2019/03/07 11:24:51  
 [03/07/19 11:24:51 M024] GE1 WESTMINSTER IC  
 2019/03/07 11:24:46  
 [03/07/19 11:24:46 M024] GE3 UPGRADE TO WORKING FIRE  
 2019/03/07 11:24:28  
 [03/07/19 11:24:28 M024] GE2 FIRE ATTACK  
 2019/03/07 11:24:23  
 [03/07/19 11:24:23 M024] GE2 OS WITH 4, 1 STORY SINGLE WIDE MOBILE HOME, ACTIVE ASSUMING FIRE, FIRE ATTACK  
 2019/03/07 11:17:17  
 [03/07/19 11:17:17] CALL TRANSFER TO OCFA SUCCEEDED  
 2019/03/07 11:16:57  
 [03/07/19 11:16:57 M027] INCIDENT CLOCK STARTED: 11:16:57 FOR 15 MINUTES

## NARRATIVE (2)

**Narrative Title:** FIRE

**Narrative Author:** Breneman, Jerry

**Narrative Date:** 03/07/2019 14:52:53

**Narrative Apparatus ID:** GE2

**Narrative:**

GE2 ARRIVED AT THE REPORTED ADDRESS TO FIND A ONE-STORY SINGLE-WIDE MOBILE HOME WITH FIRE OBSERVED THROUGH A NORTH FACING WINDOW AND CHEST HIGH SMOKE SEEN THROUGH THE OPEN FRONT DOOR. OCCUPANTS FOUND TO THE FRONT OF THE HOME AND THEY STATED THAT EVERYONE WAS OUT OF THE STRUCTURE. GE2 INITIATED AN ALLEY LAY AND WENT INTO ATTACK MODE WITH GE1 ESTABLISHING COMMAND AND SECURING A WATER SUPPLY. GE2 FOUND THE FIRE CONFINED TO THE KITCHEN AREA WITH FIRE KNOCK DOWN WITHIN TEN MINUTES OF ARRIVAL. ocfa BATTALION 1 ARRIVED ON SCENE, ASSUMED COMMAND, AND ASSIGNED ALL OTHER RESOURCES AS APPROPRIATE. PRIMARY AND SECONDARY SEARCHES WERE FOUND TO BE ALL CLEAR AND UTILITIES WERE SHUT OFF BY GT1 WITH THE EXCEPTION OF THE WATER AS THE VALVE WAS FROZEN. THE ORIGIN AND CAUSE OF THE FIRE WAS INVESTIGATED BY GI4. GE2 EXPLAINED THE PROPERTY RELEASE WITH THE HOME OWNER WHOM SIGNED AND WAS PROVIDED A COPY. GE2 COMPLETED.

<b>APPARATUS</b>			
<b>Fire Controlled Date / Time:</b>		3/7/2019 11:35:00 AM	
<b>Unit</b>	GE1	<b>Unit</b>	GE2
<b>Type:</b>	Engine	<b>Type:</b>	Engine
<b>Use:</b>	Suppression	<b>Use:</b>	Suppression
<b>Response Mode:</b>	()	<b>Response Mode:</b>	()
<b># of People</b>	3	<b># of People</b>	4
<b>Alarm</b>	03 /07/2019 11:16:09	<b>Alarm</b>	03 /07/2019 11:16:09
<b>Dispatched</b>	03 /07/2019 11:20:18	<b>Dispatched</b>	03 /07/2019 11:17:12
<b>Enroute</b>	03 /07/2019 11:20:22	<b>Enroute</b>	03 /07/2019 11:17:25
<b>Arrived</b>	03 /07/2019 11:25:00	<b>Arrived</b>	03 /07/2019 11:24:09
<b>Cancelled</b>	-- /-- /-- -- :-- :--	<b>Cancelled</b>	-- /-- /-- -- :-- :--
<b>Cleared Scene</b>	03 /07/2019 12:01:24	<b>Cleared Scene</b>	03 /07/2019 12:31:17
<b>In Quarters</b>	-- /-- /-- -- :-- :--	<b>In Quarters</b>	-- /-- /-- -- :-- :--
<b>In Service</b>	03 /07/2019 12:01:24	<b>In Service</b>	03 /07/2019 12:31:17
<b>Unit</b>	GE3	<b>Unit</b>	GE6
<b>Type:</b>	Engine	<b>Type:</b>	Engine
<b>Use:</b>	Suppression	<b>Use:</b>	Suppression
<b>Response Mode:</b>	()	<b>Response Mode:</b>	()
<b># of People</b>	3	<b># of People</b>	2
<b>Alarm</b>	03 /07/2019 11:16:09	<b>Alarm</b>	03 /07/2019 11:16:09
<b>Dispatched</b>	03 /07/2019 11:17:12	<b>Dispatched</b>	03 /07/2019 11:17:12
<b>Enroute</b>	03 /07/2019 11:17:28	<b>Enroute</b>	03 /07/2019 11:19:25
<b>Arrived</b>	03 /07/2019 11:24:55	<b>Arrived</b>	03 /07/2019 11:25:18
<b>Cancelled</b>	-- /-- /-- -- :-- :--	<b>Cancelled</b>	-- /-- /-- -- :-- :--
<b>Cleared Scene</b>	03 /07/2019 11:40:31	<b>Cleared Scene</b>	03 /07/2019 12:09:02
<b>In Quarters</b>	03 /07/2019 11:42:05	<b>In Quarters</b>	-- /-- /-- -- :-- :--
<b>In Service</b>	03 /07/2019 11:40:31	<b>In Service</b>	03 /07/2019 12:09:02
<b>Unit</b>	GT1		
<b>Type:</b>	Truck or aerial		
<b>Use:</b>	Suppression		
<b>Response Mode:</b>	()		
<b># of People</b>	3		
<b>Alarm</b>	03 /07/2019 11:16:09		
<b>Dispatched</b>	03 /07/2019 11:17:12		
<b>Enroute</b>	03 /07/2019 11:18:26		
<b>Arrived</b>	03 /07/2019 11:25:41		
<b>Cancelled</b>	-- /-- /-- -- :-- :--		
<b>Cleared Scene</b>	03 /07/2019 12:03:00		
<b>In Quarters</b>	03 /07/2019 12:12:51		
<b>In Service</b>	03 /07/2019 12:03:00		
<b>Number Of People not on apparatus: 0</b>			

<b>FIRE</b>			
<b>Acres Burned</b>	None or Less Than One	<b>Acres Burn From Wildland Form</b>	False
<b>Area Of Fire Origin</b>	Cooking area, kitchen	<b>Heat Source</b>	Radiated or conducted heat from operating equipment
<b>Item First Ignited</b>	Wearing apparel not on a person	<b>Fire Is Confined To Object Of Origin</b>	
<b>Type Of Material</b>	Fabric, fiber, cotton, blends, rayon, wool	<b>Cause Of Ignition</b>	Unintentional
<b>Factor Contributing To Ignition</b>	Improper container or storage procedure		
<b>Human Factors Contributing</b>	None		
<b>Equipment Involved In Ignition Flag</b>	True	<b>Equipment Involved</b>	Oven, rotisserie
<b>Equipment Power Source</b>	Natural gas or other lighter-than-air gas	<b>Equipment Portability</b>	Stationary

<b>STRUCTURE FIRE</b>			
<b>Structure Type</b>	Fixed portable or mobile structure	<b>Building Status</b>	In normal use
<b># Of Stories At Above Grade</b>	1	<b># Of Stories Below Grade</b>	0
<b>Square Feet</b>	800	<b>Length</b>	
<b>Width</b>		<b>Floor Of Origin</b>	1
<b>Fire Spread</b>	Confined to room of origin		
<b>Minor Damage</b>	0	<b>Significant Damage</b>	0
<b>Heavy Damage</b>	0	<b>Extreme Damage</b>	0
<b>Presence Of Detectors</b>	Present	<b>Type Of Detection System</b>	Smoke
<b>Detector Power Supply</b>	Hardwire with battery backup	<b>Detector Operation</b>	Detector operated
<b>Detector Effectiveness</b>	Undetermined	<b>Detector Failure Reason</b>	

<b>PEOPLE -- PERSON 1</b>			
<b>Telephone Number</b>	7148624481	<b>Involvement</b>	Caller
<b>Name</b>	T-MOBILE (877) 653-7911	<b>Date of Birth</b>	
<b>Address</b>	14081 N EUCLID ST GARDEN GROVE, CA 92843-		

<b>CUSTOM FIELDS FORM</b>	
<b>What happened?</b>	We provided fire and rescue service
<b>Was this patient homeless?</b>	Not applicable
<b>Fire Incident - What happened?</b>	

<b>PERSONNEL ON CALL</b>			
<b>Name</b>	<b>Personnel Rank</b>	<b>Role(s)</b>	<b>Apparatus</b>
Acosta, Alberto			GE3
Breneman, Jerry R			GE2
Carlson, Dave			GE2
Crawford, Joe W			GT1
Hawkins, Christopher			GE2
Howey, Shane S			GE3
Jaeger, Bill R	Firefighter		GE1
Jemiola, Jordan R			GE2
Lindsay, Corey L			GT1
Lovely, Norman M			GE6
Nguyen, Son			GE3
Pardoen, Brent C	Captain		GE1
Sanchez, David C	Engineer		GE1
Stroh, Bill			GT1
Van Wie, Ryan			GE6

Member Making Report (Captain Jerry R Breneman): \_\_\_\_\_

Incident Reviewer (Captain Jerry R Breneman): \_\_\_\_\_