



Garden Grove Fire Department
 Station: **G06**
 Shifts Or Platoon: **B**

Location: 12891 OERTLEY DR Garden Grove CA 92640	Incident Type: 111 - Building fire
Lat/Long: N 33° 46' 34.61" W 117° 54' 36.16"	FDID: 30035 Incident #: 2019-902551 Exposure ID: 38131020 Exposure #: 0 Incident Date: 02/27/2019 Dispatch Run #: F190580268
Location Type: 1 - Street address Map Page: 799A6	

Report Completed by:	Acosta , Tony R	ID: 0012	Date: 02/27/2019
Report Reviewed by:	Acosta , Tony R	ID: 0012	Date: 02/27/2019
Report Printed by:	Guardi, Lisa	ID: 4433	Date: 3/18/2019 Time: 10:56

Structure Type: Enclosed building	Property Use: 419 - 1 or 2 family dwelling																
Automatic Extinguishment System Present: <input type="checkbox"/>	Detectors Present: <input checked="" type="checkbox"/> Cause of Ignition: Cause under investigation																
Aid Given or Received: None	Primary action taken: 10 - Fire control or extinguishment, other																
<table border="1"> <thead> <tr> <th>Losses</th> <th>Pre-Incident Values</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>Property:</td> <td>Property:</td> <td>Civilian Injuries: 0</td> <td>Fire Service Injuries: 0</td> </tr> <tr> <td>Contents:</td> <td>Contents:</td> <td>Civilian Fatalities: 0</td> <td>Fire Service Fatalities: 0</td> </tr> <tr> <td>Total:</td> <td>Total:</td> <td>Total Casualties: 0</td> <td>Total Fire Service Casualties: 0</td> </tr> </tbody> </table>	Losses	Pre-Incident Values			Property:	Property:	Civilian Injuries: 0	Fire Service Injuries: 0	Contents:	Contents:	Civilian Fatalities: 0	Fire Service Fatalities: 0	Total:	Total:	Total Casualties: 0	Total Fire Service Casualties: 0	
Losses	Pre-Incident Values																
Property:	Property:	Civilian Injuries: 0	Fire Service Injuries: 0														
Contents:	Contents:	Civilian Fatalities: 0	Fire Service Fatalities: 0														
Total:	Total:	Total Casualties: 0	Total Fire Service Casualties: 0														
Total # of apparatus on call: 7	Total # of personnel on call: 18																

Narrative from dispatch:

2019/02/27 16:27:46
 [02/27/19 16:27:46 KOPS] District: C Report No: 19-023489
 2019/02/27 16:21:13
 [02/27/19 16:21:13 KOPS] District: A Report No: A1906001
 2019/02/27 16:21:13
 [02/27/19 16:21:13 KOPS] District: O Report No: O1902568
 2019/02/27 16:21:13
 [02/27/19 16:21:13 KOPS] District: G Report No: G1902551
 2019/02/27 16:57:37
 [02/27/19 16:57:37] OCFA HAS CLOSED CALL 19-023489
 2019/02/27 16:53:39
 [02/27/19 16:53:39 M082] GB1 DISSOLVING COMMAND, GE6 WILL BE CONTACT, POSS GT1 FOR LIMITED TIME, 2L IS CLEAR
 2019/02/27 16:41:20
 [02/27/19 16:41:20 M065] GB1 CT71 CAN CANCEL
 2019/02/27 16:38:36
 [02/27/19 16:38:36 M065] CT71 STAGED WITH 4
 2019/02/27 16:37:32
 [02/27/19 16:37:32 M065] INCIDENT CLOCK STOPPED: 16:37:32
 2019/02/27 16:37:11
 [02/27/19 16:37:11 M065] OERTLEY IC ADVISED 15 MINS ON THE INCIDENT CLOCK
 2019/02/27 16:36:32
 [02/27/19 16:36:32 M065] GB1 FIRE IS KNOCKED DOWN, UNDER CONTROL
 2019/02/27 16:35:55
 [02/27/19 16:35:55 M065] GE6 SECONDARY IS COMPLETE, CHECKING THE ATTIC
 2019/02/27 16:35:49
 [02/27/19 16:35:49 KOPS] INCIDENT CLOCK ELAPSED: 16:35:49
 2019/02/27 16:35:16
 [02/27/19 16:35:16 M065] GB1 CHECK ON SECONDARY
 2019/02/27 16:32:55
 [02/27/19 16:32:55 M065] GE6 FIRE KNOCKDOWN, CONFINED TO CLOSET IN BACK BEDROOM, CHECKING ATTIC, DOESNT APPEAR TO HAVE ANY EXTENSIONS
 2019/02/27 16:32:28
 [02/27/19 16:32:28 M065] GB1 ATTIC APPEARS CLEAR, PRIMARY COMPLETED, CANCEL OB1

2019/02/27 16:31:04
 [02/27/19 16:31:04 M065] GE6 EVERYONE IS OUT, CONFINED TO BEDROOM CLOSET AREA, ATTIC APPEARS TO BE CLEAR, HOLD OFF ON VERTICAL VENTILATIONS
 2019/02/27 16:30:29
 [02/27/19 16:30:29 M065] GE6 INTERIOR
 2019/02/27 16:29:53
 [02/27/19 16:29:53 M065] GB1 APPEARS TO BE LIGHT SMOKE
 2019/02/27 16:29:30
 [02/27/19 16:29:30 M065] AE3 RIC
 2019/02/27 16:29:24
 [02/27/19 16:29:24 M065] AE3 WITH 3
 2019/02/27 16:29:05
 [02/27/19 16:29:05 M065] GE1 INTERIOR, GE6 WILL ASSIST WITH INTERIOR
 2019/02/27 16:28:47
 [02/27/19 16:28:47 M065] OT6 WITH 3
 2019/02/27 16:28:33
 [02/27/19 16:28:33 M065] GT1 WITH 3 STAGED, GLF1 OS WITH 5
 2019/02/27 16:28:27
 [02/27/19 16:28:27 M065] GE3 WITH 3 STAGED
 2019/02/27 16:28:19
 [02/27/19 16:28:19 M065] GB1 OERTLEY IC
 2019/02/27 16:28:09
 [02/27/19 16:28:09 M065] GB1 WILL BE OERTLEY COMMAND, CP WILL BE ON THE ALPHA SIDE
 2019/02/27 16:27:54
 [02/27/19 16:27:54 M065] AE3 WITH 3
 2019/02/27 16:27:44
 [02/27/19 16:27:44] CALL TRANSFER TO OCFA SUCCEEDED
 2019/02/27 16:27:37
 [02/27/19 16:27:37 M072] Situation Updated: 167 (STRUCTURE FIRE-WORKING)
 2019/02/27 16:27:31
 [02/27/19 16:27:31 M065] GB1 UPGRADE TO A WORKING FIRE
 2019/02/27 16:27:01
 [02/27/19 16:27:01 M065] GE6 OS WITH 3, SINGLE STORY HOUSE, COMP ROOF, LIGHT TO MODERATE SMOKE, POSS ATTIC FIRE, RESIDENTS OUTSIDE, ATTACK MODE, 2ND UNIT TAKE COMMAND
 2019/02/27 16:22:03
 [02/27/19 16:22:03 M072] OR6 OLF6
 2019/02/27 16:22:03
 [02/27/19 16:22:03 M072] OT6 OLF6
 2019/02/27 16:21:54
 [02/27/19 16:21:54 M072] GM1 GLF1
 2019/02/27 16:21:54
 [02/27/19 16:21:54 M072] GT1 GLF1
 2019/02/27 16:20:49
 [02/27/19 16:20:49 M081] INCIDENT CLOCK STARTED: 16:20:49 FOR 15 MINUTES

NARRATIVE (2)

Narrative Title: STRUCTURE FIRE

Narrative Author: Acosta, Tony

Narrative Date: 02/27/2019 19:55:53

Narrative Apparatus ID: GE6

Narrative:

GE6 ARRIVED ON SCENE TO A SINGLE STORY HOUSE WITH LIGHT TO MODERATE SMOKE FROM THE EAVES AND ATTIC VENTS. GE6 LOCATED THE FIRE TO A BACK BEDROOM WITH NO EXTENSION TO THE ATTIC OR THE REST OF THE HOUSE. GINV1 WAS CALLED OUT TO DETERMINE THE CAUSE. SEE GINV1 REPORT. THE TOTAL ESTIMATED LOSS IS TO BE AROUND \$ 4000.00

CAPT T.ACOSTA

APPARATUS			
Unit	GB1	Unit	GE1
Type:	Chief officer car	Type:	Engine
Use:	Suppression	Use:	Suppression
Response Mode:	()	Response Mode:	()
# of People	1	# of People	3
Alarm	02 /27/2019 16:20:15	Alarm	02 /27/2019 16:20:15
Dispatched	02 /27/2019 16:21:13	Dispatched	02 /27/2019 16:21:13
Enroute	02 /27/2019 16:23:27	Enroute	02 /27/2019 16:22:44
Arrived	02 /27/2019 16:31:50	Arrived	02 /27/2019 16:27:35
Cancelled	-- /-- /-- -- :-- :--	Cancelled	-- /-- /-- -- :-- :--
Cleared Scene	02 /27/2019 17:01:36	Cleared Scene	02 /27/2019 16:54:52
In Quarters	-- /-- /-- -- :-- :--	In Quarters	02 /27/2019 16:59:49
In Service	02 /27/2019 17:01:36	In Service	02 /27/2019 16:54:52
Unit	GE3	Unit	GE6
Type:	Engine	Type:	Engine
Use:	Suppression	Use:	Suppression
Response Mode:	()	Response Mode:	()
# of People	3	# of People	3
Alarm	02 /27/2019 16:20:15	Alarm	02 /27/2019 16:20:15
Dispatched	02 /27/2019 16:21:13	Dispatched	02 /27/2019 16:21:13
Enroute	02 /27/2019 16:22:11	Enroute	02 /27/2019 16:21:57
Arrived	02 /27/2019 16:29:33	Arrived	02 /27/2019 16:34:04
Cancelled	-- /-- /-- -- :-- :--	Cancelled	-- /-- /-- -- :-- :--
Cleared Scene	02 /27/2019 16:38:42	Cleared Scene	02 /27/2019 18:08:30
In Quarters	-- /-- /-- -- :-- :--	In Quarters	-- /-- /-- -- :-- :--
In Service	02 /27/2019 16:38:42	In Service	02 /27/2019 18:08:30
Unit	GE7	Unit	GM1
Type:	Engine	Type:	ALS unit
Use:	Suppression	Use:	EMS
Response Mode:	()	Response Mode:	()
# of People	3	# of People	2
Alarm	02 /27/2019 16:20:15	Alarm	02 /27/2019 16:20:15
Dispatched	02 /27/2019 17:07:28	Dispatched	02 /27/2019 16:21:13
Enroute	02 /27/2019 17:07:28	Enroute	02 /27/2019 16:22:06
Arrived	02 /27/2019 17:12:14	Arrived	02 /27/2019 16:27:35
Cancelled	-- /-- /-- -- :-- :--	Cancelled	-- /-- /-- -- :-- :--
Cleared Scene	02 /27/2019 18:33:43	Cleared Scene	02 /27/2019 16:53:45
In Quarters	-- /-- /-- -- :-- :--	In Quarters	02 /27/2019 17:01:22
In Service	02 /27/2019 18:33:43	In Service	02 /27/2019 16:53:45
Unit	GT1		
Type:	Truck or aerial		
Use:	Suppression		
Response Mode:	()		
# of People	3		
Alarm	02 /27/2019 16:20:15		
Dispatched	02 /27/2019 16:21:13		
Enroute	02 /27/2019 16:21:22		
Arrived	02 /27/2019 16:27:45		
Cancelled	-- /-- /-- -- :-- :--		
Cleared Scene	02 /27/2019 18:04:10		
In Quarters	02 /27/2019 18:14:37		
In Service	02 /27/2019 18:04:10		
Number Of People not on apparatus: 0			

FIRE			
Acres Burned	None or Less Than One	Acres Burn From Wildland Form	False
Area Of Fire Origin	Bedroom - < 5 persons; included are jail or prison	Heat Source	Undetermined
Item First Ignited	Wearing apparel on a person	Fire Is Confined To Object Of Origin	
Type Of Material	Undetermined	Cause Of Ignition	Cause under investigation
Factor Contributing To Ignition	Undetermined		
Human Factors Contributing	None		

STRUCTURE FIRE			
Structure Type	Enclosed building	Building Status	In normal use
# Of Stories At Above Grade	1	# Of Stories Below Grade	0
Square Feet	1400	Length	
Width		Floor Of Origin	1
Fire Spread	Confined to room of origin		
Minor Damage	0	Significant Damage	0
Heavy Damage	0	Extreme Damage	0
Presence Of Detectors	Present	Type Of Detection System	Smoke
Detector Power Supply	Battery only	Detector Operation	Undetermined

ARSON		
Agency Name	Agency Address	Agency Phone
	OERTLEY DR	

PEOPLE -- PERSON 1			
Telephone Number	7145611441	Involvement	Caller
Name	CELL	Date of Birth	
Address			

CUSTOM FIELDS FORM	
What happened?	We provided fire and rescue service
Was this patient homeless?	No
Fire Incident - What happened?	

PERSONNEL ON CALL			
Name	Personnel Rank	Role(s)	Apparatus
Acosta, Tony R	Captain		GE6
Bell, Bradley D			GE7
Burroughs, Myles A			GE7
Carlson, Dave	Firefighter / Paramedic		GE6
Clermont, Yves G			GT1
Feldman, Joshua A			GM1
Furuta, Garret M			GE3
Jaeger, Bill R			GE1
Jemiola, Jordan R			GE1
Marquez Jr., John M			GE3
Ruhman, Wade E			GE1
Ruzicka, Dennis			GT1
Scherer, Scott A	Engineer		GE6
Strohm, Bill			GE3
Truhill, Justin P			GB1
Valderrama, Mario G			GT1
Waldschmidt, David S			GE7
White, Jonathan			GM1

Member Making Report (Captain Tony R Acosta): _____

Incident Reviewer (Captain Tony R Acosta): _____