



**Garden Grove Fire Department**  
 Station: **G03**  
 Shifts Or Platoon: **C**

Location: <b>412 N SUSAN ST                  SANTA ANA CA 00000</b>	Incident Type: <b>100 - Fire, other</b>
Lat/Long: <b>N 33° 44' 54.11"                  W 117° 54' 49.47"</b>	FDID: <b>30035</b> Incident #: <b>2019-903729</b> Exposure ID: <b>38922739</b> Exposure #: <b>0</b> Incident Date: <b>03/28/2019</b> Dispatch Run #: <b>F190870278</b>
Location Type: <b>1 - Street address</b>	

<b>Report Completed by:</b>	Kuhlman , Scott A	<b>ID:</b> 4744	<b>Date:</b> 03/28/2019
<b>Report Reviewed by:</b>	Kuhlman , Scott A	<b>ID:</b> 4744	<b>Date:</b> 03/28/2019
<b>Report Printed by:</b>	Guardi, Lisa	<b>ID:</b> 4433	<b>Date:</b> 4/3/2019 <b>Time:</b> 14:38

Structure Type:	Property Use: <b>419 - 1 or 2 family dwelling</b>		
Automatic Extinguishment System Present: <input type="checkbox"/>	Detectors Present: <input type="checkbox"/>	Cause of Ignition: <b>Cause under investigation</b>	
Aid Given or Received: <b>None</b>	Primary action taken: <b>73 - Provide manpower</b>		
<b>Losses</b>	<b>Pre-Incident Values</b>		
Property:	Property:	Civilian Injuries: <b>0</b>	Fire Service Injuries: <b>0</b>
Contents:	Contents:	Civilian Fatalities: <b>0</b>	Fire Service Fatalities: <b>0</b>
Total:	Total:	Total Casualties: <b>0</b>	Total Fire Service Casualties: <b>0</b>
Total # of apparatus on call:	<b>2</b>	Total # of personnel on call:	<b>4</b>

**Narrative from dispatch:**

2019/03/28 16:48:04  
 [03/28/19 16:48:04 KOPS] District: G Report No: G1903729  
 2019/03/28 16:48:03  
 [03/28/19 16:48:03 KOPS] District: S Report No: 19-035242  
 2019/03/28 17:27:12  
 [03/28/19 17:27:12] [29] IC -ADVICED 4 K9S RESCUED, NO NEED FOR ANIMAL CONTROL  
 2019/03/28 17:19:34  
 [03/28/19 17:19:34] [28] IC- RELEASING E71 SHORTLY  
 2019/03/28 17:18:28  
 [03/28/19 17:18:28] [27] IC- STOP THE CLOCK  
 2019/03/28 17:17:51  
 [03/28/19 17:17:51] [26] \*\*\*\*\*30 MIN \*\*\*\*\*  
 2019/03/28 17:13:01  
 [03/28/19 17:13:01] [25] FIRE UNDER CONTROL PRIMARY AND SECONDARY ALL CLEAR  
 2019/03/28 17:07:36  
 [03/28/19 17:07:36] [24] PER IC- CANCEL SAFETY  
 2019/03/28 17:05:39  
 [03/28/19 17:05:39] [22] \*\*\*\*\*15 MIN\*\*\*\*\*  
 2019/03/28 17:05:27  
 [03/28/19 17:05:27] [21] IC- UPGRADE TO WSTR CANCEL SUPPORT  
 2019/03/28 17:04:29  
 [03/28/19 17:04:29] [20] IC- SINGLE FAM, ROOM AND CONTENTS, PRIMARY ALL CLEAR  
 2019/03/28 17:04:25  
 [03/28/19 17:04:25] [19] DUTY NOTIFIED  
 2019/03/28 17:03:02  
 [03/28/19 17:03:02] [18] PER RESIDENCCE ALL OCCUPANTAS AND RES ALL ACOUNTED FOR  
 2019/03/28 17:02:11  
 [03/28/19 17:02:11] [17] EDISON NOTIFIED / WCB WITH ETA #29-19360  
 2019/03/28 17:01:32  
 [03/28/19 17:01:32] [16] GAS CO ENR  
 2019/03/28 17:00:33  
 [03/28/19 17:00:33] [15] B9 ASSUMING SUDAN IC  
 2019/03/28 16:56:44  
 [03/28/19 16:56:44] [13] IC- NO NEED WSTR...

2019/03/28 16:56:18  
 [03/28/19 16:56:18] [11] PER IC GROVE 3 RICK  
 2019/03/28 16:55:47  
 [03/28/19 16:55:47] [10] E78- WILL BE SUSAN IC  
 2019/03/28 16:54:25  
 [03/28/19 16:54:25] [9] E78 ON SCENE WITH SINGLE STORY SINGLE RES, IS SUSAN IC  
 2019/03/28 16:48:43  
 [03/28/19 16:48:43] [8] SMOKE COMING FROM THE ROOM DOWN THE HALLWAY, BLACK HEAVY SMOKE.  
 2019/03/28 16:48:08  
 [03/28/19 16:48:08] [4] A CELLULAR RE-BID HAS OCCURRED, CHECK THE ANI/ALI VIEWER FOR DETAILS

**NARRATIVE (2)**

**Narrative Title:** STRUCTURE FIRE

**Narrative Author:** Kuhlman, Scott

**Narrative Date:** 03/28/2019 18:34:36

**Narrative Apparatus ID:** GE3

**Narrative:**

GE 3 RESPONDED TO A STRUCTURE FIRE WITH OCFA. UPON ARRIVAL WE WERE ASSIGNED RIC.

KUHLMAN

**APPARATUS**

<b>Unit</b>	GB1	<b>Unit</b>	GE3
<b>Type:</b>	Chief officer car	<b>Type:</b>	Engine
<b>Use:</b>	Suppression	<b>Use:</b>	Suppression
<b>Response Mode:</b>	()	<b>Response Mode:</b>	()
<b># of People</b>	1	<b># of People</b>	3
<b>Alarm</b>	03 /28/2019 16:48:03	<b>Alarm</b>	03 /28/2019 16:48:03
<b>Dispatched</b>	03 /28/2019 16:48:09	<b>Dispatched</b>	03 /28/2019 16:48:09
<b>Enroute</b>	03 /28/2019 16:48:45	<b>Enroute</b>	03 /28/2019 16:49:50
<b>Arrived</b>	03 /28/2019 16:57:14	<b>Arrived</b>	03 /28/2019 16:55:22
<b>Cancelled</b>	-- /-- /-- -- :-- :--	<b>Cancelled</b>	-- /-- /-- -- :-- :--
<b>Cleared Scene</b>	03 /28/2019 17:36:18	<b>Cleared Scene</b>	03 /28/2019 17:23:54
<b>In Quarters</b>	-- /-- /-- -- :-- :--	<b>In Quarters</b>	03 /28/2019 17:31:39
<b>In Service</b>	03 /28/2019 17:36:18	<b>In Service</b>	03 /28/2019 17:23:54
<b>Number Of People not on apparatus: 0</b>			

**FIRE**

<b>Acres Burned</b>	None or Less Than One	<b>Acres Burn From Wildland Form</b>	False
<b>Area Of Fire Origin</b>	Bedroom - < 5 persons; included are jail or prison	<b>Heat Source</b>	Undetermined
<b>Item First Ignited</b>	Undetermined	<b>Fire Is Confined To Object Of Origin</b>	
<b>Type Of Material</b>	Undetermined	<b>Cause Of Ignition</b>	Cause under investigation
<b>Factor Contributing To Ignition</b>	Undetermined		
<b>Human Factors Contributing</b>	None		

**ARSON**

<b>Agency Name</b>	<b>Agency Address</b>	<b>Agency Phone</b>
	412 N SUSAN ST	

**PEOPLE -- PERSON 1**

<b>Is Owner</b>	True	<b>Business Name</b>
<b>Address</b>		

**CUSTOM FIELDS FORM**

<b>What happened?</b>	We provided fire and rescue service
<b>Was this patient homeless?</b>	No
<b>Fire Incident - What happened?</b>	

**PERSONNEL ON CALL**

<b>Name</b>	<b>Personnel Rank</b>	<b>Role(s)</b>	<b>Apparatus</b>
Crawford, Joe W			GE3
Huber, Peter M			GE3
Kuhlman, Scott A			GE3
Maule, Cheyne C			GB1

Member Making Report (Captain Scott A Kuhlman): \_\_\_\_\_

Incident Reviewer (Captain Scott A Kuhlman): \_\_\_\_\_



**Garden Grove Fire Department**  
 Station: **G02**  
 Shifts Or Platoon: **C**

Location: <b>13100 GILBERT ST # 52</b> <b>GARDEN GROVE CA 92844</b>	Incident Type: <b>111 - Building fire</b>
Lat/Long: <b>N 33° 46' 21.9"</b> <b>W 117° 57' 59.29"</b>	FDID: <b>30035</b> Incident #: <b>2019-902711</b> Exposure ID: <b>38232413</b> Exposure #: <b>0</b> Incident Date: <b>03/02/2019</b> Dispatch Run #: <b>F190610316</b>
Location Type: <b>1 - Street address</b> Map Page: <b>798C6</b>	

<b>Report Completed by:</b>	Kleibacker , Matthew C	<b>ID:</b> 3007	<b>Date:</b> 03/02/2019
<b>Report Reviewed by:</b>	Kleibacker , Matthew C	<b>ID:</b> 3007	<b>Date:</b> 03/02/2019
<b>Report Printed by:</b>	Guardi, Lisa	<b>ID:</b> 4433	<b>Date:</b> 4/3/2019 <b>Time:</b> 14:40

Structure Type: <b>Enclosed building</b>	Property Use: <b>429 - Multifamily dwelling</b>		
Automatic Extinguishment System Present: <input type="checkbox"/>	Detectors Present: <input checked="" type="checkbox"/> Cause of Ignition: <b>Failure of equipment or heat source</b>		
Aid Given or Received: <b>None</b>	Primary action taken: <b>10 - Fire control or extinguishment, other</b>		
<b>Losses</b>	<b>Pre-Incident Values</b>	Civilian Injuries: <b>0</b>	Fire Service Injuries: <b>0</b>
Property:	Property:	Civilian Fatalities: <b>0</b>	Fire Service Fatalities: <b>0</b>
Contents:	Contents:	Total Casualties: <b>0</b>	Total Fire Service Casualties: <b>0</b>
Total:	Total:		
Total # of apparatus on call: <b>5</b>		Total # of personnel on call: <b>14</b>	

**Narrative from dispatch:**

2019/03/02 20:16:04  
 [03/02/19 20:16:04 KOPS] District: G Report No: G1902711  
 2019/03/02 20:38:41  
 [03/02/19 20:38:41 M026] INCIDENT CLOCK STOPPED: 20:38:41  
 2019/03/02 20:37:25  
 [03/02/19 20:37:25 M026] GB1 DISSOLVE COMMAND, GE2 WILL BE POINT OF CONTACT  
 2019/03/02 20:36:05  
 [03/02/19 20:36:05 M026] GB1 GE2 GE1 GT1 TO HANDLE, GE7 CANCEL  
 2019/03/02 20:35:47  
 [03/02/19 20:35:47 M026] GE2 FIRE IS OUT, NO EXTENSION, CAN HANDLE W/ GT1 AND GE1  
 2019/03/02 20:31:45  
 [03/02/19 20:31:45 M026] GE2 LIGHT FIXTURE IS SOURCE OF FIRE, LOOKS LIKE IT'S CONTAINED TO CLOSET, FIRE IS UNDER CONTROL  
 2019/03/02 20:31:16  
 [03/02/19 20:31:16 M026] GB1 APPEARS FIRE IS OUT, STILL TRYING TO FIND SOURCE  
 2019/03/02 20:31:03  
 [03/02/19 20:31:03 M026] INCIDENT CLOCK ACKED: 20:31:03  
 2019/03/02 20:31:01  
 [03/02/19 20:31:01 M026] IC ADV 15 MIN ON INCIDENT CLOCK  
 2019/03/02 20:30:40  
 [03/02/19 20:30:40 KOPS] INCIDENT CLOCK ELAPSED: 20:30:40  
 2019/03/02 20:26:36  
 [03/02/19 20:26:36 M026] GE2 PRIMARY ALL CLEAR, TRYING TO FIND SOURCE OF FIRE  
 2019/03/02 20:25:34  
 [03/02/19 20:25:34 M026] GE7 EXPOSURE  
 2019/03/02 20:24:35  
 [03/02/19 20:24:35 M026] GT1 VENT GROUP  
 2019/03/02 20:24:33  
 [03/02/19 20:24:33 M026] GE1 2 OUT  
 2019/03/02 20:24:22  
 [03/02/19 20:24:22 M026] GB1 GILBERT IC  
 2019/03/02 20:24:14  
 [03/02/19 20:24:14 M026] GE2 APPEARS FIRE IS OUT  
 2019/03/02 20:23:53

[03/02/19 20:23:53 M026] GE2 FIRE ATTACK  
2019/03/02 20:23:50  
[03/02/19 20:23:50 M026] GE2 CLOSET FIRE, PULLING LINE, FIRE ATTACK, PREM IS CLEAR, ALL OCCUPANTS ARE  
OUTSIDE, 2ND IN GET WATER SUPPLY  
2019/03/02 20:22:26  
[03/02/19 20:22:26 M026] GT1 W/3  
2019/03/02 20:22:17  
[03/02/19 20:22:17 M026] GE1 W/3  
2019/03/02 20:21:24  
[03/02/19 20:21:24 M026] GE2 W/4, 2 STORY CONDO COMPLEX, NOTHING SHOWING, MAKING ACCESS  
2019/03/02 20:15:40  
[03/02/19 20:15:40 M062] INCIDENT CLOCK STARTED: 20:15:40 FOR 15 MINUTES

**NARRATIVE (2)**

**Narrative Title:** STRUCTURE FIRE

**Narrative Author:** Kleibacker, Matthew

**Narrative Date:** 03/02/2019 22:48:36

**Narrative Apparatus ID:** GE2

**Narrative:**

GE2 RESPONDED TO A REPORT OF A STRUCTURE FIRE AT A 2 STORY CONDO COMPLEX. GE2 ENTERED THE COMPLEX THROUGH MAN DOOR AND FOUND LIGHT SMOKE SHOWING FROM A SECOND FLOOR UNIT.. GE2 ENTERED THE SECOND FLOOR UNIT AND FOUND MODERATE SMOKE AND SMOLDERING CLOTHS IN A CLOSET. GE2 ASSUMED FIRE ATTACK AND EXTINGUISHED THE SMOLDERING CLOTHS.

AFTER REMOVING THE CLOTHS FROM THE CLOSET, GE2 FOUND A LIGHT FIXTURE BEHIND THE CLOTHS. GE2 DETERMINED THAT THE CLOTHS CAUSED THE LIGHT BULBS TO OVER HEAT AND CATCH THE CLOTHS ON FIRE.

GE2 CHECKED FOR EXTENSION IN THE ATTACK AND FOUND NO FIRE SPREAD. THE OCCUPANTS OF THE RESIDENCE WERE INSTRUCTED TO NOT OCCUPY THE RESIDENCE AND CONTACT THE HOME OWNER ABOUT REPAIRS. THEY WERE ALSO INSTRUCTED TO CONTACT THE BUILDING DEPARTMENT BEFORE THEY OCCUPY THE RESIDENCE. THE POWER WAS SHUT DOWN AND A PROPERTY RELEASE WAS SIGNED AND GE2 CLEARED THE CALL.

CAPT. KLEIBACKER

APPARATUS			
<b>Unit</b>	GB1	<b>Unit</b>	GE1
<b>Type:</b>	Chief officer car	<b>Type:</b>	Engine
<b>Use:</b>	Suppression	<b>Use:</b>	Suppression
<b>Response Mode:</b>	()	<b>Response Mode:</b>	()
<b># of People</b>	1	<b># of People</b>	3
<b>Alarm</b>	03 /02/2019 20:14:00	<b>Alarm</b>	03 /02/2019 20:14:00
<b>Dispatched</b>	03 /02/2019 20:16:04	<b>Dispatched</b>	03 /02/2019 20:16:04
<b>Enroute</b>	03 /02/2019 20:17:15	<b>Enroute</b>	03 /02/2019 20:16:40
<b>Arrived</b>	03 /02/2019 20:22:29	<b>Arrived</b>	03 /02/2019 20:22:14
<b>Cancelled</b>	-- /-- /-- -- : -- : --	<b>Cancelled</b>	-- /-- /-- -- : -- : --
<b>Cleared Scene</b>	03 /02/2019 20:48:08	<b>Cleared Scene</b>	03 /02/2019 20:52:55
<b>In Quarters</b>	03 /02/2019 21:13:03	<b>In Quarters</b>	03 /02/2019 20:59:09
<b>In Service</b>	03 /02/2019 20:48:08	<b>In Service</b>	03 /02/2019 20:52:55
<b>Unit</b>	GE2	<b>Unit</b>	GE7
<b>Type:</b>	Engine	<b>Type:</b>	Engine
<b>Use:</b>	Suppression	<b>Use:</b>	Suppression
<b>Response Mode:</b>	()	<b>Response Mode:</b>	()
<b># of People</b>	4	<b># of People</b>	3
<b>Alarm</b>	03 /02/2019 20:14:00	<b>Alarm</b>	03 /02/2019 20:14:00
<b>Dispatched</b>	03 /02/2019 20:16:04	<b>Dispatched</b>	03 /02/2019 20:16:04
<b>Enroute</b>	03 /02/2019 20:16:55	<b>Enroute</b>	03 /02/2019 20:17:55
<b>Arrived</b>	03 /02/2019 20:21:13	<b>Arrived</b>	03 /02/2019 20:25:07
<b>Cancelled</b>	-- /-- /-- -- : -- : --	<b>Cancelled</b>	-- /-- /-- -- : -- : --
<b>Cleared Scene</b>	03 /02/2019 21:17:34	<b>Cleared Scene</b>	03 /02/2019 20:39:17
<b>In Quarters</b>	-- /-- /-- -- : -- : --	<b>In Quarters</b>	03 /02/2019 20:47:52
<b>In Service</b>	03 /02/2019 21:17:34	<b>In Service</b>	03 /02/2019 20:39:17
<b>Unit</b>	GT1		
<b>Type:</b>	Truck or aerial		
<b>Use:</b>	Suppression		
<b>Response Mode:</b>	()		
<b># of People</b>	3		
<b>Alarm</b>	03 /02/2019 20:14:00		
<b>Dispatched</b>	03 /02/2019 20:16:04		
<b>Enroute</b>	03 /02/2019 20:17:08		
<b>Arrived</b>	03 /02/2019 20:22:28		
<b>Cancelled</b>	-- /-- /-- -- : -- : --		
<b>Cleared Scene</b>	03 /02/2019 21:09:31		
<b>In Quarters</b>	03 /02/2019 21:17:39		
<b>In Service</b>	03 /02/2019 21:09:31		
<b>Number Of People not on apparatus: 0</b>			

FIRE			
<b>Acres Burned</b>	None or Less Than One	<b>Acres Burn From Wildland Form</b>	False
<b>Area Of Fire Origin</b>	Closet	<b>Heat Source</b>	Heat from powered equipment, other
<b>Item First Ignited</b>	Soft goods, wearing apparel, other	<b>Fire Is Confined To Object Of Origin</b>	
<b>Type Of Material</b>	Fabric, fiber, cotton, blends, rayon, wool	<b>Cause Of Ignition</b>	Failure of equipment or heat source
<b>Factor Contributing To Ignition</b>	Electrical failure, malfunction, other		
<b>Human Factors Contributing</b>	None		
<b>Equipment Involved In Ignition Flag</b>	True	<b>Equipment Involved</b>	Halogen lighting fixture or lamp
<b>Equipment Power Source</b>	Electrical, other	<b>Equipment Portability</b>	Stationary

<b>STRUCTURE FIRE</b>			
<b>Structure Type</b>	Enclosed building	<b>Building Status</b>	In normal use
<b># Of Stories At Above Grade</b>	2	<b># Of Stories Below Grade</b>	0
<b>Square Feet</b>	1000	<b>Length</b>	
<b>Width</b>		<b>Floor Of Origin</b>	2
<b>Fire Spread</b>	Confined to room of origin		
<b>Minor Damage</b>	1	<b>Significant Damage</b>	0
<b>Heavy Damage</b>	0	<b>Extreme Damage</b>	0
<b>Item Contributing Most To Spread</b>	Wearing apparel on a person	<b>Type Of Material Contributing Most To Spread</b>	Fabric, fiber, cotton, blends, rayon, wool
<b>Presence Of Detectors</b>	Present	<b>Type Of Detection System</b>	Smoke
<b>Detector Power Supply</b>	Battery only	<b>Detector Operation</b>	Detector operated
<b>Detector Effectiveness</b>	Detector alerted occupants, occupants responded	<b>Detector Failure Reason</b>	

<b>PEOPLE -- PERSON 1</b>			
<b>Telephone Number</b>	7148624352	<b>Involvement</b>	Caller
<b>Name</b>	SPRINT 866-398-3284	<b>Date of Birth</b>	
<b>Address</b>	7828 E ORANGETHORPE AVE GARDEN GROVE, CA 92844-		

<b>PEOPLE -- PERSON 2</b>			
<b>Is Owner</b>	False	<b>Business Name</b>	
<b>Address</b>	13100 GILBERT ST 52 GARDEN GROVE, CA 92844-		

<b>CUSTOM FIELDS FORM</b>	
<b>What happened?</b>	We provided fire and rescue service
<b>Was this patient homeless?</b>	Not applicable
<b>Fire Incident - What happened?</b>	

<b>PERSONNEL ON CALL</b>			
<b>Name</b>	<b>Personnel Rank</b>	<b>Role(s)</b>	<b>Apparatus</b>
Doyle, Justin D			GT1
Fellner, Steve			GE7
Henshaw, Matthew			GE1
Kleibacker, Matthew C	Captain		GE2
Lee, Josh	Firefighter / Paramedic		GE2
Marquez Jr., John M	Engineer		GE2
Maule, Cheyne C			GB1
Mellem, Travis M			GE7
Mickelsen, Mark			GT1
Noble, Grant A			GE1
Pardoen, Brent C			GE1
Scherer, Scott A			GT1
Stowe, Timothy	Firefighter / Paramedic		GE2
Thorson, Eric			GE7

Member Making Report (Captain Matthew C Kleibacker): \_\_\_\_\_

Incident Reviewer (Captain Matthew C Kleibacker): \_\_\_\_\_



**Garden Grove Fire Department**  
 Station: **G07**  
 Shifts Or Platoon: **C**

Location: <b>9561 BOLSA AVE</b> <b>GARDEN GROVE CA 92844</b>	Incident Type: <b>111 - Building fire</b>
Lat/Long: <b>N 33° 44' 42.27"</b> <b>W 117° 57' 45.37"</b>	FDID: <b>30035</b> Incident #: <b>2019-903802</b> Exposure ID: <b>38961396</b> Exposure #: <b>0</b> Incident Date: <b>03/30/2019</b> Dispatch Run #: <b>F190890195</b>
Location Type: <b>1 - Street address</b> Map Page: <b>828D3</b>	

<b>Report Completed by:</b>	Fellner , Steve	<b>ID:</b> 2487	<b>Date:</b> 03/30/2019
<b>Report Reviewed by:</b>	Fellner , Steve	<b>ID:</b> 2487	<b>Date:</b> 03/30/2019
<b>Report Printed by:</b>	Guardi, Lisa	<b>ID:</b> 4433	<b>Date:</b> 4/3/2019 <b>Time:</b> 14:40

Structure Type: <b>Enclosed building</b>	Property Use: <b>342 - Doctor, dentist or oral surgeon office</b>		
Automatic Extinguishment System Present: <input type="checkbox"/>	Detectors Present: <input type="checkbox"/>	Cause of Ignition: <b>Failure of equipment or heat source</b>	
Aid Given or Received: <b>None</b>	Primary action taken: <b>11 - Extinguishment by fire service personnel</b>		
<b>Losses</b>	<b>Pre-Incident Values</b>		
Property:	Property:	Civilian Injuries: <b>0</b>	Fire Service Injuries: <b>0</b>
Contents:	Contents:	Civilian Fatalities: <b>0</b>	Fire Service Fatalities: <b>0</b>
Total:	Total:	Total Casualties: <b>0</b>	Total Fire Service Casualties: <b>0</b>
Total # of apparatus on call:	<b>4</b>	Total # of personnel on call:	<b>9</b>

**Narrative from dispatch:**

2019/03/30 14:31:41  
 [03/30/19 14:31:41 KOPS] District: C Report No: 19-036035  
 2019/03/30 14:31:30  
 [03/30/19 14:31:30 KOPS] District: H Report No: H1905068  
 2019/03/30 14:29:55  
 [03/30/19 14:29:55 KOPS] District: G Report No: G1903802  
 2019/03/30 16:33:29  
 [03/30/19 16:33:29 M024] DUPE CALL 195 196 197  
 2019/03/30 16:06:39  
 [03/30/19 16:06:39] OCFA HAS CLOSED CALL 19-036035  
 2019/03/30 15:16:08  
 [03/30/19 15:16:08 M022] GB1 DISSOLVING COMMAND, GE7 WILL REMAIN OS  
 2019/03/30 15:02:11  
 [03/30/19 15:02:11 M022] INCIDENT CLOCK STOPPED: 15:02:11  
 2019/03/30 15:02:07  
 [03/30/19 15:02:07 M022] GB1 DISCONTINUE INCIDENT CLOCK  
 2019/03/30 15:01:53  
 [03/30/19 15:01:53 M022] INCIDENT CLOCK ACKED: 15:01:53  
 2019/03/30 15:01:30  
 [03/30/19 15:01:30 KOPS] INCIDENT CLOCK ELAPSED: 15:01:30  
 2019/03/30 14:50:30  
 [03/30/19 14:50:30 M054] GB1 CANCEL VB33  
 2019/03/30 14:48:27  
 [03/30/19 14:48:27 M054] GE7 PRIMARY/SECONDARY CLEAR, FIRE KNOCKED DOWN, NO EXTENSION  
 2019/03/30 14:47:51  
 [03/30/19 14:47:51 M054] GE7 ALPHA DIV  
 2019/03/30 14:47:32  
 [03/30/19 14:47:32 M054] HT42 RIC  
 2019/03/30 14:47:26  
 [03/30/19 14:47:26 M054] HT42 RIC/ALPHA SIDE  
 2019/03/30 14:47:02  
 [03/30/19 14:47:02 M054] GB1 ACK INCIDENT CLOCK  
 2019/03/30 14:46:55  
 [03/30/19 14:46:55 M054] 15 MINUTES ON INCIDENT CLOCK



2019/03/30 14:46:45  
[03/30/19 14:46:45 M054] INCIDENT CLOCK ACKED: 14:46:45  
2019/03/30 14:46:41  
[03/30/19 14:46:41 M054] GB1 FIRE KNOCKED DOWN, WORKING ON PRIMARY & CHECKING FOR EXTENSION  
2019/03/30 14:46:30  
[03/30/19 14:46:30 KOPS] INCIDENT CLOCK ELAPSED: 14:46:30  
2019/03/30 14:44:59  
[03/30/19 14:44:59 M054] CE66 FIRE KNOCKED DOWN  
2019/03/30 14:44:24  
[03/30/19 14:44:24 M054] CE78 EXPOSURE GROUP  
2019/03/30 14:44:11  
[03/30/19 14:44:11 M054] CE78 OS W/4  
2019/03/30 14:42:52  
[03/30/19 14:42:52 M054] CE66 FIRE ATTACK  
2019/03/30 14:42:27  
[03/30/19 14:42:27 M054] CE66 SC Removed  
2019/03/30 14:42:25  
[03/30/19 14:42:25 M054] GB1 BOLSA IC  
2019/03/30 14:41:33  
[03/30/19 14:41:33 M054] CE25 DIV ALPHA  
2019/03/30 14:41:25  
[03/30/19 14:41:25 M054] HT42 VENTILATION  
2019/03/30 14:41:00  
[03/30/19 14:41:00 M054] GT1 OS W/5  
2019/03/30 14:40:02  
[03/30/19 14:40:02 M060] OCFA REQ CB1 BE ADDED TO CALL  
2019/03/30 14:39:50  
[03/30/19 14:39:50 M054] CE66 WORKING FIRE AT STRIP CENTER  
2019/03/30 14:39:21  
[03/30/19 14:39:21 M024] PD NTFD TO SHUT DOWN BOLSA TFO ADDRESS  
2019/03/30 14:39:20  
[03/30/19 14:39:20 M054] CE66 HAVE GGPD SHUT DOWN BOLSA STRIP ENTRANCE  
2019/03/30 14:38:19  
[03/30/19 14:38:19 M054] GE7 BEST ACCESS TO REAR FOR FIRST IN TRUCK  
2019/03/30 14:37:29  
[03/30/19 14:37:29 M054] CE25 ALPHA SIDE  
2019/03/30 14:36:36  
[03/30/19 14:36:36 M054] Situation Updated: 167 (STRUCTURE FIRE-WORKING)  
2019/03/30 14:36:21  
[03/30/19 14:36:21 M054] CE66 BOLSA IC  
2019/03/30 14:36:11  
[03/30/19 14:36:11 M054] CE66 SINGLE STORY STRIP, WORKING FIRE  
2019/03/30 14:31:52  
[03/30/19 14:31:52 M054] GM1 GLF1  
2019/03/30 14:31:52  
[03/30/19 14:31:52 M054] GT1 GLF1  
2019/03/30 14:31:42  
[03/30/19 14:31:42 M027] GM1 GLF1  
2019/03/30 14:31:42  
[03/30/19 14:31:42 M027] GT1 GLF1  
2019/03/30 14:31:39  
[03/30/19 14:31:39 M032] DUPE CALLS 195 197  
2019/03/30 14:31:35  
[03/30/19 14:31:35] CALL TRANSFER TO OCFA SUCCEEDED  
2019/03/30 14:31:30  
[03/30/19 14:31:30 M028] INCIDENT CLOCK STARTED: 14:31:30 FOR 15 MINUTES  
2019/03/30 14:31:30  
[03/30/19 14:31:30 M028] Situation Updated: 165 (STRUCTURE FIRE-COMMERCIAL)

**NARRATIVE (2)****Narrative Title:** n/a**Narrative Author:** Fellner, Steve**Narrative Date:** 03/30/2019 17:30:11**Narrative Apparatus ID:** n/a**Narrative:**

GE7 RESPONDED TO A SINGLE STORY STRIP CENTER WITH LIGHT SMOKE. CE66 TOOK COMMAND. GE7 WAS ASSIGNED ALPHA DIVISION. FIRE WAS QUICKLY EXTINGUISHED WITH GT1 PROVIDING HORIZONTAL VENTILATION.

THE FIRE WAS CAUSED BY AN ELECTRICAL MALFUNCTION IN A MINI REFRIGERATOR LOCATED TO THE REAR OF THE OFFICE. THE OFFICE SUSTAINED MODERATE SMOKE DAMAGE AS A SMALL BALE OF MEDICINAL HERBS CAUGHT FIRE.

**APPARATUS**

<b>Fire Controlled Date / Time:</b>		3/30/2019 3:00:00 PM	
<b>Unit</b>	GB1	<b>Unit</b>	GE7
<b>Type:</b>	Chief officer car	<b>Type:</b>	Engine
<b>Use:</b>	Suppression	<b>Use:</b>	Suppression
<b>Response Mode:</b>	()	<b>Response Mode:</b>	()
<b># of People</b>	1	<b># of People</b>	3
<b>Alarm</b>	03 /30/2019 14:27:35	<b>Alarm</b>	03 /30/2019 14:27:35
<b>Dispatched</b>	03 /30/2019 14:31:30	<b>Dispatched</b>	03 /30/2019 14:29:55
<b>Enroute</b>	03 /30/2019 14:33:01	<b>Enroute</b>	03 /30/2019 14:31:09
<b>Arrived</b>	03 /30/2019 14:42:14	<b>Arrived</b>	03 /30/2019 14:40:22
<b>Cancelled</b>	-- /-- /-- -- :-- :--	<b>Cancelled</b>	-- /-- /-- -- :-- :--
<b>Cleared Scene</b>	03 /30/2019 15:16:30	<b>Cleared Scene</b>	03 /30/2019 16:06:34
<b>In Quarters</b>	03 /30/2019 16:15:02	<b>In Quarters</b>	03 /30/2019 16:07:33
<b>In Service</b>	03 /30/2019 15:16:30	<b>In Service</b>	03 /30/2019 16:06:34
<b>Unit</b>	GM1	<b>Unit</b>	GT1
<b>Type:</b>	ALS unit	<b>Type:</b>	Truck or aerial
<b>Use:</b>	EMS	<b>Use:</b>	Suppression
<b>Response Mode:</b>	()	<b>Response Mode:</b>	()
<b># of People</b>	2	<b># of People</b>	3
<b>Alarm</b>	03 /30/2019 14:27:35	<b>Alarm</b>	03 /30/2019 14:27:35
<b>Dispatched</b>	03 /30/2019 14:31:30	<b>Dispatched</b>	03 /30/2019 14:31:30
<b>Enroute</b>	03 /30/2019 14:32:25	<b>Enroute</b>	03 /30/2019 14:32:31
<b>Arrived</b>	03 /30/2019 14:40:55	<b>Arrived</b>	03 /30/2019 14:40:55
<b>Cancelled</b>	-- /-- /-- -- :-- :--	<b>Cancelled</b>	-- /-- /-- -- :-- :--
<b>Cleared Scene</b>	03 /30/2019 15:09:52	<b>Cleared Scene</b>	03 /30/2019 15:44:16
<b>In Quarters</b>	03 /30/2019 15:14:40	<b>In Quarters</b>	03 /30/2019 16:14:15
<b>In Service</b>	03 /30/2019 15:09:52	<b>In Service</b>	03 /30/2019 15:44:16
<b>Number Of People not on apparatus: 0</b>			

**FIRE**

<b>Acres Burned</b>	None or Less Than One	<b>Acres Burn From Wildland Form</b>	False
<b>Area Of Fire Origin</b>	Assembly or sales area, other	<b>Heat Source</b>	Radiated or conducted heat from operating equipment
<b>Item First Ignited</b>	Electrical wire, cable insulation	<b>Fire Is Confined To Object Of Origin</b>	
<b>Type Of Material</b>		<b>Cause Of Ignition</b>	Failure of equipment or heat source
<b>Factor Contributing To Ignition</b>	Electrical failure, malfunction, other		
<b>Human Factors Contributing</b>	None		
<b>Equipment Involved In Ignition Flag</b>	True	<b>Equipment Involved</b>	Refrigerator, refrigerator/freezer
<b>Equipment Power Source</b>	Electrical line voltage (>= 50 volts)	<b>Equipment Portability</b>	Stationary

<b>STRUCTURE FIRE</b>			
<b>Structure Type</b>	Enclosed building	<b>Building Status</b>	In normal use
<b># Of Stories At Above Grade</b>	1	<b># Of Stories Below Grade</b>	0
<b>Square Feet</b>	600	<b>Length</b>	
<b>Width</b>		<b>Floor Of Origin</b>	1
<b>Fire Spread</b>	Confined to room of origin		
<b>Minor Damage</b>	0	<b>Significant Damage</b>	0
<b>Heavy Damage</b>	0	<b>Extreme Damage</b>	0

<b>PEOPLE -- PERSON 1</b>			
<b>Telephone Number</b>	7147755491	<b>Involvement</b>	Caller
<b>Name</b>	ASIA STUDIO	<b>Date of Birth</b>	
<b>Address</b>	9563 BOLSA AVE GARDEN GROVE, CA 92844-		

<b>CUSTOM FIELDS FORM</b>	
<b>What happened?</b>	We provided fire and rescue service
<b>Was this patient homeless?</b>	No
<b>Fire Incident - What happened?</b>	

<b>PERSONNEL ON CALL</b>			
<b>Name</b>	<b>Personnel Rank</b>	<b>Role(s)</b>	<b>Apparatus</b>
Cary, Parker			GM1
Fellner, Steve			GE7
Maule, Cheyne C			GB1
Mellem, Travis M			GE7
Mickelsen, Mark			GT1
Moore, Daniel J			GE7
Nguyen, Thanh			GT1
Scherer, Scott A			GT1
Williams, Gregory D			GM1

Member Making Report (Captain Steve Fellner): \_\_\_\_\_

Incident Reviewer (Captain Steve Fellner): \_\_\_\_\_



**Garden Grove Fire Department**  
 Station: G02  
 Shifts Or Platoon: A

Location: <b>10866 WESTMINSTER AVE # 37</b> <b>Garden Grove CA 92640</b>	Incident Type: <b>111 - Building fire</b>
Lat/Long: <b>N 33° 45' 30.9"</b> <b>W 117° 56' 30.11"</b>	FDID: <b>30035</b> Incident #: <b>2019-902878</b> Exposure ID: <b>38368619</b> Exposure #: <b>0</b> Incident Date: <b>03/07/2019</b> Dispatch Run #: <b>F190660145</b>
Location Type: <b>1 - Street address</b> Map Page: <b>828F1</b>	

<b>Report Completed by:</b>	Breneman , Jerry R	<b>ID:</b> 1605	<b>Date:</b> 03/07/2019
<b>Report Reviewed by:</b>	Breneman , Jerry R	<b>ID:</b> 1605	<b>Date:</b> 03/07/2019
<b>Report Printed by:</b>	Guardi, Lisa	<b>ID:</b> 4433	<b>Date:</b> 4/3/2019 <b>Time:</b> 14:40

Structure Type: <b>Fixed portable or mobile structure</b>	Property Use: <b>400 - Residential, other</b>
Automatic Extinguishment System Present: <input type="checkbox"/>	Detectors Present: <input checked="" type="checkbox"/> Cause of Ignition: <b>Unintentional</b>
Aid Given or Received: <b>None</b>	Primary action taken: <b>11 - Extinguishment by fire service personnel</b>
Additional actions: <b>86 - Investigate , -</b>	
<b>Losses</b>	<b>Pre-Incident Values</b>
Property: Property: Civilian Injuries: <b>0</b> Fire Service Injuries: <b>0</b>	Property: Property: Civilian Injuries: <b>0</b> Fire Service Injuries: <b>0</b>
Contents: Contents: Civilian Fatalities: <b>0</b> Fire Service Fatalities: <b>0</b>	Contents: Contents: Civilian Fatalities: <b>0</b> Fire Service Fatalities: <b>0</b>
Total: Total: Total Casualties: <b>0</b> Total Fire Service Casualties: <b>0</b>	Total: Total: Total Casualties: <b>0</b> Total Fire Service Casualties: <b>0</b>
Total # of apparatus on call: <b>5</b>	Total # of personnel on call: <b>15</b>

**Narrative from dispatch:**

2019/03/07 11:17:20  
 [03/07/19 11:17:20 KOPS] District: C Report No: 19-026654  
 2019/03/07 11:17:12  
 [03/07/19 11:17:12 KOPS] District: G Report No: G1902878  
 2019/03/07 12:31:20  
 [03/07/19 12:31:20] OCFA HAS CLOSED CALL 19-026654  
 2019/03/07 12:13:44  
 [03/07/19 12:13:44 M033] GE2 STILL NOT AVAIL  
 2019/03/07 12:12:56  
 [03/07/19 12:12:56 M033] GE2 PAGED FOR STATUS  
 2019/03/07 11:45:06  
 [03/07/19 11:45:06 M024] CB1 RELEASING GE1 GE6  
 2019/03/07 11:35:07  
 [03/07/19 11:35:07 M024] CB1 RELEASING GE3  
 2019/03/07 11:32:50  
 [03/07/19 11:32:50 M024] INCIDENT CLOCK STOPPED: 11:32:50  
 2019/03/07 11:32:48  
 [03/07/19 11:32:48 M024] CB1 STOP INCIDENT CLOCK  
 2019/03/07 11:32:43  
 [03/07/19 11:32:43 M035] BC'S PAGED, GE4 TO G01 AND AE4 TO G02  
 2019/03/07 11:32:37  
 [03/07/19 11:32:37 M024] CB1 ADV 15 MIN ON INCIDENT CLOCK  
 2019/03/07 11:32:03  
 [03/07/19 11:32:03 M024] INCIDENT CLOCK ACKED: 11:32:03  
 2019/03/07 11:31:57  
 [03/07/19 11:31:57 KOPS] INCIDENT CLOCK ELAPSED: 11:31:57  
 2019/03/07 11:31:25  
 [03/07/19 11:31:25 M024] CB1 CANCEL AB2 CT64  
 2019/03/07 11:29:58  
 [03/07/19 11:29:58 M024] GE2 FIRE IS KNOCKED DOWN, REQ HORIZONTAL VENTILLATION  
 2019/03/07 11:29:23  
 [03/07/19 11:29:23 M024] GE1 SC Removed

2019/03/07 11:29:19  
 [03/07/19 11:29:19 M024] CB1 WESTMINSTER IC  
 2019/03/07 11:28:51  
 [03/07/19 11:28:51 M024] AB1 PAGED TO ADV AB2 IS ON THE CALL  
 2019/03/07 11:28:41  
 [03/07/19 11:28:41 M024] GE2 PRIMARY ALL CLEAR  
 2019/03/07 11:26:35  
 [03/07/19 11:26:35 M024] GE3 EXPOSURE GROUP  
 2019/03/07 11:26:27  
 [03/07/19 11:26:27 M024] GE3 OS WITH 3  
 2019/03/07 11:25:46  
 [03/07/19 11:25:46 M024] GT1 VENT GROUP  
 2019/03/07 11:25:45  
 [03/07/19 11:25:45 M027] Situation Updated: 167 (STRUCTURE FIRE-WORKING)  
 2019/03/07 11:25:28  
 [03/07/19 11:25:28 M024] GE6 ASSIST FIRE ATTACK  
 2019/03/07 11:25:22  
 [03/07/19 11:25:22 M024] GE6 OS WITH 3  
 2019/03/07 11:24:51  
 [03/07/19 11:24:51 M024] GE1 WESTMINSTER IC  
 2019/03/07 11:24:46  
 [03/07/19 11:24:46 M024] GE3 UPGRADE TO WORKING FIRE  
 2019/03/07 11:24:28  
 [03/07/19 11:24:28 M024] GE2 FIRE ATTACK  
 2019/03/07 11:24:23  
 [03/07/19 11:24:23 M024] GE2 OS WITH 4, 1 STORY SINGLE WIDE MOBILE HOME, ACTIVE ASSUMING FIRE, FIRE ATTACK  
 2019/03/07 11:17:17  
 [03/07/19 11:17:17] CALL TRANSFER TO OCFA SUCCEEDED  
 2019/03/07 11:16:57  
 [03/07/19 11:16:57 M027] INCIDENT CLOCK STARTED: 11:16:57 FOR 15 MINUTES

## NARRATIVE (2)

**Narrative Title:** FIRE

**Narrative Author:** Breneman, Jerry

**Narrative Date:** 03/07/2019 14:52:53

**Narrative Apparatus ID:** GE2

**Narrative:**

GE2 ARRIVED AT THE REPORTED ADDRESS TO FIND A ONE-STORY SINGLE-WIDE MOBILE HOME WITH FIRE OBSERVED THROUGH A NORTH FACING WINDOW AND CHEST HIGH SMOKE SEEN THROUGH THE OPEN FRONT DOOR. OCCUPANTS FOUND TO THE FRONT OF THE HOME AND THEY STATED THAT EVERYONE WAS OUT OF THE STRUCTURE. GE2 INITIATED AN ALLEY LAY AND WENT INTO ATTACK MODE WITH GE1 ESTABLISHING COMMAND AND SECURING A WATER SUPPLY. GE2 FOUND THE FIRE CONFINED TO THE KITCHEN AREA WITH FIRE KNOCK DOWN WITHIN TEN MINUTES OF ARRIVAL. ocfa BATTALION 1 ARRIVED ON SCENE, ASSUMED COMMAND, AND ASSIGNED ALL OTHER RESOURCES AS APPROPRIATE. PRIMARY AND SECONDARY SEARCHES WERE FOUND TO BE ALL CLEAR AND UTILITIES WERE SHUT OFF BY GT1 WITH THE EXCEPTION OF THE WATER AS THE VALVE WAS FROZEN. THE ORIGIN AND CAUSE OF THE FIRE WAS INVESTIGATED BY GI4. GE2 EXPLAINED THE PROPERTY RELEASE WITH THE HOME OWNER WHOM SIGNED AND WAS PROVIDED A COPY. GE2 COMPLETED.

APPARATUS			
<b>Fire Controlled Date / Time:</b>		3/7/2019 11:35:00 AM	
<b>Unit</b>	GE1	<b>Unit</b>	GE2
<b>Type:</b>	Engine	<b>Type:</b>	Engine
<b>Use:</b>	Suppression	<b>Use:</b>	Suppression
<b>Response Mode:</b>	()	<b>Response Mode:</b>	()
<b># of People</b>	3	<b># of People</b>	4
<b>Alarm</b>	03 /07/2019 11:16:09	<b>Alarm</b>	03 /07/2019 11:16:09
<b>Dispatched</b>	03 /07/2019 11:20:18	<b>Dispatched</b>	03 /07/2019 11:17:12
<b>Enroute</b>	03 /07/2019 11:20:22	<b>Enroute</b>	03 /07/2019 11:17:25
<b>Arrived</b>	03 /07/2019 11:25:00	<b>Arrived</b>	03 /07/2019 11:24:09
<b>Cancelled</b>	-- /--/-- -- :-- :--	<b>Cancelled</b>	-- /--/-- -- :-- :--
<b>Cleared Scene</b>	03 /07/2019 12:01:24	<b>Cleared Scene</b>	03 /07/2019 12:31:17
<b>In Quarters</b>	-- /--/-- -- :-- :--	<b>In Quarters</b>	-- /--/-- -- :-- :--
<b>In Service</b>	03 /07/2019 12:01:24	<b>In Service</b>	03 /07/2019 12:31:17
<b>Unit</b>	GE3	<b>Unit</b>	GE6
<b>Type:</b>	Engine	<b>Type:</b>	Engine
<b>Use:</b>	Suppression	<b>Use:</b>	Suppression
<b>Response Mode:</b>	()	<b>Response Mode:</b>	()
<b># of People</b>	3	<b># of People</b>	2
<b>Alarm</b>	03 /07/2019 11:16:09	<b>Alarm</b>	03 /07/2019 11:16:09
<b>Dispatched</b>	03 /07/2019 11:17:12	<b>Dispatched</b>	03 /07/2019 11:17:12
<b>Enroute</b>	03 /07/2019 11:17:28	<b>Enroute</b>	03 /07/2019 11:19:25
<b>Arrived</b>	03 /07/2019 11:24:55	<b>Arrived</b>	03 /07/2019 11:25:18
<b>Cancelled</b>	-- /--/-- -- :-- :--	<b>Cancelled</b>	-- /--/-- -- :-- :--
<b>Cleared Scene</b>	03 /07/2019 11:40:31	<b>Cleared Scene</b>	03 /07/2019 12:09:02
<b>In Quarters</b>	03 /07/2019 11:42:05	<b>In Quarters</b>	-- /--/-- -- :-- :--
<b>In Service</b>	03 /07/2019 11:40:31	<b>In Service</b>	03 /07/2019 12:09:02
<b>Unit</b>	GT1		
<b>Type:</b>	Truck or aerial		
<b>Use:</b>	Suppression		
<b>Response Mode:</b>	()		
<b># of People</b>	3		
<b>Alarm</b>	03 /07/2019 11:16:09		
<b>Dispatched</b>	03 /07/2019 11:17:12		
<b>Enroute</b>	03 /07/2019 11:18:26		
<b>Arrived</b>	03 /07/2019 11:25:41		
<b>Cancelled</b>	-- /--/-- -- :-- :--		
<b>Cleared Scene</b>	03 /07/2019 12:03:00		
<b>In Quarters</b>	03 /07/2019 12:12:51		
<b>In Service</b>	03 /07/2019 12:03:00		
<b>Number Of People not on apparatus: 0</b>			

FIRE			
<b>Acres Burned</b>	None or Less Than One	<b>Acres Burn From Wildland Form</b>	False
<b>Area Of Fire Origin</b>	Cooking area, kitchen	<b>Heat Source</b>	Radiated or conducted heat from operating equipment
<b>Item First Ignited</b>	Wearing apparel not on a person	<b>Fire Is Confined To Object Of Origin</b>	
<b>Type Of Material</b>	Fabric, fiber, cotton, blends, rayon, wool	<b>Cause Of Ignition</b>	Unintentional
<b>Factor Contributing To Ignition</b>	Improper container or storage procedure		
<b>Human Factors Contributing</b>	None		
<b>Equipment Involved In Ignition Flag</b>	True	<b>Equipment Involved</b>	Oven, rotisserie
<b>Equipment Power Source</b>	Natural gas or other lighter-than-air gas	<b>Equipment Portability</b>	Stationary

<b>STRUCTURE FIRE</b>			
<b>Structure Type</b>	Fixed portable or mobile structure	<b>Building Status</b>	In normal use
<b># Of Stories At Above Grade</b>	1	<b># Of Stories Below Grade</b>	0
<b>Square Feet</b>	800	<b>Length</b>	
<b>Width</b>		<b>Floor Of Origin</b>	1
<b>Fire Spread</b>	Confined to room of origin		
<b>Minor Damage</b>	0	<b>Significant Damage</b>	0
<b>Heavy Damage</b>	0	<b>Extreme Damage</b>	0
<b>Presence Of Detectors</b>	Present	<b>Type Of Detection System</b>	Smoke
<b>Detector Power Supply</b>	Hardwire with battery backup	<b>Detector Operation</b>	Detector operated
<b>Detector Effectiveness</b>	Undetermined	<b>Detector Failure Reason</b>	

<b>PEOPLE -- PERSON 1</b>			
<b>Telephone Number</b>	7148624481	<b>Involvement</b>	Caller
<b>Name</b>	T-MOBILE (877) 653-7911	<b>Date of Birth</b>	
<b>Address</b>	14081 N EUCLID ST GARDEN GROVE, CA 92843-		

<b>CUSTOM FIELDS FORM</b>	
<b>What happened?</b>	We provided fire and rescue service
<b>Was this patient homeless?</b>	Not applicable
<b>Fire Incident - What happened?</b>	

<b>PERSONNEL ON CALL</b>			
<b>Name</b>	<b>Personnel Rank</b>	<b>Role(s)</b>	<b>Apparatus</b>
Acosta, Alberto			GE3
Breneman, Jerry R			GE2
Carlson, Dave			GE2
Crawford, Joe W			GT1
Hawkins, Christopher			GE2
Howey, Shane S			GE3
Jaeger, Bill R	Firefighter		GE1
Jemiola, Jordan R			GE2
Lindsay, Corey L			GT1
Lovely, Norman M			GE6
Nguyen, Son			GE3
Pardoen, Brent C	Captain		GE1
Sanchez, David C	Engineer		GE1
Strohm, Bill			GT1
Van Wie, Ryan			GE6

Member Making Report (Captain Jerry R Breneman): \_\_\_\_\_

Incident Reviewer (Captain Jerry R Breneman): \_\_\_\_\_