



**Garden Grove Fire
Department**
Station: **G01**

Location: 10181 LARSON AVE GARDEN GROVE CA 92843	Incident Type: 111 - Building fire
Lat/Long: N 33° 46' 20.43" W 117° 57' 5.73"	FDID: 30035 Incident #: 2019--045836 Exposure ID: 39603929 Exposure #: 0 Incident Date: 04/24/2019 Dispatch Run #: F191140178
Location Type: 1 - Street address Map Page: 798E7	

Report Completed by:	Nguyen , Thanh	ID: 0167	Date: 04/29/2019
Report Reviewed by:	Nguyen , Thanh	ID: 0167	Date: 04/29/2019
Report Printed by:	Guardi, Lisa	ID: 4433	Date: 4/30/2019 Time: 10:25

Structure Type: Enclosed building	Property Use: 419 - 1 or 2 family dwelling		
Automatic Extinguishment System Present: <input type="checkbox"/>	Detectors Present: <input type="checkbox"/>	Cause of Ignition: Cause undetermined after investigation	
Aid Given or Received: Mutual aid received	Primary action taken: 10 - Fire control or extinguishment, other		
Losses	Pre-Incident Values		
Property:	Property:	Civilian Injuries: 0	Fire Service Injuries: 0
Contents:	Contents:	Civilian Fatalities: 0	Fire Service Fatalities: 0
Total:	Total:	Total Casualties: 0	Total Fire Service Casualties: 0
Total # of apparatus on call:	5	Total # of personnel on call:	14

NARRATIVE (2)

Narrative Title: Structure Fire

Narrative Author: Garcia, Drew

Narrative Date: 04/24/2019 18:33:37

Narrative Apparatus ID: GE1

Narrative:

GE1 responded to a correct address of 10181 Larson to find a detached garage fully involved to the rear of the main house. GE1 went into the attack mode and pulled a 1 3/4' preconnect along the delta side of the house and attacked the fire. GE1 was assigned Fire Attack and noticed power lines down to the rear alley, along with small explosions heard in the detached garage. GE1 pulled back and hit the fire from a safe area and requested Edison. GE3 assumed DIV C and denied access to the rear alley. The fire was extinguished and fire damage was limited to the backyard. The back yard contained the detached garage, and several sheds. One shed was fully destroyed, along with copious amounts belongings in the rear yard. GI3 was on scene and conducting the investigation. See GI3's report for full investigation information.

The building department arrived on scene and red tagged the building. GE1 met with the owner and had her sign a property release stating to post a 24 hour fire watch, and not occupy the building due to the red tagging. The owner was advised to coordinate with the building department as to when they could reoccupy the structure. GE1 complete.

APPARATUS			
Fire Controlled Date / Time:		4/24/2019 1:08:00 PM	
Unit	GB1	Unit	GE1
Type:	Chief officer car	Type:	Engine
Use:	Suppression	Use:	Suppression
Response Mode:	()	Response Mode:	()
# of People	1	# of People	3
Alarm	04 /24/2019 12:42:58	Alarm	04 /24/2019 12:42:58
Dispatched	04 /24/2019 12:43:46	Dispatched	04 /24/2019 12:43:46
Enroute	04 /24/2019 12:44:42	Enroute	04 /24/2019 12:44:34
Arrived	04 /24/2019 12:51:48	Arrived	04 /24/2019 12:55:12
Cancelled	-- /-- /-- -- :-- :--	Cancelled	-- /-- /-- -- :-- :--
Cleared Scene	04 /24/2019 14:56:29	Cleared Scene	04 /24/2019 15:12:34
In Quarters	-- /-- /-- -- :-- :--	In Quarters	-- /-- /-- -- :-- :--
In Service	04 /24/2019 14:56:29	In Service	04 /24/2019 15:12:34
Unit	GE3	Unit	GE5
Type:	Engine	Type:	Engine
Use:	Suppression	Use:	Suppression
Response Mode:	()	Response Mode:	()
# of People	3	# of People	4
Alarm	04 /24/2019 12:42:58	Alarm	04 /24/2019 12:42:58
Dispatched	04 /24/2019 12:43:46	Dispatched	04 /24/2019 12:57:53
Enroute	04 /24/2019 12:44:59	Enroute	04 /24/2019 12:58:18
Arrived	04 /24/2019 12:52:59	Arrived	04 /24/2019 13:05:08
Cancelled	-- /-- /-- -- :-- :--	Cancelled	-- /-- /-- -- :-- :--
Cleared Scene	04 /24/2019 14:58:45	Cleared Scene	04 /24/2019 14:07:47
In Quarters	04 /24/2019 15:09:56	In Quarters	04 /24/2019 14:08:05
In Service	04 /24/2019 14:58:45	In Service	04 /24/2019 14:07:47
Unit	GE6		
Type:	Engine		
Use:	Suppression		
Response Mode:	()		
# of People	3		
Alarm	04 /24/2019 12:42:58		
Dispatched	04 /24/2019 12:50:57		
Enroute	04 /24/2019 12:50:57		
Arrived	04 /24/2019 12:53:10		
Cancelled	-- /-- /-- -- :-- :--		
Cleared Scene	04 /24/2019 14:02:10		
In Quarters	04 /24/2019 15:14:27		
In Service	04 /24/2019 14:02:10		
Number Of People not on apparatus: 0			

FIRE			
Acres Burned	None or Less Than One	Acres Burn From Wildland Form	False
Area Of Fire Origin	Storage area, other	Heat Source	Undetermined
Item First Ignited	Undetermined	Fire Is Confined To Object Of Origin	
Type Of Material	Undetermined	Cause Of Ignition	Cause undetermined after investigation
Factor Contributing To Ignition	Undetermined		
Human Factors Contributing	Unattended or unsupervised person,		

STRUCTURE FIRE			
Structure Type	Enclosed building	Building Status	In normal use
# Of Stories At Above Grade	1	# Of Stories Below Grade	0
Square Feet		Length	12
Width	20	Floor Of Origin	1
Fire Spread	Beyond building of origin		
Minor Damage	0	Significant Damage	0
Heavy Damage	0	Extreme Damage	0

ARSON		
Agency Name	Agency Address	Agency Phone

PEOPLE -- PERSON 1		
Telephone Number		Caller
Name		
Address		

CUSTOM FIELDS FORM	
What happened?	We provided fire and rescue service
Was this patient homeless?	Not applicable
Fire Incident - What happened?	

PERSONNEL ON CALL			
Name	Personnel Rank	Role(s)	Apparatus
Acosta, Alberto			GE6
Crawford, Timothy A			GE1
Furuta, Garret M			GE5
Gabbard, James			GB1
Garcia, Drew R			GE1
Howey, Shane S			GE3
Jacobs, Michael			GE5
Kuhlman, Scott A			GE3
Lovely, Norman M			GE6
Marquez Jr., John M			GE3
Nguyen, Thanh			GE5
Norrdin, Eric S			GE1
Ronstadt, Richard			GE5
Van Wie, Ryan			GE6

Member Making Report (Captain Thanh Nguyen): _____

Incident Reviewer (Captain Thanh Nguyen): _____



**Garden Grove Fire
Department**

Station: **G01**
Shifts Or Platoon: **A**

Location: 10051 TREEBARK CIR WESTMINSTER CA 00000	Incident Type: 111 - Building fire
Lat/Long: N 33° 44' 55.56" W 117° 57' 14.85"	FDID: 30035 Incident #: 2019-904640 Exposure ID: 39468225 Exposure #: 0 Incident Date: 04/20/2019 Dispatch Run #: F191100008
Location Type: 1 - Street address	

Report Completed by:	Schaefer , Nick R	ID: 3372	Date: 04/20/2019
Report Reviewed by:	Schaefer , Nick R	ID: 3372	Date: 04/20/2019
Report Printed by:	Guardi, Lisa	ID: 4433	Date: 4/30/2019 Time: 10:25

Structure Type: Enclosed building	Property Use: 419 - 1 or 2 family dwelling		
Automatic Extinguishment System Present: <input type="checkbox"/>	Detectors Present: <input type="checkbox"/>	Cause of Ignition: Cause under investigation	
Aid Given or Received: None	Primary action taken: 10 - Fire control or extinguishment, other		
Losses	Pre-Incident Values		
Property:	Property:	Civilian Injuries: 0	Fire Service Injuries: 0
Contents:	Contents:	Civilian Fatalities: 0	Fire Service Fatalities: 0
Total:	Total:	Total Casualties: 0	Total Fire Service Casualties: 0
Total # of apparatus on call:	3	Total # of personnel on call:	7

Neighboring Agencies
Agency Name: Orange County Fire Authority
Agency ID: 30065
Agency Type: Fire

NARRATIVE (2)
Narrative Title: STRUCTURE FIRE
Narrative Author: Schaefer, Nick
Narrative Date: 04/20/2019 06:50:18
Narrative Apparatus ID: GT1
Narrative: GT1 responded to the dispatched address for a residential structure fire. Upon arrival, GT1 was assigned ventilation group and initiated vertical ventilation in coordination with interior. The fire was extinguished by OCFA. Overhaul was completed with OCFA arson investigators on scene for cause and determination.

APPARATUS			
Unit	GB1	Unit	GE7
Type:	Chief officer car	Type:	Engine
Use:	Suppression	Use:	Suppression
Response Mode:	()	Response Mode:	()
# of People	1	# of People	3
Alarm	04 /20/2019 00:33:51	Alarm	04 /20/2019 00:33:51
Dispatched	04 /20/2019 00:34:00	Dispatched	04 /20/2019 00:34:00
Enroute	04 /20/2019 00:35:10	Enroute	04 /20/2019 00:34:50
Arrived	04 /20/2019 01:21:29	Arrived	04 /20/2019 01:21:23
Cancelled	-- /-- /-- -- :-- :--	Cancelled	-- /-- /-- -- :-- :--
Cleared Scene	04 /20/2019 01:31:13	Cleared Scene	04 /20/2019 01:26:52
In Quarters	04 /20/2019 01:33:38	In Quarters	04 /20/2019 01:28:47
In Service	04 /20/2019 01:31:13	In Service	04 /20/2019 01:26:52
Unit	GT1		
Type:	Truck or aerial		
Use:	Suppression		
Response Mode:	()		
# of People	3		
Alarm	04 /20/2019 00:33:51		
Dispatched	04 /20/2019 00:34:00		
Enroute	04 /20/2019 00:37:01		
Arrived	04 /20/2019 00:43:00		
Cancelled	-- /-- /-- -- :-- :--		
Cleared Scene	04 /20/2019 02:32:23		
In Quarters	-- /-- /-- -- :-- :--		
In Service	04 /20/2019 02:32:23		
Number Of People not on apparatus: 0			

FIRE			
Acres Burned	None or Less Than One	Acres Burn From Wildland Form	False
Area Of Fire Origin	Undetermined	Heat Source	Undetermined
Item First Ignited	Undetermined	Fire Is Confined To Object Of Origin	
Type Of Material	Undetermined	Cause Of Ignition	Cause under investigation
Factor Contributing To Ignition	Undetermined		
Human Factors Contributing	None		

STRUCTURE FIRE			
Structure Type	Enclosed building	Building Status	In normal use
# Of Stories At Above Grade	1	# Of Stories Below Grade	0
Square Feet	1500	Length	
Width		Floor Of Origin	1
Fire Spread	Confined to building of origin		
Minor Damage	0	Significant Damage	0
Heavy Damage	0	Extreme Damage	0

ARSON		
Agency Name	Agency Address	Agency Phone
	Treebark Cir.	
Remarks:		
OCFA Arson Investigators on scene for suspicious ignition. Cause under investigation.		

CUSTOM FIELDS FORM	
What happened?	We provided fire and rescue service
Was this patient homeless?	Not applicable
Fire Incident - What happened?	

PERSONNEL ON CALL			
Name	Personnel Rank	Role(s)	Apparatus
Bauer, Lucas B	Engineer		GT1
Blomgren, Jason			GE7
Gabbard, James			GB1
Lindsay, Corey L	Firefighter		GT1
Mellem, Travis M			GE7
Rieth, Mike K			GE7
Schaefer, Nick R	Captain		GT1

Member Making Report (Captain Nick R Schaefer): _____

Incident Reviewer (Captain Nick R Schaefer): _____



**Garden Grove Fire
Department**

Station: **G01**
Shifts Or Platoon: **A**

Location: 13111 WESTLAKE ST GARDEN GROVE CA 92843	Incident Type: 111 - Building fire
Lat/Long: N 33° 46' 20.65" W 117° 56' 40.74"	FDID: 30035 Incident #: 2019-904173 Exposure ID: 39191496 Exposure #: 0 Incident Date: 04/08/2019 Dispatch Run #: F190980294
Location Type: 1 - Street address Map Page: 798F6	

Report Completed by:	Fellner , Steve	ID: 2487	Date: 04/08/2019
Report Reviewed by:	Fellner , Steve	ID: 2487	Date: 04/08/2019
Report Printed by:	Guardi, Lisa	ID: 4433	Date: 4/30/2019 Time: 10:25

Structure Type: Enclosed building	Property Use: 419 - 1 or 2 family dwelling		
Automatic Extinguishment System Present: <input type="checkbox"/>	Detectors Present: <input type="checkbox"/>	Cause of Ignition: Unintentional	
Aid Given or Received: None	Primary action taken: 11 - Extinguishment by fire service personnel		
Losses	Pre-Incident Values		
Property:	Property:	Civilian Injuries: 0	Fire Service Injuries: 0
Contents:	Contents:	Civilian Fatalities: 0	Fire Service Fatalities: 0
Total:	Total:	Total Casualties: 0	Total Fire Service Casualties: 0
Total # of apparatus on call: 7	Total # of personnel on call: 19		

NARRATIVE (2)

Narrative Title: n/a

Narrative Author: Fellner, Steve

Narrative Date: 04/08/2019 22:07:35

Narrative Apparatus ID: n/a

Narrative:

GE1 FOUND A TWO STORY HOUSE WITH FIRE AND SMOKE COMING FROM THE SECOND FLOOR. GE1 WENT INTO THE ATTACK MODE TO THE SECOND FLOOR WITH GE7 ASSISTING. FIRE WAS EXTINGUISHED IN 20 MINUTES. GT1 WAS ASSIGNED TO VENTILATION GROUP AND PREFORMED VERTICAL VENTILATION. GE2 WAS ASSIGNED RIC. ARSON INVESTIGATION WAS PREFORMED BY CAPT STROHM AND WEISS. RED CROSS WAS REQUESTED. HOUSE WAS RELEASED TO PROPERTY MANAGER.

APPARATUS			
Fire Controlled Date / Time:		4/8/2019 5:20:00 PM	
Unit	GB1	Unit	GE1
Type:	Chief officer car	Type:	Engine
Use:	Suppression	Use:	Suppression
Response Mode:	()	Response Mode:	()
# of People	1	# of People	3
Alarm	04 /08/2019 16:49:03	Alarm	04 /08/2019 16:49:03
Dispatched	04 /08/2019 16:50:27	Dispatched	04 /08/2019 16:50:27
Enroute	04 /08/2019 16:51:10	Enroute	04 /08/2019 16:52:18
Arrived	04 /08/2019 16:56:38	Arrived	04 /08/2019 16:56:36
Cancelled	-- /-- /-- --:--:--	Cancelled	-- /-- /-- --:--:--
Cleared Scene	04 /08/2019 18:43:51	Cleared Scene	04 /08/2019 19:03:32
In Quarters	04 /08/2019 18:51:04	In Quarters	-- /-- /-- --:--:--
In Service	04 /08/2019 18:43:51	In Service	04 /08/2019 19:03:32
Unit	GE2	Unit	GE6
Type:	Engine	Type:	Engine
Use:	Suppression	Use:	Suppression
Response Mode:	()	Response Mode:	()
# of People	4	# of People	3
Alarm	04 /08/2019 16:49:03	Alarm	04 /08/2019 16:49:03
Dispatched	04 /08/2019 16:52:09	Dispatched	04 /08/2019 16:50:27
Enroute	04 /08/2019 16:52:30	Enroute	04 /08/2019 16:51:53
Arrived	04 /08/2019 17:03:06	Arrived	04 /08/2019 16:59:14
Cancelled	-- /-- /-- --:--:--	Cancelled	-- /-- /-- --:--:--
Cleared Scene	04 /08/2019 17:38:01	Cleared Scene	04 /08/2019 18:30:11
In Quarters	04 /08/2019 18:05:05	In Quarters	04 /08/2019 18:40:45
In Service	04 /08/2019 17:38:01	In Service	04 /08/2019 18:30:11
Unit	GE7	Unit	GM1
Type:	Engine	Type:	ALS unit
Use:	Suppression	Use:	EMS
Response Mode:	()	Response Mode:	()
# of People	3	# of People	2
Alarm	04 /08/2019 16:49:03	Alarm	04 /08/2019 16:49:03
Dispatched	04 /08/2019 16:50:27	Dispatched	04 /08/2019 16:50:27
Enroute	04 /08/2019 16:51:52	Enroute	04 /08/2019 16:50:46
Arrived	04 /08/2019 16:56:34	Arrived	04 /08/2019 16:57:26
Cancelled	-- /-- /-- --:--:--	Cancelled	-- /-- /-- --:--:--
Cleared Scene	04 /08/2019 18:36:40	Cleared Scene	04 /08/2019 19:01:28
In Quarters	-- /-- /-- --:--:--	In Quarters	-- /-- /-- --:--:--
In Service	04 /08/2019 18:36:40	In Service	04 /08/2019 19:01:28
Unit	GT1		
Type:	Truck or aerial		
Use:	Suppression		
Response Mode:	()		
# of People	3		
Alarm	04 /08/2019 16:49:03		
Dispatched	04 /08/2019 16:50:27		
Enroute	04 /08/2019 16:51:10		
Arrived	04 /08/2019 16:57:29		
Cancelled	-- /-- /-- --:--:--		
Cleared Scene	04 /08/2019 19:03:57		
In Quarters	-- /-- /-- --:--:--		
In Service	04 /08/2019 19:03:57		
Number Of People not on apparatus: 0			

FIRE			
Acres Burned	None or Less Than One	Acres Burn From Wildland Form	False
Area Of Fire Origin	Bedroom - < 5 persons; included are jail or prison	Heat Source	Undetermined
Item First Ignited	Undetermined	Fire Is Confined To Object Of Origin	
Type Of Material	Undetermined	Cause Of Ignition	Unintentional
Factor Contributing To Ignition	Undetermined		
Human Factors Contributing	Possibly impaired by alcohol or drugs,		
Estimated Age Of Person Involved		Sex Of Person Involved	Male

STRUCTURE FIRE			
Structure Type	Enclosed building	Building Status	In normal use
# Of Stories At Above Grade	1	# Of Stories Below Grade	0
Square Feet	2000	Length	
Width		Floor Of Origin	2
Fire Spread	Confined to floor of origin		
Minor Damage	0	Significant Damage	0
Heavy Damage	0	Extreme Damage	0

PEOPLE -- PERSON 1			
Telephone Number		Occupation	Caller
Name		Birth	
Address			

CUSTOM FIELDS FORM	
What happened?	We provided fire and rescue service
Was this patient homeless?	No
Fire Incident - What happened?	

PERSONNEL ON CALL			
Name	Personnel Rank	Role(s)	Apparatus
Bauer, Lucas B			GT1
Blomgren, Jason	Firefighter / Paramedic		GE7
Carlson, Dave			GE2
Cary, Parker			GM1
Eckhardt Jr., Michael G			GE1
Fellner, Steve			GE1
Gabbard, James			GB1
Hawkins, Christopher			GE2
Jaeger, Bill R			GE1
Jemiola, Jordan R			GE2
Lindsay, Corey L			GT1
Lovely, Norman M			GE6
Mellem, Travis M	Engineer		GE7
Niblo, Fred			GE2
Rieth, Mike K	Captain		GE7
Stowe, Timothy			GM1
Strohm, Bill			GT1
Van Wie, Ryan			GE6
Weiss, Mark S			GE6

Member Making Report (Captain Steve Fellner): _____

Incident Reviewer (Captain Steve Fellner): _____



**Garden Grove Fire
Department**

Station: **G01**
Shifts Or Platoon: **C**

Location: 11042 BARCLAY DR Garden Grove CA 92640	Incident Type: 111 - Building fire
Lat/Long: N 33° 48' 9.17" W 117° 57' 48.86"	FDID: 30035 Incident #: 2019-903877 Exposure ID: 39003200 Exposure #: 0 Incident Date: 04/01/2019 Dispatch Run #: F190910208
Location Type: 1 - Street address Map Page: 798C3	

Report Completed by:	Breneman , Jerry R	ID: 1605	Date: 04/01/2019
Report Reviewed by:	Breneman , Jerry R	ID: 1605	Date: 04/01/2019
Report Printed by:	Guardi, Lisa	ID: 4433	Date: 4/30/2019 Time: 10:25

Structure Type: Enclosed building	Property Use: 429 - Multifamily dwelling		
Automatic Extinguishment System Present: <input type="checkbox"/>	Detectors Present: <input type="checkbox"/>	Cause of Ignition: Cause undetermined after investigation	
Aid Given or Received: None	Primary action taken: 86 - Investigate		
Losses	Pre-Incident Values		
Property:	Property:	Civilian Injuries: 0	Fire Service Injuries: 0
Contents:	Contents:	Civilian Fatalities: 0	Fire Service Fatalities: 0
Total:	Total:	Total Casualties: 0	Total Fire Service Casualties: 0
Total # of apparatus on call:	4	Total # of personnel on call:	9

NARRATIVE (2)

Narrative Title: Fire

Narrative Author: Breneman, Jerry

Narrative Date: 04/01/2019 16:45:48

Narrative Apparatus ID: GE1

Narrative:

AE6 arrived and reported a two-story apartment complex with nothing showing. Upon further investigation their secondary report was that of a dryer fire out prior to arrival with fire extinguishers utilized by occupants of the building. AE6 requested assistance from GE1 and released the balance of the assignment. The stacked washer/dryer combo appliance involved in the fire was removed from the small laundry room and laid down on the grass in the common area. GE1 opened up the wall adjacent to where the appliance was located to find the interior wood within the wall uninvolved. The gas and water main supplying the structure remained on. Within the electrical panel, a sub-panel for the laundry room is identified and personnel from AE6 shut off the supply to the room. Prior to shutting off the electricity AE6 personnel identified that the far right breaker within that sub-panel was tripped. The room and other appliances within sustained smoke staining only. It was unknown how long the dryer had been operating prior to the event. GI4 investigated the origin and cause of the fire in which a report can be provided upon request. A property release was completed, explained to the property manager, was signed by the manager and a copy provided to him. GE1 completed.

APPARATUS			
Unit	GB1	Unit	GE1
Type:	Chief officer car	Type:	Engine
Use:	Suppression	Use:	Suppression
Response Mode:	()	Response Mode:	()
# of People	1	# of People	3
Alarm	04 /01/2019 13:11:29	Alarm	04 /01/2019 13:11:29
Dispatched	04 /01/2019 13:12:31	Dispatched	04 /01/2019 13:12:31
Enroute	04 /01/2019 13:13:49	Enroute	04 /01/2019 13:13:35
Arrived	04 /01/2019 13:22:06	Arrived	04 /01/2019 13:21:55
Cancelled	04 /01/2019 13:22:08	Cancelled	-- /-- /-- -- :-- :--
Cleared Scene	04 /01/2019 13:22:08	Cleared Scene	04 /01/2019 14:02:06
In Quarters	04 /01/2019 13:35:15	In Quarters	-- /-- /-- -- :-- :--
In Service	04 /01/2019 13:22:08	In Service	04 /01/2019 14:02:06
Unit	GM1	Unit	GT1
Type:	ALS unit	Type:	Truck or aerial
Use:	EMS	Use:	Suppression
Response Mode:	()	Response Mode:	()
# of People	2	# of People	3
Alarm	04 /01/2019 13:11:29	Alarm	04 /01/2019 13:11:29
Dispatched	04 /01/2019 13:12:31	Dispatched	04 /01/2019 13:12:31
Enroute	04 /01/2019 13:13:08	Enroute	04 /01/2019 13:14:21
Arrived	-- /-- /-- -- :-- :--	Arrived	-- /-- /-- -- :-- :--
Cancelled	04 /01/2019 13:22:05	Cancelled	04 /01/2019 13:22:40
Cleared Scene	04 /01/2019 13:22:05	Cleared Scene	04 /01/2019 13:22:40
In Quarters	04 /01/2019 13:31:44	In Quarters	04 /01/2019 13:34:11
In Service	04 /01/2019 13:22:05	In Service	04 /01/2019 13:22:40
Number Of People not on apparatus: 0			

FIRE			
Acres Burned	None or Less Than One	Acres Burn From Wildland Form	False
Area Of Fire Origin	Laundry area, wash house (laundry)	Heat Source	Undetermined
Item First Ignited	Undetermined	Fire Is Confined To Object Of Origin	
Type Of Material	Undetermined	Cause Of Ignition	Cause undetermined after investigation
Factor Contributing To Ignition	Undetermined		
Human Factors Contributing	None		

STRUCTURE FIRE			
Structure Type	Enclosed building	Building Status	In normal use
# Of Stories At Above Grade	2	# Of Stories Below Grade	0
Square Feet		Length	8
Width	8	Floor Of Origin	1
Fire Spread	Confined to room of origin		
Minor Damage	0	Significant Damage	0
Heavy Damage	0	Extreme Damage	0

ARSON		
Agency Name	Agency Address	Agency Phone
	Barclay Dr	

PEOPLE -- PERSON 1			
Telephone Number		Involvement	Caller
Name		Date of Birth	
Address			

CUSTOM FIELDS FORM	
What happened?	We investigated
Was this patient homeless?	Not applicable
Fire Incident - What happened?	

PERSONNEL ON CALL			
Name	Personnel Rank	Role(s)	Apparatus
Breneman, Jerry R			GE1
Doyle, Justin D	Captain		GT1
Eckhardt Jr., Michael G			GE1
Maule, Cheyne C	Battalion Chief		GB1
Mickelsen, Mark	Firefighter		GT1
Page, Anthony J			GE1
Scherer, Scott A	Engineer		GT1
Van Wie, Ryan	Paramedic / Tiller		GM1
Williams, Gregory D	Firefighter / Paramedic		GM1

Member Making Report (Captain Jerry R Breneman): _____

Incident Reviewer (Captain Jerry R Breneman): _____



**Garden Grove Fire
Department**

Station: **G07**
Shifts Or Platoon: **A**

Location: 14372 Bowen ST GARDEN GROVE CA 92843	Incident Type: 111 - Building fire
Lat/Long: N 33° 45' 13.72" W 117° 56' 50.35"	FDID: 30035 Incident #: 2019-904005 Exposure ID: 39087280 Exposure #: 0 Incident Date: 04/04/2019 Dispatch Run #: F190940299
Location Type: 1 - Street address Map Page: 828E2	

Report Completed by:	Rieth , Mike K	ID: 2903	Date: 04/04/2019
Report Reviewed by:	Rieth , Mike K	ID: 2903	Date: 04/04/2019
Report Printed by:	Guardi, Lisa	ID: 4433	Date: 4/30/2019 Time: 10:26

Structure Type: Enclosed building	Property Use: 419 - 1 or 2 family dwelling		
Automatic Extinguishment System Present: <input type="checkbox"/>	Detectors Present: <input type="checkbox"/>	Cause of Ignition: Cause undetermined after investigation	
Aid Given or Received: None	Primary action taken: 10 - Fire control or extinguishment, other		
Losses	Pre-Incident Values	Civilian Injuries: 0	Fire Service Injuries: 0
Property: \$5,000.00	Property: \$6,000.00	Civilian Fatalities: 0	Fire Service Fatalities: 0
Contents: \$5,000.00	Contents: \$6,000.00	Total Casualties: 0	Total Fire Service Casualties: 0
Total: \$10,000.00	Total: \$12,000.00		
Total # of apparatus on call: 5	Total # of personnel on call: 12		

Neighboring Agencies
Agency Name: Orange County Fire Authority
Agency ID: 30065
Agency Type: Fire

NARRATIVE (2)
Narrative Title: RESIDENTIAL STRUCTURE FIRE
Narrative Author: Rieth, Mike
Narrative Date: 04/04/2019 20:51:54
Narrative Apparatus ID: GE7
Narrative: GE7 RESPONDED TO A REPORTED EXPLOSION AND RESIDENTIAL STRUCTURE FIRE LOCATED AT 14372 BOWEN STREET IN THE CITY OF GARDEN GROVE. CE66 WAS FIRST ON SCENE AND REPORTED LIGHT SMOKE ONLY COMING FROM THE RESIDENCE. ENTRY WAS FORCED AND A SMALL CONTENTS FIRE WAS LOCATED IN A FRONT BEDROOM OF THE STRUCTURE WITH QUICK KNOCK DOWN MADE. A COMPLETE SEARCH OF THE HOME FOUND THAT NOBODY WAS HOME. THE COMPLETE STRUCTURE INCLUDING GARAGE AREA WERE SEARCHED FOR EXTENSION AND OR OCCUPANTS WITH NONE FOUND. THE FIRE WAS INVESTIGATED BY GLF1 CAPTAIN WITH CAUSE UNDETERMINED. THE HOME WAS IN EXTREMELY POOR CONDITION PRIOR TO THE FIRE WITH SEVERAL STRUCTURAL ISSUES IN QUESTION DO TO DETERIORATION. CODE ENFORCEMENT WILL BE ADVISED AS TO THIS ISSUE. WITH NO RESPONSIBLE PARTY TO BE FOUND, THE FRONT DOOR WAS LOCKED AND A NEIGHBOR NAMED VALERIA GARCIA OFFERED TO WATCH OVER THE UNLOCKED GARAGE AREA WHICH HAD BEEN FORCED OPEN AND NOW UNABLE TO BE LOCKED. THE PROPERTY RELEASE FORM ADVISING THE STRUCTURES CONDITION AND FIRE DEPARTMENT CONTACT INFORMATION WAS LEFT WITH THIS NEIGHBOR.
CAPTAIN RIETH

APPARATUS			
Unit	GB1	Unit	GE1
Type:	Chief officer car	Type:	Engine
Use:	Suppression	Use:	Suppression
Response Mode:	()	Response Mode:	()
# of People	1	# of People	3
Alarm	04 /04/2019 18:48:43	Alarm	04 /04/2019 18:48:43
Dispatched	04 /04/2019 18:50:09	Dispatched	04 /04/2019 18:50:09
Enroute	04 /04/2019 18:51:06	Enroute	04 /04/2019 18:50:48
Arrived	04 /04/2019 18:59:25	Arrived	04 /04/2019 18:57:29
Cancelled	-- /-- /-- -- :-- :--	Cancelled	-- /-- /-- -- :-- :--
Cleared Scene	04 /04/2019 19:51:58	Cleared Scene	04 /04/2019 19:45:04
In Quarters	-- /-- /-- -- :-- :--	In Quarters	04 /04/2019 19:45:04
In Service	04 /04/2019 19:51:58	In Service	04 /04/2019 19:45:04
Unit	GE7	Unit	GM1
Type:	Engine	Type:	ALS unit
Use:	Suppression	Use:	EMS
Response Mode:	()	Response Mode:	()
# of People	3	# of People	2
Alarm	04 /04/2019 18:48:43	Alarm	04 /04/2019 18:48:43
Dispatched	04 /04/2019 18:50:09	Dispatched	04 /04/2019 18:50:09
Enroute	04 /04/2019 18:50:45	Enroute	04 /04/2019 18:50:55
Arrived	04 /04/2019 18:56:50	Arrived	04 /04/2019 18:58:18
Cancelled	-- /-- /-- -- :-- :--	Cancelled	-- /-- /-- -- :-- :--
Cleared Scene	04 /04/2019 19:52:23	Cleared Scene	04 /04/2019 19:43:57
In Quarters	-- /-- /-- -- :-- :--	In Quarters	04 /04/2019 19:47:30
In Service	04 /04/2019 19:52:23	In Service	04 /04/2019 19:43:57
Unit	GT1		
Type:	Truck or aerial		
Use:	Suppression		
Response Mode:	()		
# of People	3		
Alarm	04 /04/2019 18:48:43		
Dispatched	04 /04/2019 18:50:09		
Enroute	04 /04/2019 18:51:09		
Arrived	04 /04/2019 18:58:18		
Cancelled	-- /-- /-- -- :-- :--		
Cleared Scene	04 /04/2019 19:52:04		
In Quarters	-- /-- /-- -- :-- :--		
In Service	04 /04/2019 19:52:04		
Number Of People not on apparatus: 0			

FIRE			
Acres Burned	None or Less Than One	Acres Burn From Wildland Form	False
Area Of Fire Origin	Bedroom - < 5 persons; included are jail or prison	Heat Source	Undetermined
Item First Ignited	Undetermined	Fire Is Confined To Object Of Origin	
Type Of Material	Undetermined	Cause Of Ignition	Cause undetermined after investigation
Factor Contributing To Ignition	Undetermined		
Human Factors Contributing	None		

STRUCTURE FIRE			
Structure Type	Enclosed building	Building Status	In normal use
# Of Stories At Above Grade	1	# Of Stories Below Grade	0
Square Feet	1150	Length	
Width		Floor Of Origin	1
Fire Spread	Confined to room of origin		
Minor Damage	0	Significant Damage	0
Heavy Damage	0	Extreme Damage	0

ARSON		
Agency Name	Agency Address	Agency Phone
	STREET	

PEOPLE -- PERSON 1		
Telephone Number		Caller
Name		
Address		

CUSTOM FIELDS FORM	
What happened?	We provided fire and rescue service
Was this patient homeless?	Not applicable
Fire Incident - What happened?	

PERSONNEL ON CALL			
Name	Personnel Rank	Role(s)	Apparatus
Bauer, Lucas B			GT1
Blomgren, Jason			GE7
Gabbard, James			GB1
Jaeger, Bill R			GE1
Mellem, Shane D			GE7
Norrdin, Eric S			GM1
Pardoen, Brent C			GE1
Rieth, Mike K			GE7
Sanchez, David C			GE1
Strohm, Bill			GT1
Thorson, Eric			GT1
Yorke, Jeremie E			GM1

Member Making Report (Captain Mike K Rieth): _____

Incident Reviewer (Captain Mike K Rieth): _____



**Garden Grove Fire
Department**

Station: **G07**
Shifts Or Platoon: **A**

Location: 14372 Bowen ST GARDEN GROVE CA 92843	Incident Type: 111 - Building fire
Lat/Long: N 33° 45' 13.72" W 117° 56' 50.35"	FDID: 30035 Incident #: 2019-904005 Exposure ID: 39087280 Exposure #: 0 Incident Date: 04/04/2019 Dispatch Run #: F190940299
Location Type: 1 - Street address Map Page: 828E2	

Report Completed by:	Rieth , Mike K	ID: 2903	Date: 04/04/2019
Report Reviewed by:	Rieth , Mike K	ID: 2903	Date: 04/04/2019
Report Printed by:	Guardi, Lisa	ID: 4433	Date: 4/30/2019 Time: 10:26

Structure Type: Enclosed building	Property Use: 419 - 1 or 2 family dwelling		
Automatic Extinguishment System Present: <input type="checkbox"/>	Detectors Present: <input type="checkbox"/>	Cause of Ignition: Cause undetermined after investigation	
Aid Given or Received: None	Primary action taken: 10 - Fire control or extinguishment, other		
Losses	Pre-Incident Values		
Property: \$5,000.00	Property: \$6,000.00	Civilian Injuries: 0	Fire Service Injuries: 0
Contents: \$5,000.00	Contents: \$6,000.00	Civilian Fatalities: 0	Fire Service Fatalities: 0
Total: \$10,000.00	Total: \$12,000.00	Total Casualties: 0	Total Fire Service Casualties: 0
Total # of apparatus on call: 5	Total # of personnel on call: 12		

Neighboring Agencies
Agency Name: Orange County Fire Authority
Agency ID: 30065
Agency Type: Fire

NARRATIVE (2)
Narrative Title: RESIDENTIAL STRUCTURE FIRE
Narrative Author: Rieth, Mike
Narrative Date: 04/04/2019 20:51:54
Narrative Apparatus ID: GE7
Narrative: GE7 RESPONDED TO A REPORTED EXPLOSION AND RESIDENTIAL STRUCTURE FIRE LOCATED AT 14372 BOWEN STREET IN THE CITY OF GARDEN GROVE. CE66 WAS FIRST ON SCENE AND REPORTED LIGHT SMOKE ONLY COMING FROM THE RESIDENCE. ENTRY WAS FORCED AND A SMALL CONTENTS FIRE WAS LOCATED IN A FRONT BEDROOM OF THE STRUCTURE WITH QUICK KNOCK DOWN MADE. A COMPLETE SEARCH OF THE HOME FOUND THAT NOBODY WAS HOME. THE COMPLETE STRUCTURE INCLUDING GARAGE AREA WERE SEARCHED FOR EXTENSION AND OR OCCUPANTS WITH NONE FOUND. THE FIRE WAS INVESTIGATED BY GLF1 CAPTAIN WITH CAUSE UNDETERMINED. THE HOME WAS IN EXTREMELY POOR CONDITION PRIOR TO THE FIRE WITH SEVERAL STRUCTURAL ISSUES IN QUESTION DO TO DETERIORATION. CODE ENFORCEMENT WILL BE ADVISED AS TO THIS ISSUE. WITH NO RESPONSIBLE PARTY TO BE FOUND, THE FRONT DOOR WAS LOCKED AND A NEIGHBOR NAMED VALERIA GARCIA OFFERED TO WATCH OVER THE UNLOCKED GARAGE AREA WHICH HAD BEEN FORCED OPEN AND NOW UNABLE TO BE LOCKED. THE PROPERTY RELEASE FORM ADVISING THE STRUCTURES CONDITION AND FIRE DEPARTMENT CONTACT INFORMATION WAS LEFT WITH THIS NEIGHBOR.
CAPTAIN RIETH

APPARATUS			
Unit	GB1	Unit	GE1
Type:	Chief officer car	Type:	Engine
Use:	Suppression	Use:	Suppression
Response Mode:	()	Response Mode:	()
# of People	1	# of People	3
Alarm	04 /04/2019 18:48:43	Alarm	04 /04/2019 18:48:43
Dispatched	04 /04/2019 18:50:09	Dispatched	04 /04/2019 18:50:09
Enroute	04 /04/2019 18:51:06	Enroute	04 /04/2019 18:50:48
Arrived	04 /04/2019 18:59:25	Arrived	04 /04/2019 18:57:29
Cancelled	-- /-- /-- -- :-- :--	Cancelled	-- /-- /-- -- :-- :--
Cleared Scene	04 /04/2019 19:51:58	Cleared Scene	04 /04/2019 19:45:04
In Quarters	-- /-- /-- -- :-- :--	In Quarters	04 /04/2019 19:45:04
In Service	04 /04/2019 19:51:58	In Service	04 /04/2019 19:45:04
Unit	GE7	Unit	GM1
Type:	Engine	Type:	ALS unit
Use:	Suppression	Use:	EMS
Response Mode:	()	Response Mode:	()
# of People	3	# of People	2
Alarm	04 /04/2019 18:48:43	Alarm	04 /04/2019 18:48:43
Dispatched	04 /04/2019 18:50:09	Dispatched	04 /04/2019 18:50:09
Enroute	04 /04/2019 18:50:45	Enroute	04 /04/2019 18:50:55
Arrived	04 /04/2019 18:56:50	Arrived	04 /04/2019 18:58:18
Cancelled	-- /-- /-- -- :-- :--	Cancelled	-- /-- /-- -- :-- :--
Cleared Scene	04 /04/2019 19:52:23	Cleared Scene	04 /04/2019 19:43:57
In Quarters	-- /-- /-- -- :-- :--	In Quarters	04 /04/2019 19:47:30
In Service	04 /04/2019 19:52:23	In Service	04 /04/2019 19:43:57
Unit	GT1		
Type:	Truck or aerial		
Use:	Suppression		
Response Mode:	()		
# of People	3		
Alarm	04 /04/2019 18:48:43		
Dispatched	04 /04/2019 18:50:09		
Enroute	04 /04/2019 18:51:09		
Arrived	04 /04/2019 18:58:18		
Cancelled	-- /-- /-- -- :-- :--		
Cleared Scene	04 /04/2019 19:52:04		
In Quarters	-- /-- /-- -- :-- :--		
In Service	04 /04/2019 19:52:04		
Number Of People not on apparatus: 0			

FIRE			
Acres Burned	None or Less Than One	Acres Burn From Wildland Form	False
Area Of Fire Origin	Bedroom - < 5 persons; included are jail or prison	Heat Source	Undetermined
Item First Ignited	Undetermined	Fire Is Confined To Object Of Origin	
Type Of Material	Undetermined	Cause Of Ignition	Cause undetermined after investigation
Factor Contributing To Ignition	Undetermined		
Human Factors Contributing	None		

STRUCTURE FIRE			
Structure Type	Enclosed building	Building Status	In normal use
# Of Stories At Above Grade	1	# Of Stories Below Grade	0
Square Feet	1150	Length	
Width		Floor Of Origin	1
Fire Spread	Confined to room of origin		
Minor Damage	0	Significant Damage	0
Heavy Damage	0	Extreme Damage	0

ARSON		
Agency Name	Agency Address	Agency Phone
	STREET	

PEOPLE -- PERSON 1	
Telephone Number	[REDACTED]
Name	[REDACTED]
Address	[REDACTED]

CUSTOM FIELDS FORM	
What happened?	We provided fire and rescue service
Was this patient homeless?	Not applicable
Fire Incident - What happened?	

PERSONNEL ON CALL			
Name	Personnel Rank	Role(s)	Apparatus
Bauer, Lucas B			GT1
Blomgren, Jason			GE7
Gabbard, James			GB1
Jaeger, Bill R			GE1
Mellem, Shane D			GE7
Norrudin, Eric S			GM1
Pardoen, Brent C			GE1
Rieth, Mike K			GE7
Sanchez, David C			GE1
Strohm, Bill			GT1
Thorson, Eric			GT1
Yorke, Jeremie E			GM1

Member Making Report (Captain Mike K Rieth): _____

Incident Reviewer (Captain Mike K Rieth): _____