



Garden Grove Fire Department
Station: G02

Location: 9611 MAUREEN DR # 6 GARDEN GROVE CA 92841	Incident Type: 111 - Building fire
Lat/Long: N 33° 48' 7.25" W 117° 57' 56.51"	FDID: 30035 Incident #: 2019-905395 Exposure ID: 39994823 Exposure #: 0 Incident Date: 05/09/2019 Dispatch Run #: F191290331
Location Type: 1 - Street address Map Page: 798C2	

Report Completed by:	Weiss , Mark S	ID: 0849	Date: 05/14/2019
Report Reviewed by:	Weiss , Mark S	ID: 0849	Date: 05/14/2019
Report Printed by:	Guardi, Lisa	ID: 4433	Date: 5/16/2019 Time: 10:07

Structure Type: Enclosed building	Property Use: 429 - Multifamily dwelling		
Automatic Extinguishment System Present: <input type="checkbox"/>	Detectors Present: <input checked="" type="checkbox"/> Cause of Ignition: Unintentional		
Aid Given or Received: Automatic aid received	Primary action taken: 11 - Extinguishment by fire service personnel		
Losses	Pre-Incident Values	Civilian Injuries: 0	Fire Service Injuries: 0
Property:	Property:	Civilian Fatalities: 0	Fire Service Fatalities: 0
Contents:	Contents:	Total Casualties: 0	Total Fire Service Casualties: 0
Total:	Total:		
Total # of apparatus on call: 8		Total # of personnel on call: 18	

Neighboring Agencies
Agency Name: Anaheim Fire & Rescue
Agency ID: 30005
Agency Type: Fire

Narrative from dispatch:

2019/05/09 21:42:59
 [05/09/19 21:42:59 KOPS] District: A Report No: A1913437
 2019/05/09 21:42:59
 [05/09/19 21:42:59 KOPS] District: G Report No: G1905395
 2019/05/10 03:43:46
 [05/10/19 03:43:46 M079] DUPE CALLS 331 332 333 334
 2019/05/09 23:14:43
 [05/09/19 23:14:43 M022] GB1 DISSOLVING COMMAND, GE6 WILL BE CONTACT, GE2, GE6 AND GT1 WILL REMAIN OS FOR AN EXTENDED TIME
 2019/05/09 22:40:31
 [05/09/19 22:40:31 M063] GB1 UPDATE 22 ADULT/6 CHILDREN FOR RED CROSS
 2019/05/09 22:37:56
 [05/09/19 22:37:56 M063] GB1 AE6/AT6 RELEASED
 2019/05/09 22:24:13
 [05/09/19 22:24:13 M063] GB1 REQ RED CROSS, 10 ADULTS, 2-3 CHILDREN
 2019/05/09 22:19:37
 [05/09/19 22:19:37 M063] GE2 REQ LIGHTS/GENERATORS
 2019/05/09 22:14:03
 [05/09/19 22:14:03 M063] AT6 REHAB
 2019/05/09 22:13:49
 [05/09/19 22:13:49 M063] AT6 COMPLETE ASSIGNMENT
 2019/05/09 22:13:17
 [05/09/19 22:13:17 M063] GB1 STOP CLOCK
 2019/05/09 22:13:01
 [05/09/19 22:13:01 M063] INCIDENT CLOCK STOPPED: 22:13:01
 2019/05/09 22:12:57
 [05/09/19 22:12:57 M063] INCIDENT CLOCK ACKED: 22:12:57

2019/05/09 22:12:43
[05/09/19 22:12:43 KOPS] INCIDENT CLOCK ELAPSED: 22:12:43
2019/05/09 22:11:40
[05/09/19 22:11:40 M063] GB1 ADV GE6 ON CALL, REQ WHEN COMPLETE TO HAVE THEM RESPOND
2019/05/09 22:10:13
[05/09/19 22:10:13 M063] GB1 REQ GE6 TO BRING LIGHT AIR/INVESTIGATOR
2019/05/09 22:08:21
[05/09/19 22:08:21 M063] AE4 CHECKED ALL 3 APTS, NO EXTENSION
2019/05/09 22:06:53
[05/09/19 22:06:53 M063] GT1 JUST CUT POWER
2019/05/09 22:06:45
[05/09/19 22:06:45 M063] GE2 ELECTRICITY STILL ON IN APT 6
2019/05/09 22:04:51
[05/09/19 22:04:51 M063] GE2 ALL UNITS ON DIV 1 EVACUATED, CHECKING FOR EXTENSION IN APT 7
2019/05/09 22:02:58
[05/09/19 22:02:58 M063] GE7 RIC
2019/05/09 22:02:32
[05/09/19 22:02:32 M063] AB2 B SIDE, VENTS PRODUCING SMOKE, REQ TO HAVE DIV 2 ASSESS
2019/05/09 22:01:40
[05/09/19 22:01:40 M063] AE4 PRIMARY/SECONDARY APT 22/23/24, FORCED ENTRY APT 24
2019/05/09 22:01:03
[05/09/19 22:01:03 M042] GB1 AB1 AB2 PAGED REGARDING GE4 MOVED TO G02 AND GE6 MOVED TO A06
2019/05/09 21:59:59
[05/09/19 21:59:59 M063] GM1 DIV 1
2019/05/09 21:59:47
[05/09/19 21:59:47 M063] GE2 PRIMARY/SECONDARY COMPLETE IN INVOLVED UNIT
2019/05/09 21:58:06
[05/09/19 21:58:06 M063] INCIDENT CLOCK ACKED: 21:58:06
2019/05/09 21:57:58
[05/09/19 21:57:58 M063] GT1 EVAC/UTILITIES
2019/05/09 21:57:43
[05/09/19 21:57:43 KOPS] INCIDENT CLOCK ELAPSED: 21:57:43
2019/05/09 21:57:36
[05/09/19 21:57:36 M063] AT6 VENT GRP
2019/05/09 21:56:43
[05/09/19 21:56:43 M063] AE4 DIV 2
2019/05/09 21:56:29
[05/09/19 21:56:29 M063] AB2 SAFETY
2019/05/09 21:56:25
[05/09/19 21:56:25 M063] AE6 DIV 1
2019/05/09 21:56:21
[05/09/19 21:56:21 M063] GE2 DIV 1 GRP LEADER
2019/05/09 21:56:11
[05/09/19 21:56:11 M063] AE6 KNOCK DOWN, WORKING ON PRIMARY/SECONDARY
2019/05/09 21:55:52
[05/09/19 21:55:52 M063] GB1 A SIDE TAC SIDE
2019/05/09 21:55:39
[05/09/19 21:55:39 M063] GB1 MAUREEN IC
2019/05/09 21:54:46
[05/09/19 21:54:46 M063] GB1 WORKING FIRE
2019/05/09 21:53:13
[05/09/19 21:53:13 M063] AE4 EXPOSURE
2019/05/09 21:52:34
[05/09/19 21:52:34 M063] AE4 W/4
2019/05/09 21:52:27
[05/09/19 21:52:27 M042] Situation Updated: 167 (STRUCTURE FIRE-WORKING)
2019/05/09 21:51:54
[05/09/19 21:51:54 M063] GM1 W/5
2019/05/09 21:51:54
[05/09/19 21:51:54 M063] GT1 W/5
2019/05/09 21:51:39
[05/09/19 21:51:39 M042] Updated to ALARM LEVEL 2.
2019/05/09 21:51:04
[05/09/19 21:51:04 M063] AB2 WORKING FIRE ON C SIDE, FULLY INVOLVED APT
2019/05/09 21:50:10
[05/09/19 21:50:10 M063] GE2 APT TO REAR, 2ND FLR
2019/05/09 21:49:56
[05/09/19 21:49:56 M063] AE6 FIRE ATTACK
2019/05/09 21:49:33
[05/09/19 21:49:33 M063] GE2 MAUREEN IC
2019/05/09 21:48:57
[05/09/19 21:48:57 M063] AE6 W/4
2019/05/09 21:48:46
[05/09/19 21:48:46 M022] GGP ADV OS

2019/05/09 21:48:24
 [05/09/19 21:48:24 M022] GGPDP REQ
 2019/05/09 21:48:14
 [05/09/19 21:48:14 M055] GE2 UNITS STAGE ON GILBERT OR BARCLAY
 2019/05/09 21:47:52
 [05/09/19 21:47:52 M055] GE2 OS W/4, 2 STORY APT BLDG, LIGHT SMOKE SHOWING, INV
 2019/05/09 21:44:54
 [05/09/19 21:44:54 M022] DUPE CALLS 331/333
 2019/05/09 21:42:43
 [05/09/19 21:42:43 M026] INCIDENT CLOCK STARTED: 21:42:43 FOR 15 MINUTES

NARRATIVE (2)

Narrative Title: Structure Fire

Narrative Author: Niblo, Fred

Narrative Date: 05/11/2019 20:30:47

Narrative Apparatus ID: GE2

Narrative:

GE2 responded as part of a structure assignment to a report of a stove fire in an apartment unit on Maureen Dr. Upon arrival, GE2 reported a two story apartment building with light smoke showing and numerous residents evacuating. GE2 went into the investigative mode and found an apartment unit at the rear of the complex that was charged with light to moderate smoke. Fire could be seen in the kitchen while standing at the front door. GE2 established Maureen IC while GE2's firefighters were assigned Fire Attack and pulled the rear 200' 2.5" preconnect and a 100' hose pack to the apartment. The apartment flashed as they were setting up the attack line and created an environment too hot to enter initially. AE6 arrived on scene and was assigned Fire Attack Group Leader. AE4 was assigned Division 2 and AT6 along with GLF1 were assigned Vent Group. GB1 assumed IC and reassigned GE2 to Division 1.

The fire was quickly knocked down and contained to the unit of origin. Adjoining units were checked for extension and found to have smoke contamination. In all, 6 units were uninhabitable mostly due to smoke migration. 22 adults and 6 children were displaced. Red cross was on scene and handled the displaced residents.

Investigator Weiss determined that the fire's origin was the stove top, and the fire was caused by an electric burner being left on with a pan of oil on top of it that was used to fry chicken earlier in the evening.

The fire was thoroughly overhauled. The building owner's representative, Belinda Kay Mellot (714-474-3313) was provided a Property Release form. Hazards of the fire scene were explained to her and residents. She had made arrangements with a board up company to secure the building.

Power was restored to unaffected units and the occupants of those units were allowed to return.

NARRATIVE (3)

Narrative Title: INVESTIGATION

Narrative Author: Weiss, Mark

Narrative Date: 05/11/2019 10:02:45

Narrative Apparatus ID: GE6

Narrative:

RESPONDED ON E6 AS INV2.

APPARATUS			
Unit	GB1	Unit	GDIV1
Type:	Chief officer car	Type:	Chief officer car
Use:	Suppression	Use:	Suppression
Response Mode:	()	Response Mode:	()
# of People	1	# of People	1
Alarm	05 /09/2019 21:42:03	Alarm	05 /09/2019 21:42:03
Dispatched	05 /09/2019 21:42:59	Dispatched	05 /09/2019 21:55:04
Enroute	05 /09/2019 21:44:26	Enroute	05 /09/2019 21:55:04
Arrived	05 /09/2019 21:52:05	Arrived	05 /09/2019 22:01:03
Cancelled	-- /-- /-- -- :-- :--	Cancelled	-- /-- /-- -- :-- :--
Cleared Scene	05 /09/2019 23:14:47	Cleared Scene	05 /09/2019 22:01:03
In Quarters	05 /10/2019 00:31:13	In Quarters	05 /09/2019 23:14:28
In Service	05 /09/2019 23:14:47	In Service	05 /09/2019 22:01:03
Unit	GE2	Unit	GE6
Type:	Engine	Type:	Engine
Use:	Suppression	Use:	Suppression
Response Mode:	()	Response Mode:	()
# of People	4	# of People	3
Alarm	05 /09/2019 21:42:03	Alarm	05 /09/2019 21:42:03
Dispatched	05 /09/2019 21:42:59	Dispatched	05 /09/2019 22:38:31
Enroute	05 /09/2019 21:44:51	Enroute	05 /09/2019 22:38:31
Arrived	05 /09/2019 21:47:36	Arrived	05 /09/2019 22:46:44
Cancelled	-- /-- /-- -- :-- :--	Cancelled	-- /-- /-- -- :-- :--
Cleared Scene	05 /10/2019 00:24:56	Cleared Scene	05 /09/2019 23:40:11
In Quarters	-- /-- /-- -- :-- :--	In Quarters	05 /09/2019 23:42:23
In Service	05 /10/2019 00:24:56	In Service	05 /09/2019 23:40:11
Unit	GE7	Unit	GI2
Type:	Engine	Type:	Other apparatus/resource
Use:	Suppression	Use:	Suppression
Response Mode:	()	Response Mode:	()
# of People	3	# of People	1
Alarm	05 /09/2019 21:42:03	Alarm	05 /09/2019 21:42:03
Dispatched	05 /09/2019 21:53:01	Dispatched	05 /09/2019 22:40:07
Enroute	05 /09/2019 21:53:58	Enroute	05 /09/2019 22:40:07
Arrived	05 /09/2019 22:03:16	Arrived	05 /09/2019 22:42:00
Cancelled	-- /-- /-- -- :-- :--	Cancelled	-- /-- /-- -- :-- :--
Cleared Scene	05 /09/2019 22:29:37	Cleared Scene	05 /09/2019 23:44:17
In Quarters	05 /09/2019 22:43:52	In Quarters	-- /-- /-- -- :-- :--
In Service	05 /09/2019 22:29:37	In Service	05 /09/2019 23:44:17
Unit	GM1	Unit	GT1
Type:	ALS unit	Type:	Truck or aerial
Use:	EMS	Use:	Suppression
Response Mode:	()	Response Mode:	()
# of People	2	# of People	3
Alarm	05 /09/2019 21:42:03	Alarm	05 /09/2019 21:42:03
Dispatched	05 /09/2019 21:42:59	Dispatched	05 /09/2019 21:42:59
Enroute	05 /09/2019 21:44:48	Enroute	05 /09/2019 21:43:35
Arrived	05 /09/2019 21:52:01	Arrived	05 /09/2019 21:51:36
Cancelled	-- /-- /-- -- :-- :--	Cancelled	-- /-- /-- -- :-- :--
Cleared Scene	05 /09/2019 23:07:40	Cleared Scene	05 /10/2019 00:24:42
In Quarters	05 /09/2019 23:17:28	In Quarters	05 /10/2019 00:31:15
In Service	05 /09/2019 23:07:40	In Service	05 /10/2019 00:24:42
Number Of People not on apparatus: 0			

FIRE			
Acres Burned	None or Less Than One	Acres Burn From Wildland Form	False
Area Of Fire Origin	Cooking area, kitchen	Heat Source	Heat from powered equipment, other
Item First Ignited	Cooking materials, including edible materials	Fire Is Confined To Object Of Origin	
Type Of Material		Cause Of Ignition	Unintentional
Factor Contributing To Ignition	Misuse of material or product, other		
Human Factors Contributing	None		
Equipment Involved In Ignition Flag	True	Equipment Involved	Range, stove with/without oven or cooking surface
Equipment Power Source	Electrical line voltage (>= 50 volts)	Equipment Portability	Stationary

STRUCTURE FIRE			
Structure Type	Enclosed building	Building Status	In normal use
# Of Stories At Above Grade	2	# Of Stories Below Grade	0
Square Feet	800	Length	
Width		Floor Of Origin	1
Fire Spread	Confined to room of origin		
Minor Damage	0	Significant Damage	0
Heavy Damage	0	Extreme Damage	0
Presence Of Detectors	Present	Type Of Detection System	Smoke
Detector Power Supply	Undetermined	Detector Operation	Undetermined

PEOPLE -- PERSON 1			
Telephone Number	7143831772	Involvement	Caller
Name	AT&T MOBILITY 800 635 684	Date of Birth	
Address	9210 KATELLA AVE GARDEN GROVE, CA 92841-		

CUSTOM FIELDS FORM	
What happened?	We provided fire and rescue service
Was this patient homeless?	Not applicable
Fire Incident - What happened?	

PERSONNEL ON CALL

Name	Personnel Rank	Role(s)	Apparatus
Bell, Bradley D			GE7
Carlson, Dave			GM1
Clermont, Yves G			GT1
Feldman, Joshua A			GE7
Jemiola, Jordan R			GE2
Justus, Jaycen			GE2
Niblo, Fred			GE2
Palomo, Eric M			GE2
Ruzicka, Dennis			GT1
Truhill, Justin P			GB1
Valderrama, Mario G			GT1
Van Wie, Ryan			GE6
Waldschmidt, David S			GE7
Weiss, Mark S			GE6
White, Jonathan			GM1
Wingert, Jr., Joseph A			GE6

Member Making Report (Captain Mark S Weiss): _____

Incident Reviewer (Captain Mark S Weiss): _____