

Life Safety & Hazardous Materials Disclosure Program

11301 Acacia Parkway, Garden Grove, CA 92842 Bus 714-741-5600 Fax 714-741-5640 File # 383 Fire District 2624

Inspector FPB Shift N

Next Insp 6 / 2014

						<u> </u>		
Occupant or DBA	AMERICAN TIRE DEPOT	Harbor	Tire		Busii	ness Tel	714 539) -1503
Address	13692 HARBOR Blvd	7		Suite A		Zip		92843
Business Owner		· · · · · · · · · · · · · · · · · · ·				Tel		
Emergency Contact						Tel		
Group S1	Load	Sprinklers F/P/N	N	5 yr. (Cert.	1	Haz Ma	t 🔽
An inspection at the assembly Occupated Post maximum occupated Remove combustible Remove storage under Remove storage under Remove extorage under Remove extrage under Remove extrage extremely resident and remove extraged Remove obstruction Remove obstruction Remove obstruction Remove obstruction Remove and tag extinguing Service and tag extinguing Service auto-extinguing Service auto-ext	HAZARDOUS MATERIAL MOTOR VEHICLE REPAIL above location/occupany respective in the street (CFC 1004. The stainway (CFC 315.3.2) are stainway (CFC 305.3.2) are stainway (CFC 315.3.2) are stainway (CFC 315.3.2) are stainway (CFC 305.3.6) are stainway (CFC 1003.6) are stainway (CFC 1003.6) are stainway (CFC 506.1) are stainway (CFC 506.1) are stainway (CFC 506.1) are stainway (CFC 901.6) are stainway (CFC 906.9 are stainway (CFC 5303.5.3)	S - use, handling or R / SERVICING. vealed the following 3) 307.1.2) 5.1) C 2703.5) 1008.1.10) r (CFC 1008.1.9) 011.1) FC 503.4) K (CFC 906.1) (CFC 904.1) (CFC 904.11.6.2) itle 19, Sect. 904) m ceiling (CFC 315.3.1) 3)	storage, 811 violations(s) ELECTRIC Discon Keep 3 (CFC 6 Provide/re (CFC 6 HAZ-MAT 3 Provide flamma Provide liquids (HAZARD (HSC CHAPT Failure to inventory The Employees not Evacuat Site Map Failure to inventory Failure to inventory	inventory is ergency Resport a dequately a in normal distribution of a prochamic or submit and or su	PRE-CA extension access in covers in	AUTIONS In cords (CFC) front of elect ver Socket ONS more than 10 1.3.4.4) tainer(s) for fill ISCLOSURE 14, 25500 - 21 tronically subre e and/or require is inadequate tification, Mitigaining cient cient ciness or chemollowing: the quantity of indisclosed material e and owner attened release tion MINOR V CLASS II	BLE STOCK 605.5) trical panel Power Stri gal. lammable 5520) mit a HMBP res updating and/or pation, sical	ip
Inspector Na	A ()	abrera / 001	4	···		ate 4 /	5/14	9

Cleared 4/15 / 13 Mailback card due __/_ /__ Re-inspection date__/_ /__ Final Notice __/_ /__



Life Safety & Hazardous Materials Disclosure Program

11301 Acacia Parkway, Garden Grove, CA 92842 Bus 714-741-5600 Fax 714-741-5640 File # 8033 Fire District 2624

Inspector FPB Shift N

Next Insp 7 / 2013

Provide address visible from the street (CFC 505.1) Provide hazardous materials warning signs (CFC 2703.5) EXITS Provide/maintain approved panic hardware (CFC 1008.1.10) Remove locks, chains,bolts or bars from exit door (CFC 1008.1.9) Remove exit obstruction (CFC 1003.6) Provide/maintain illuminated exit sign(s) (CFC 1011.1) (CFC 605.1) HAZ-MAT SAFETY PRE-CAUTIONS Frovide approved cabinet if more than 10 gal. flammable liquids (CFC 3404.3.4.3) Provide approved safety container(s) for flammable liquids (CFC 3404.3.1) HAZARDOUS MATERIALS DISCLOSURE (HSC CHAPTER 6.95 Section 25404, 25500 - 25520)							
Business Owner Emergency Contact Emergency Contact Emergency Contact Emergency Contact Fig Dermits 301031 HAZARDOUS MATERIALS - use, handling or styrage, 791033 FLAM/COMB INSIDE-60 GAL 451021 An Inspection at the above location/accupany revealed the following whatdons(s): An Inspection at the above location/accupany revealed the following whatdons(s): SSEMBLY OCCUPANCIES Post maximum occupancy load sign (CFC 1004.3) Remove combustible decorative material (CFC 607.1.2) Remove combustible decorative material (CFC 607.1.2) Remove combustible decorative material (CFC 607.1.2) Remove storage under stainway (CFC 315.2.4) Bioson introduction of extension cords (CFC 605.5) Provide address visible from the street (CFC 505.1) Provide hazardous materials warming signs (CFC 2703.5) EXTS Provide/maintain approved panic hardware (CFC 1008.1.10) Remove exit obstruction (CFC 1003.6) Provide/maintain illuminated exit sign(e) (CFC 1008.1.9) Remove exit obstruction (CFC 1003.6) Provide/maintain illuminated exit sign(e) (CFC 1011.1) ACCESS Provide approved abinet if more than 10 gal. illuminated exit sign(e) (CFC 1008.1.9) HAZARDOUS MATERIALS DISCLOSURE (HSCCHAPITR 6.95 Section 25404, 25500 - 25520) Failure to implement and/or electronically submit a HMBP www.sestbrit.orgov.com Provide approved abinet for complete and/or electronically submit a HMBP www.sestbrit.orgov.com Provide approved abinet for complete and/or electronically submit a HMBP www.sestbrit.orgov.com Provide approved abinet for complete and/or electronically submit a HMBP www.sestbrit.orgov.com Provide approved abinet for complete and/or electronically submit a HMBP www.sestbrit.orgov.com Provide approved abinet for complete and/or electronically submit a HMBP www.sestbrit.orgov.com Provide approved abinet for complete and/or electronically submit a HMBP www.sestbrit.orgov.com Provide approved abinet for complete and/or electronically submit a HMBP www.sestbrit.orgov.com Provide approved abinet for complete and/or electronically s	Occupant or DBA A	DVANCE AUTO BODY & PAI	NT		Business Tel	714 534-	4300
Emergency Contact Group H3 Load Sprinklers F/P/N 5 yr. Cert. Haz Mat V Fire Permits 801031 HAZARDOUS MATERIALS use, handling or storage, 791033 FLAM/COMB INSIDE-60 GAL, 451021 SPRAYING/DIPPING - flammable/combustible lioulds. (H4 Works Fermit) Proceedings of the above location/occupany revealed the following vibrations(s): SSSEMBLY OCCUPANCIES Post maximum occupancy load sign (CFC 1004.3) Remove combustible decorative material (CFC 807.12) Remove storage under stainway (CFC 315.2.4) Provide address visible from the street (CFC 505.1) Provide hazardous materials warning signs (CFC 2703.5) Provide hazardous materials warning signs (CFC 2703.5) Provide hazardous materials warning signs (CFC 2703.5) Provide hazardous materials warning signs (CFC 1008.1.10) Remove locks, chains, bolts or bars from exit door (CFC 1008.1.9) Provide outside Knox Box (CFC 508.1) Remove obstruction (CFC 1003.6) Provide outside Knox Box (CFC 508.1) Remove obstructions to fire spparatus access (CFC 503.4) Provide — extinguisher (S 3.5°-5 from floor (CFC 503.4) Service auto-extinguisherics (CFC 508.6) Service auto-e	Address 1	3692 HARBOR Blvd		Suite B	Zip	92	2843
Spring Permits Spring H3 Load Sprinklers F/P/N 5 yr. Cert.	Business Owner			2)	Tel	2	
Group H3 Load Sprinklers F/P/N Fyr. Syr. Cert. Haz Mat Fire Permits 801031 HAZARDOUS MATERIALS - see, handling or storage, 791033 FLAM/COMB INSIDE-60 GAL 451021 SPRAYING/DIPPING - flammable/combustible liquids Hot Work Sort Permit	Emergency Contact				Tel		
SPRAYING/DIPPING - flammable/combustible liquids. Hot works Per m New Manager An inspection at the above location/occupany revealed the following vibrations(s): ASSEMBLY OCCUPANCIES Post maximum occupancy load sign (CFC 1004.3) Remove combustible decorative material (CFC 607.1.2) Remove combustible decorative material (CFC 607.1.2) Remove combustible decorative material (CFC 607.1.2) Provide address visible from the street (CFC 605.1) Provide address visible from the street (CFC 605.1) Provide hazardous materials warning signs (CFC 2703.5) Provide hazardous materials warning signs (CFC 2703.5) Provide hazardous materials warning signs (CFC 1008.1.10) Remove clocks, chains, bofts or bars from exit door (CFC 1008.1.9) Remove exit obstruction (CFC 1003.6) Provide maintain illuminated exit sign(s) (CFC 1011.1) ACCESS Provide outside Knox Box (CFC 506.1) Provide outside Knox Box (CFC 506.1) Remove obstructions to fire apparatus access (CFC 503.4) Remove obstructions to fire apparatus access (CFC 508.4) Provide outside Knox Box (CFC 506.1) Service and tag extinguishers 2A10BC 40BC K (CFC 906.1) Service and tag extinguishers 2A10BC 40BC K (CFC 906.1) Service and tag extinguishers 2A10BC 40BC K (CFC 908.9) Clean filters, ducts , hood above cooking surface (CFC 904.1) Service auto-extinguishing system semi-annually (CFC 904.11.6.2) VIDE Addition of a previously undisclosed material Service auto-extinguishing system semi-annually (CFC 904.11.6.2) VIDE Addition of a previously undisclosed material Service auto-extinguishing system semi-annually (CFC 904.11.6.2) VIDE Addition of a previously undisclosed material CFC 906.1) Chass involution CLASS i	- •	Load	Sprinklers F/P/N	5 yr. C	ert. /	Haz Mat	V
SPRAYING/DIPPING - flammable/combustible liquids. Hot works Per m New Manager An inspection at the above location/occupany revealed the following vibrations(s): ASSEMBLY OCCUPANCIES Post maximum occupancy load sign (CFC 1004.3) Remove combustible decorative material (CFC 607.1.2) Remove combustible decorative material (CFC 607.1.2) Remove combustible decorative material (CFC 607.1.2) Provide address visible from the street (CFC 605.1) Provide address visible from the street (CFC 605.1) Provide hazardous materials warning signs (CFC 2703.5) Provide hazardous materials warning signs (CFC 2703.5) Provide hazardous materials warning signs (CFC 1008.1.10) Remove clocks, chains, bofts or bars from exit door (CFC 1008.1.9) Remove exit obstruction (CFC 1003.6) Provide maintain illuminated exit sign(s) (CFC 1011.1) ACCESS Provide outside Knox Box (CFC 506.1) Provide outside Knox Box (CFC 506.1) Remove obstructions to fire apparatus access (CFC 503.4) Remove obstructions to fire apparatus access (CFC 508.4) Provide outside Knox Box (CFC 506.1) Service and tag extinguishers 2A10BC 40BC K (CFC 906.1) Service and tag extinguishers 2A10BC 40BC K (CFC 906.1) Service and tag extinguishers 2A10BC 40BC K (CFC 908.9) Clean filters, ducts , hood above cooking surface (CFC 904.1) Service auto-extinguishing system semi-annually (CFC 904.11.6.2) VIDE Addition of a previously undisclosed material Service auto-extinguishing system semi-annually (CFC 904.11.6.2) VIDE Addition of a previously undisclosed material Service auto-extinguishing system semi-annually (CFC 904.11.6.2) VIDE Addition of a previously undisclosed material CFC 906.1) Chass involution CLASS i	ire Permits 801031 H	IAZARDOUS MATERIALS -	use, handling or st	torage, 791033 FLAM/C	COMB INSIDE-60	GAL, 451021	
ASSEMBLY OCCUPANCIES Post maximum occupancy load sign (CFC 1004.3) Remove combustible decorative material (CFC 807.1.2) Remove storage under stainway (CFC 315.2.4) Provide address visible from the street (CFC 605.5) Provide address visible from the street (CFC 505.1) Provide hazardous materials warning signs (CFC 2703.5) Provide hazardous materials warning signs (CFC 1008.1.10) Remove locks, chains, botts or bars from exit door (CFC 1008.1.9) Remove exit obstruction (CFC 1003.6) Provide outside Knox Box (CFC 506.1) Remove exit obstruction (CFC 1003.6) Provide outside Knox Box (CFC 506.1) Remove obstructions to fire apparatus access (CFC 503.4) Remove obstruc	SPRAYIN An inspection at the abo	IG/DIPPING - flammable/co	mbustible liauids.	(Hot Works Pa	ermit wee	ded)	
Remove combustible decorative material (CFC 807.1.2) Remove storage under stainway (CFC 315.2.4) Remove storage under stainway (CFC 315.2.4) Remove storage under stainway (CFC 315.2.4) Provide address visible from the street (CFC 605.1) Provide hazardous materials warning signs (CFC 2703.5) Provide hazardous materials warning signs (CFC 2703.5) Remove locks, chains, bolts or bars from exit door (CFC 1008.1.9) Remove exit obstruction (CFC 1003.6) Provide/maintain approved panic hardware (CFC 1008.1.9) Remove exit obstruction (CFC 1003.6) Provide/maintain illuminated exit sign(s) (CFC 1011.1) ACCESS Provide outside Knox Box (CFC 508.1) Remove obstructions to fire apparatus access (CFC 503.4) Remove obstructions to fire apparatus access (CFC 503.4) Remove destructions to fire apparatus access (CFC 503.4) Remove exit obstructions to fire apparatus access (CFC 503.4) Remove destructions from exit		• •	ned the following vi	18	PRE-CAUTIONS		
Remove combustible decorative material (CFC 807.1.2) Remove storage under stainway (CFC 315.2.4) Remove storage under stainway (CFC 315.2.4) Remove storage under stainway (CFC 315.2.4) Provide address visible from the street (CFC 605.1) Provide hazardous materials warning signs (CFC 2703.5) Provide hazardous materials warning signs (CFC 2703.5) Remove locks, chains, bolts or bars from exit door (CFC 1008.1.9) Remove exit obstruction (CFC 1003.6) Provide/maintain approved panic hardware (CFC 1008.1.9) Remove exit obstruction (CFC 1003.6) Provide/maintain illuminated exit sign(s) (CFC 1011.1) ACCESS Provide outside Knox Box (CFC 508.1) Remove obstructions to fire apparatus access (CFC 503.4) Remove obstructions to fire apparatus access (CFC 503.4) Remove destructions to fire apparatus access (CFC 503.4) Remove exit obstructions to fire apparatus access (CFC 503.4) Remove destructions from exit	Post maximum occup	pancy load sign (CFC 1004.3)		Discontinue use of	extension cords (C	FC 605.5)	
Provide address visible from the street (CFC 505.1) Provide address visible from the street (CFC 505.1) Provide address visible from the street (CFC 505.1) Provide hazardous materials warning signs (CFC 2703.5) CFC 605.1) HAZ.MAT SAFETY PRE-CAUTIONS Provide approved panic hardware (CFC 1008.1.10) Remove locks, chains, bolts or bars from exit door (CFC 1008.1.9) Remove locks, chains, bolts or bars from exit door (CFC 1008.1.9) Provide approved safety container(s) for flammable liquids (CFC 3404.3.4.3) Provide approved safety container(s) for flammable liquids (CFC 3404.3.4.3) Provide approved safety container(s) for flammable liquids (CFC 3404.3.4.3) Provide approved safety container(s) for flammable liquids (CFC 3404.3.4.3) Provide approved safety container(s) for flammable liquids (CFC 3404.3.4.3) Provide approved safety container(s) for flammable liquids (CFC 3404.3.4.3) Provide approved safety container(s) for flammable liquids (CFC 3404.3.4.3) Provide approved safety container(s) for flammable liquids (CFC 3404.3.4.3) Provide approved safety container(s) for flammable liquids (CFC 3404.3.4.3) Provide approved safety container(s) for flammable liquids (CFC 3404.3.4.3) Provide approved safety container(s) for flammable liquids (CFC 3404.3.4.3) Provide approved safety container(s) for flammable liquids (CFC 3404.3.4.3) Provide approved safety container(s) for flammable liquids (CFC 3404.3.4.3) Provide approved safety container(s) for flammable liquids (CFC 3404.3.4.3) Provide approved safety container(s) for flammable liquids (CFC 3404.3.4.3) Provide approved safety container(s) for flammable liquids (CFC 3404.3.4.3) Provide approved safety container(s) for flammable liquids (CFC 3404.3.4.3) Provide approved safety container(s) for flammable liquids (CFC 3404.3.4.3) Provide approved safety container(s) for flammable liquids (CFC 3404.3.4.3) Provide approved safety container(s) for flammable liquids (CFC 3404.3.4.3) Provide approved safety container(s)			.1.2)				
Provide address visible from the street (CFC 505.1) CFC 605.1) Provide hazardous materials warning signs (CFC 2703.5) CFC 907.3.5 Provide parameterials warning signs (CFC 2703.5) Provide parameterials warning signs (CFC 2703.5) Provide parameterials warning signs (CFC 1008.1.10) Provide parameterials was provided. (CFC 300.3.1) Provide approved safety container(s) for flammable liquids (CFC 3404.3.4) Provide approved safety container(s) for flammable liquids (CFC 3404.3.1) Provide approved safety container(s) for flammable liquids (CFC 3404.3.1) Provide approved safety container(s) for flammable liquids (CFC 3404.3.1) Provide approved safety container(s) for flammable liquids (CFC 3404.3.1) Provide approved safety container(s) for flammable liquids (CFC 3404.3.1) Provide approved safety container(s) for flammable liquids (CFC 3404.3.1) Provide approved safety container(s) for flammable liquids (CFC 3404.3.1) Provide approved safety container(s) for flammable liquids (CFC 3404.3.1) Provide approved safety container(s) for flammable liquids (CFC 3404.3.1) Provide approved safety container(s) for flammable liquids (CFC 3404.3.1) Provide approved safety container(s) for flammable liquids (CFC 3404.3.1) Provide approved safety container(s) for flammable liquids (CFC 3404.3.1) Provide approved safety container(s) for flammable liquids (CFC 3404.3.1) Provide approved safety container(s) for flammable liquids (CFC 3404.3.1) Provide approved safety container(s) for flammable liquids (CFC 3404.3.1) Provide approved safety container(s) for flammable liquids (CFC 3404.3.1) Provide approved safety container(s) for flammable liquids (CFC 3404.3.1) Provide approved safety container(s) for flammable liquids (CFC 3404.3.1) Provide approved safety container(s) f	Remove storage unde	er stairway (CFC 315.2.4)		(CFC 605.3)			
Provide hazardous materials warning signs (CFC 2703.5) Provide hazardous materials warning signs (CFC 2703.5) Provide hazardous materials warning signs (CFC 2703.5) Provide approved cabinet if more than 10 gal. flammable liquids (CFC 3404.3.4.3) Provide approved cabinet if more than 10 gal. flammable liquids (CFC 3404.3.4.3) Provide approved cabinet if more than 10 gal. flammable liquids (CFC 3404.3.4.3) Provide approved cabinet if more than 10 gal. flammable liquids (CFC 3404.3.4.3) Provide approved cabinet if more than 10 gal. flammable liquids (CFC 3404.3.4.3) Provide approved cabinet if more than 10 gal. flammable liquids (CFC 3404.3.4.3) Provide approved cabinet if more than 10 gal. flammable liquids (CFC 3404.3.4.3) Provide approved cabinet if more than 10 gal. flammable liquids (CFC 3404.3.4.3) Provide approved cabinet if more than 10 gal. flammable liquids (CFC 3404.3.4.3) Provide approved cabinet if more than 10 gal. flammable liquids (CFC 3404.3.4.3) Provide approved cabinet if more than 10 gal. flammable liquids (CFC 3404.3.4.3) Provide approved cabinet if more than 10 gal. flammable liquids (CFC 3404.3.4.3) Provide approved cabinet if more than 10 gal. flammable liquids (CFC 3404.3.4.3) Provide approved cabinet if more than 10 gal. flammable liquids (CFC 3404.3.4.3) Provide approved cabinet if more than 10 gal. flammable liquids (CFC 3404.3.4.3) Provide approved cabinet if more than 10 gal. flammable liquids (CFC 3404.3.4.3) Provide approved cabinet if more than 10 gal. flammable liquids (CFC 3404.3.4.3) Provide approved cabinet if more than 10 gal. flammable liquids (CFC 3404.3.4.3) Provide approved cabinet if more than 10 gal. flammable liquids (CFC 3404.3.4.3) Provide approved cabinet if more than 10 gal. flamped by approved than 10 gal. flamped	SIGNS			Provide/replace electric	al Cover Soc	cket Power Stri	ip
Provide approved cabinet if more than 10 gal. farmable liquids (CFC 3404.3.4.3) Provide/maintain approved panic hardware (CFC 1008.1.9) Provide approved safety container(s) for flammable liquids (CFC 3404.3.4.3) Provide approved safety container(s) for flammable liquids (CFC 3404.3.4.3) Provide approved safety container(s) for flammable liquids (CFC 3404.3.4.3) Provide approved safety container(s) for flammable liquids (CFC 3404.3.4.3) Provide approved safety container(s) for flammable liquids (CFC 3404.3.4.3) Provide approved safety container(s) for flammable liquids (CFC 3404.3.4.3) Provide approved safety container(s) for flammable liquids (CFC 3404.3.4.3) Provide approved safety container(s) for flammable liquids (CFC 3404.3.4.3) Provide approved safety container(s) for flammable liquids (CFC 3404.3.4.3) Provide approved safety container(s) for flammable liquids (CFC 3404.3.4.3) Provide approved safety container(s) for flammable liquids (CFC 3404.3.4.3) Provide approved safety container(s) for flammable liquids (CFC 3404.3.4.3) Provide approved safety container(s) for flammable liquids (CFC 3404.3.4.3) Provide approved safety container(s) for flammable liquids (CFC 3404.3.4.3) Provide approved safety container(s) for flammable liquids (CFC 3404.3.4.3) Provide approved safety container(s) for flammable liquids (CFC 3404.3.4.3) Provide approved safety container(s) for flammable liquids (CFC 3404.3.4.3) Provide approved safety container(s) for flammable liquids (CFC 3404.3.4.3) Provide approved safety container(s) for flammable liquids (CFC 3404.3.4.3) Provide approved safety container(s) for flammable liquids (CFC 3404.3.4.3) Provide approved safety container(s) for flampable liquids (CFC 3404.3.4.3) Provide approved safety container(s) for flampable liquids (CFC 3404.3.4.3) Provide approved safety container(s) for flampable liquids (CFC 3404.3.4.3) Provide approved safety container(s) for safety	Provide address visib	ole from the street (CFC 505.1))	(CFC 605.1)			
Provide/maintain approved panic hardware (CFC 1008.1.10) Remove locks, chains, bolts or bars from exit door (CFC 1008.1.9) Remove exit obstruction (CFC 1003.6) Remove exit obstruction (CFC 1003.6) HAZARDOUS MATERIALS DISCLOSURE Provide maintain illuminated exit sign(s) (CFC 1011.1) HAZARDOUS MATERIALS DISCLOSURE HSC CHAPTER 6.95 Section 25404, 25500 - 25520) Failure to implement and/or electronically submit a HMBP www.esubmit.cogov.com Chemical inventory is incomplete and/or requires updating The Emergency Response Plan is inadequate and/or especiation, Mitigation, Evacuation and/or Employee Training Site Map is incomplete or insufficient Failure to report a change in business or chemical inventory within 30 days of the following: Clean filters, ducts, hood above cooking surface (CFC 904.1) Service auto-extinguishing system semi-annually (CFC 904.11.6.2) V V V V V V V V V V V V V V V V V V	Provide hazardous m	naterials warning signs (CFC 2	703.5)	HAZ-MAT SAFETY PR	E-CAUTIONS		
Provide/maintain approved panic hardware (CFC 1008.1.10) Remove locks, chains, botts or bars from exit door (CFC 1008.1.9) Remove exit obstruction (CFC 1003.6) Provide/maintain illuminated exit sign(s) (CFC 1011.1) Remove exit obstruction (CFC 1003.6) Provide/maintain illuminated exit sign(s) (CFC 1011.1) Remove obstructions to fire apparatus access (CFC 503.4) Remove obstructions to fire apparatus access (CFC 503.4) Provideextinguisher = _2A10BC40BCK (CFC 906.1) Service and tag extinguisher(s) (CFC 901.6) Service auto-extinguishing system semi-annually (CFC 904.11.6.2)	EXITS			Provide approved ca	abinet if more than	10 gal.	
Remove locks, chains, botts or bars from exit door (CFC 1008.1.9) Remove exit obstruction (CFC 1003.6) Provide/maintain illuminated exit sign(s) (CFC 1011.1) ACCESS Provide outside Knox Box (CFC 506.1) Remove obstructions to fire apparatus access (CFC 503.4) Provideextinguishers2A10BC40BCK (CFC 908.1) Service and tag extinguishers(s) (CFC 901.6) Hang extinguisher(s) (CFC 906.9) Clean filters, ducts , hood above cooking surface (CFC 904.1) Service auto-extinguishing system semi-annually (CFC 904.11.6.2) Service auto-extinguishing system (Title 19, Sect. 904) Secure compressed gas cylinders (CFC 3003.5.3) Secure compressed gas cylinders (CFC 3003.5.3) Secure compressed gas cylinders (CFC 3003.5.3) No VIOLATIONS Minnor VIOLATION Post Business License Fire Department permit (CFC 1053.5) No VIOLATIONS No VIOLATIONS Minnor VIOLATION Approved Approach (Approved Approach (Provide/maintain appr	roved panic hardware (CFC 10	008.1.10)	• • •	•		
Provide/maintain illuminated exit sign(s) (CFC 1011.1) ACCESS Provide outside Knox Box (CFC 506.1)	Remove locks, chains	s,bolts or bars from exit door (CFC 1008.1.9)			or flammable	
Provide/maintain illuminated exit sign(s) (CFC 1011.1) ACCESS	Remove exit obstruct	tion (CFC 1003.6)		HAZARDOUS MATE	RIALS DISCLOSU	RF	
Failure to implement and/or electronically submit a HMBP www.esubmit.ocgov.com Remove obstructions to fire apparatus access (CFC 503.4) Chemical inventory is incomplete and/or requires updating The Emergency Response Plan is inadequate and/or does not adequately address Notification, Mitigation, Evacuation address motification, Mitigation, Evacuation address motification and provide motification address motification and provided material mitigation of a previously undisclosed material motification of a pre	Provide/maintain illun	ninated exit sign(s) (CFC 1011	.1)		知於為對學的學樣		
Provide outside Knox Box (CFC 508.1)	ACCESS			A STATE OF THE STATE OF THE POLICE OF THE PO		以为1.独创。经过度为12年代的1.	151
Remove obstructions to fire apparatus access (CFC 503.4) Chemical inventory is incomplete and/or requires updating	Provide outside Knox	Box (CFC 506.1)		一	以明明的自然是自然的		
The Emergency Response Plan is Inadequate and/or does not adequately address Notification, Mitigation, Evacuation and/or Employee Training Service and tag extinguisher(s) (CFC 901.6) Hang extinguisher(s) 3.5'-5' from floor (CFC 906.9) Clean filters, ducts, hood above cooking surface (CFC 904.1) Service auto-extinguishing system semi-annually (CFC 904.11.6.2) V V V V V V V V V V V V V V V V V V V		•	503.4)			quires undating	
Provideextinguishers _2A10BC _40BC _K (CFC 906.1) Service and tag extinguisher(s) (CFC 901.6) Hang extinguisher(s) 3.5'-5' from floor (CFC 906.9) Clean filters, ducts, hood above cooking surface (CFC 904.1) Service auto-extinguishing system semi-annually (CFC 904.11.6.2) V_V 10	 FIRE PROTECTION EQU	JIPMENT AND SYSTEMS					
Hang extinguisher(s) 3.5'-5' from floor (CFC 906.9) Clean filters, ducts , hood above cooking surface (CFC 904.1) Service auto-extinguishing system semi-annually (CFC 904.11.6.2)			(CFC 906.1)	does not adequately a	ddress Notification, N	ate and/or Mitigation,	
Clean filters, ducts, hood above cooking surface (CFC 904.1) Inventory within 30 days of the following:	Service and tag exting	guisher(s) (CFC 901.6)		Site Map is incomplete	or insufficient	10.	
Clean filters, ducts, hood above cooking surface (CFC 904.1) Service auto-extinguishing system semi-annually (CFC 904.11.6.2) V Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y	Hang extinguisher(s)	3.5'-5' from floor (CFC 906.9)				nemical	
Service auto-extinguishing system semi-annually (CFC 904.11.6.2) V Y b (- ·		100% or more in		v of a disclosed ma	aterial
Styric extinication on sprinkler/standpipe system (Title 19, Sect. 904) Change of business name or owner	Service auto-extinguis	shing system semi-annually (C	FC 904.11.6.2) V (Y	D.C. The state of	· 图 · · · · · · · · · · · · · · · · · ·		
Falure to report a release or threatened release Lower storage 18" below sprinklers or 2' from ceiling (CFC 315.2.1) Failure to submit annual certification Secure compressed gas cylinders (CFC 3003.5.3) MV HV MV NO VIOLATIONS MINOR VIOLATION NO VIOLATIONS MINOR VIOLATION CLASS I VIOLATION NO VIOLATIONS CLASS I VIOLATION CLASS II VIOLATION CLASS II VIOLATION CLASS II VIOLATION MADDITIONAL VIOLATIONS AND/OR NOTES # Acetony to be stored in approved (a line) Secure Control Class II VIOLATION CLASS II VIOLATION MADDITIONAL VIOLATIONS AND/OR NOTES # Acetony to be stored in approved (a line) Date 08 07 2013 Cleared 1121203 Mailback card due 1 Re-inspection date 2 2017 Final Notice 1 Cleared 1121203 Mailback card due 1 Re-inspection date 2 2017 Final Notice 1 Cleared 1121203 HazMat Program Inspection Form 7-2013 2018 Final Notice 1 Class II VIOLATION CLASS II VIO	5 yr certification on sp	prinkler/standpipe system (Title					
Lower storage 18" below sprinklers or 2' from ceiling (CFC 315.2.1) Failure to submit annual certification Secure compressed gas cylinders (CFC 3003.5.3) MV H NO VIOLATIONS MINOR VIOLATION Post Business License Fire Department permit (CFC 105.3.5) NO VIOLATIONS SPIRAL BUSINESS II VIOLATION ADDITIONAL VIOLATIONS AND/OR NOTES ** Acetoru to be stored in a provide (a sheet) Secure compressed gas cylinders (CFC 3003.5.3) MINOR VIOLATIONS MINOR VIOLATIONS CLASS II VIOLATION ADDITIONAL VIOLATIONS AND/OR NOTES ** Acetoru to be stored in a provide (a sheet) Secure compressed gas cylinders (CFC 3003.5.3) MINOR VIOLATION Date 08 / 07 / 2013 Inspector Name/ ID # Date 08 / 07 / 2013 Cleared 12 / 2013 Mailback card due / / Re-inspection date 2 / 2017 Final Notice / / Cleared 12 / 12 / 2013 Mailback card due / / Re-inspection date 2 / 2017 Final Notice / / Cleared 12 / 12 / 2013 Mailback card due / / Re-inspection form 7-2013	MISCELLANEOUS A	ARM Record	7,	A STATE OF THE STA			
Secure compressed gas cylinders (CFC 3003.5.3) MV HOLD NO VIOLATIONS MINOR VIOLATION Post Business License Fire Department permit (CFC 105.3.5) NO VIOLATIONS . ** Spring bout L. Sa If Shard down on door diffuser. ADDITIONAL VIOLATIONS AND/OR NOTES ** Acetors to be stored in approved (askeet) Settle not secure of the first for hot work usiness representative signature Archively (na proved (askeet) Inspector Name/ ID #	Lower storage 18	" below sprinklers or 2' from	ceiling (CFC 315.2.1)				
Post Business License Fire Department permit (CFC 105.3.5) NO VIOLATIONS . ** Spray but L So If Short down on door diffuser. ADDITIONAL VIOLATIONS AND/OR NOTES ** Acetone to be stored in approved (a line). Bit not scure of the diffuser. Unique of the content of the stored in approved (a line). Inspector Name/ID #	Secure compressed of	gas cylinders (CFC 3003.5.3)	multiplex	17 元 法工作,并且		R VIOLATION	
NO VIOLATIONS . ** Spray but L Solf short down on door of the class in violation additional violations and/or notes ** Acetore to be stored in approved (about 1) Bittle not secure of the section to be stored in approved (about 1) Bittle not secure of the section of the sectio							
ADDITIONAL VIOLATIONS AND/OR NOTES # Heetons to be Stored in approved (a sheet, 1) with the source of the store of the sto	NO VIOLATIONS .	Ir Spray but L Self	shut down on	door, difful	CLAS	第一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个	
Usiness representative signature Date 08 07 2013 Inspector Name ID #	ADDITIONAL VIOLATION	NS AND/OR NOTES * Acet	one to be s	tored in approv	ud cathet		
Inspector Name/ ID#	α . We have α		Acetylene.	No Permit	for hot	work	
Inspector Name/ ID#		NO DW			Date /) &	107/2013	
Cleared 9 1121203 Mailback card due// Re-inspection date 2 121207 Final Notice/_/ :\F*D\Forms and Handouts\Forms\Lifesafety & HazMat Program Inspection Form 7-2013 2 week 1	•	1 14/	Bruce	0038	200	107/2013	
:\FPD\Forms and Handouts\Forms\Lifesafety & HazMat Program Inspection Form 7-2013	4 0	12 —	//	N/ OI	2017-	Natice / /	
					46 · 1		+ -



Life Safety & Hazardous Materials Disclosure Program

11301 Acacia Parkway, Garden Grove, CA 92842 Bus 714-741-5600 Fax 714-741-5640 File # 8033 Fire District 2624

Inspector FPB Shift N

Next Insp 7 / 2013

Occupant or DBA ADVANCE AUTO BODY & PAINT		Business Tel	714 534-4300
Address 13692 HARBOR Blvd	Suite B	Zip	92843
Business Owner	į t	Tel	
Emergency Contact		Tel	
Group H3 Load Sprinklers F/P/I	N 5 yr. Cer	t. /	Haz Mat 🔽
Fire Permits 801031 HAZARDOUS MATERIALS - use, handling o	or storage, 791033 FLAM/CC	MB INSIDE-60 G	SAL, 451021
SPRAYING/DIPPING - flammable/combustible liquid An inspection at the above location/occupany revealed the following	s. (Hot Works Per	rmit need	ed)
An inspection at the above location/occupany revealed the following ASSEMBLY OCCUPANCIES	ELECTRICAL SAFETY P	RE-CAUTIONS	
Post maximum occupancy load sign (CFC 1004.3)	Discontinue use of ex		C 605.5)
Remove combustible decorative material (CFC 807.1.2)	Keep 30" clear for acc	-	-
Remove storage under stairway (CFC 315.2.4)	(CFC 605.3)		
SIGNS	Provide/replace electrical	Cover Socke	et Power Strip
Provide address visible from the street (CFC 505.1)	(CFC 605.1)		
Provide hazardous materials warning signs (CFC 2703.5)	HAZ-MAT SAFETY PRE-	CAUTIONS	
EXITS	Provide approved cab		gal.
Provide/maintain approved panic hardware (CFC 1008.1.10)	flammable liquids (CF	C 3404.3.4.3)	
Remove locks, chains, bolts or bars from exit door (CFC 1008.1.9)	Provide approved safe liquids (CFC 3404.3.1)		flammable
Remove exit obstruction (CFC 1003.6)	CATALOGUE ESTA ANTENIA MARINETA		
Provide/maintain illuminated exit sign(s) (CFC 1011.1)	HAZARDOUS MATERI		
	(HSC CHAPTER 6.95 Section		建国际经济 提供的特别是在1956年
ACCESS	Failure to implement and	和 传说 经济 经规则 医人性部	mit a HMBP
Provide outside Knox Box (CFC 506.1)	www.esubmit.ocgov.com		
Remove obstructions to fire apparatus access (CFC 503.4)	Chemical inventory is inc	complete and/or requi	ires updating
FIRE PROTECTION EQUIPMENT AND SYSTEMS	The Emergency Respon		
Provideextinguishers2A10BC40BCK (CFC 906.1)	does not adequately add Evacuation and/or Emplo		igation,
Service and tag extinguisher(s) (CFC 901.6)	Site Map is incomplete of	r insufficient	ra i
Hang extinguisher(s) 3.5'-5' from floor (CFC 906.9)	Failure to report a chang		nical
Clean filters, ducts , hood above cooking surface (CFC 904.1)	inventory within 30 days		
\mathcal{J} Service auto-extinguishing system semi-annually (CFC 904.11.6.2) \mathcal{V}	AVDA		of a disclosed materia
5 yr certification on sprinkler/standpipe system (Title 19, Sect. 904)	Addition of a prev	iously undisclosed ma	aterial
MISCELLANEOUS & AQM ROSORDS		ss name or owner	
Lower storage 18" below sprinklers or 2' from ceiling (CFC 315.2.	Falure to report a releas		se
	1.0 Serial Control of the Control of	certification	
Secure compressed gas cylinders (CFC 3003.5.3) (NV)	NO VIOLATIONS	MINOR	VIOLATION
Post Business License Fire Department permit (CFC 105.3.5)	Love 126 le	CLASS	I VIOLATION
NO VIOLATIONS . & Spray but L Self shot down	or dional d'Linsei	CLASS	II VIOLATION
ADDITIONAL VIOLATIONS AND/OR NOTES * Acetone to be	stored in approve	a lablet	V
Bottle not secure expenz) , Actylene	, No Permit	for hot u	ort
Business representative signature	· ' '	Date 08 /	07/2013
/ Inspector Name/ID# Areh Bruu	0038	Date 08)	7/2013
- 0 12 1 N2 -	N/ 01 -	2017 Final Not	tice / /
P:\FPD\Forms and Handouts\Forms\Lifesafety & HazMat Program Inspection Form			12 10 1
ALTEN Han WALL W MAIN	7	MERN TO	17. NOOT

BUSINESS EMERGENCY PLAN

Personnel Emergency Notifications and Responsibilities

English to the second	F-12-12-12-12-12-12-12-12-12-12-12-12-12-		C1 .	
Employee	Evacuation	and	Stadina	Areas:

<u>Em</u>	ployee Evacuation and Staging Areas:
1.	The type of alarm signal that will be used to initiate an evacuation at the facility (vocal, paging system, manual alarm, etc.).
	VOCAL.
2.	All employees shall be trained to evacuate the facility through at least one exit. Alternate exit routes shall be designated if available.
3.	Staging areas shall be designated for all employees. Staging areas will be the location that all employees shall report to in the event of an emergency.
	One person shall be designated to account for all personnel at the staging area. That person will be responsible for meeting the incoming Fire units and reporting the conditions known about the incident.
	The Staging area is at the following location as shown on your site plan map:
	D &
Emi	ployee Responsibilities:
At I	east one employee shall be responsible for the following minimum requirements he event of an emergency response by the Fire Department.
1.	Notify employees. Initiate evacuation procedures.
2.	Notify the Garden Grove Fire Department. Dial 911.
3.	Try to identify the nature of the incident.
4.	Report to the staging area and account for evacuated employees.
5.	Report to the incoming fire units.
6.	Activate any emergency mitigation procedures that area available at your business. (List below any mitigation procedures specific to your business, if any.)
	CAM 911

BUSINESS EMERGENCY PLAN

Personnel Emergency Notifications and Responsibilities (Continued)

Training Requirements

State law requires training of employees where the business uses, handles or stores hazardous materials.

Employee training provided on:

- Appointment of person/persons on site who are trained in key role positions.
 Emergency coordinator, evacuation coordinators, staging area supervisors and documenting officers.
- Procedures to follow during a release or threatened release of a hazardous material (evacuation to staging areas).
- Information contained in material safety data sheets.
- Warning labels/placards.
- Safe work practices.
- Use of on-site emergency equipment and supplies.
- · Use and location of personal protective equipment.
- Any chemical, hazardous material or substance that could be encountered in his/her work area.
- On site alarm system for evacuation.
- Discuss possible release of hazardous materials scenario.

Emergency Notifications

A handler of hazardous materials is required to immediately report any release or threatened release of hazardous materials to the Garden Grove Fire Department. Failure to do so may result in criminal and/or civil prosecution.

Required Notifications

In the event of a release or threatened release of hazardous materials, it is State law to notify each of the following agencies.

<u>Phone Numbers</u>
911
(800) 852-7550 or
(916) 427-4341
(800) 424-8802

BUSINESS EMERGENCY PLAN

Personnel Emergency Notifications and Responsibilities (Continued)

<u>Prevention</u>

All materials are stored, used and handled within the guidelines of the Uniform Fire Code, N.F.P.A. standards, California Administrative Code, Titles 19 and 20.

This section is meant to initiate a Prevention Plan at your business and to assist in preventing a release, or threatened release, of a hazardous material. In the spaces provided, place a checkmark by the preventive actions which have been initiated by your business to abate hazards relating to hazardous material handling, use of storage.

Consideration shall include:

1.	Drum s	torage and/or above ground tank storage areas:
	a.	Isolation and separation of incompatible materials.
	b.	Diking areas to contain spills.
	c.	Storage on paved ground.
2.	Compre	ssed and/or cryogenic gas storage areas:
	a.	Cylinder stored upright and secured.
	b.	Isolation and/or separation of incompatible cylinders (oxygen and flammable gases, etc.).
3.	General	:
	a.	Safe work practices are exercised in daily routines.
	b.	Employees who handle hazardous materials are properly trained.
	c.	Material Safety Data Sheets (MSDS) readily available for each hazardous material on the premises.
	d.	Labeling of all materials and storage areas with the product name and hazards associated with the product (drums, piping, tanks, etc.).
	e.	Uniform Fire Code (UFC) requires separation between outside hazardous material storage area or tanks and combustible materials (wood, bush, etc.).
	f.	Posting of "No Smoking" signs where appropriate.

BUSINESS EMERGENCY PLAN

A BUSINESS IS REQUIRED BY LAW TO NOTIFY THE GARDEN GROVE FIRE DEPARTMENT WITHIN 30 DAYS OF ANY OF THE FOLLOWING EVENTS.

- 1. Change of business address.
- 2. Change of business ownership.
- 3. Change of business name.
- 4. Cessation of business operation (quitting business).
- 5. Use or handling of a previously undisclosed hazardous material.
- 6. A 100% increase in the quantity of a previously disclosed hazardous material.

Your business is required by State law (CFC 8001.3.2) to retain a copy of this entire Hazardous Materials Disclosure information, including the Business Plan, chemical inventory, material safety data sheets and site maps, for review by Fire Department personnel. State where your disclosure and Emergency Business Plan will be kept.

IN	THE	OFFICE.	

Show location on site map also using symbol in the legend.

Note: A fee is charged for a replacement copy from the Garden Grove Fire Department.

I certify, under penalty of perjury, that the enclosed information is true and correct to the best of my knowledge.

Signature: //// MEHTA

Title: RYP

Date: 9-2-1/

HAZ BUS DISCL SHORT VER

GARDEN GROVE



FIRE DEPARTMENT

HAZARDOUS MATERIALS DISCLOSURE PROGRAM

REPORTING FORMS PACKET

SHORT VERSION

FOR OFFICIAL USE ONLY							
FACILITY ID NO. 383							
BUSINESS NAME american Tire Depot.							
BUSINESS ADDRESS 13692 Clarkon Blud							
APPROVED BY 6 DATE 6/2011							
NEW BUSINESS YES NO UPDATE							
PICK 4D BUSLIST CALARP: CUPA: GIS							
FEE							






CITY OF GARDEN GROVE FIRE DEPARTMENT

11301 Acacia Parkway, Garden Grove, CA 92842

(714) 741-5600 (714) 741-5636

Hazardous Materials Business Information Form

	Pa	ge of ³
BUSINESS II	NFORMATION	
FACILITY # 3 0 0 3 5 (Supplied by GGFD)	BEGINNING DATE	ENDING DATE 2
BUSINESS NAME MERICAN TIRE	DEPOT "	BUSINESS PHONE 714-628 9401
BUSINESS SITE ADDRESS 13692 HARROR	BLVD	6
CITY GARDEN GROVE	7 STATE 8 CA	zip 92843 9
DUN & BRADSTREET	10 SIC CODE (4 DIGIT #) 11	FIRE DISTRICT 12
ORANGE		13
BUSINESS OPERATOR NAME	14 OPERATOR'S PH	ONE 15
BUSINES	S OWNER	
OWNER NAME ARA TCHAGHZ	ASSIAN 16	OWNER PHONE 67739507
OWNER MAILING ADDRESS 16201 COMMERCE WAY		18
CERRITOS	19 STATE 20	ZIP 9070 } 21
ENVIRONMEN	TAL CONTACT	
CONTACT NAME LEON ASHJI	DX 22	CONTACT PHONE Sh2-677 \$950 ²³
CONTACT MAILING ADDRESS 201 CAMMERCE	WAY	24
CEPTRATUS	25 STATE 26	ZIP 9070> 27
PRIMARY EMERGENC	Y CONTACTS	SECONDARY
NAME 28	NAME	33
TITLE MANAGER 29	TITLE KVP	34
BUSINESS PHONE $7/4$ $6 < 8940/$ 30	BUSINESS PHONE	35
24-HR. PHONE 31	24-HR. PHONE	36
PAGER# 32	PAGER#	37
ADDITIONAL LOCALLY CO	DLLECTED INFORMATION	
	RVICE PHTLET	TOTAL # OF EMPLOYEES 4 39
BILLING ADDRESS (IF DIFFERENT FROM ABOVE)	40	ATTENTION TO SEN 41
PROPERTY OWNER NAME 42 ADDRESS	43	PHONE 44
Certification: Based on my inquiry of those individuals responsible have personally examined and am familiar with the information output	le for obtaining the information, I ce	rtify under penalty of law that I
have personally examined and am familiar with the information submissionature of owner/operator or designated representative	11 1 45	DATE A 46
NAME OF SIGNER (print) NINOO MEHTA 47	NAME OF DOCUMENT PREPARER (print	MIHOO MEHTH49
TITLE OF SIGNER & VP. 48	TITLE OF DOCUMENT PREPARER	NOO MEHTA 50



CUPA

BUSINESS ACTIVITIES

				Page-J of	_	
I. FACILITY		-			×/A	
FACILITY ID# 3 0 0 3 5	1. EPA ID # (Hazardous Waste Only) CALOOO Z ZO 180					
BUSINESS NAME (Same as FACILITY NAME or DBA-Doing Business	s As)				3.	
AMERICAN TIRE	DEPOT					
II. ACTIVIT	TES DECL	ARATION			M	
NOTE: If you check	YES to	anv na	rt of	this list		
please submit the Business						
Does your facility		If Yes, pl	ease	complete these pages of the UPCF	-	
A. HAZARDOUS MATERIALS					_	
Have on site (for any purpose) hazardous materials at or above 55 gallons for liquids, 500 pounds for solids, or 200 cubic feet for compressed gases (include liquids in ASTs and USTs); or the applicable Federal threshold quantity for an extremely hazardous substance specified in 40 CFR Part 355, Appendix A or B; or handle radiological materials in quantities for which an emergency plan is required pursuant to 10 CFR Parts 30, 40 or 70?		□ №	4.	✓ HAZARDOUS MATERIALS INVENTORY - CHEMICAL DESCRIPTION (Form 3)		
B. UNDERGROUND STORAGE TANKS (USTs)		/			_	
Own or operate underground storage tanks?	YES	[]NO	5.	✓ UST FACILITY (Formerty SWRCB Form A)		
2 Intentite warmed a minting and install and 1977.	1	/		✓ UST TANK (one page per tank) (Formerly Form B))	
2. Intent to upgrade existing or install new USTs?	☐ YES	ON	6.	, a controllin		
				✓ UST TANK (one per tank)		
		4		✓ UST INSTALLATION - CERTIFICATE OF		
				COMPLIANCE (one page per tank) (Formerly Form C)		
3. Need to report closing a UST?	YES	□\NO	7.	✓ UST TANK (closure portion-one page per tank)		
C. ABOVE GROUND PETROLEUM STORAGE TANKS (ASTs)		,			_	
Own or operate ASTs above these thresholds:		_/				
 any tank capacity is greater than 660 gallons, or the total aggregate capacity for the entire facility (ASTs, drums and 	YES	[]NO	8.	✓ NO FORM REQUIRED TO CUPAS		
portable containers) greater than 1,320 gallons?				• .		
D. HAZARDOUS WASTE					_	
1. Generate hazardous waste?	TYYES	□ NO	9.	✓ EPA ID NUMBER - provide at the top of this page.	je.	
2. Recycle more than 100 kg/month of excluded or exempted recyclable	YES	□ NO	10.	✓ RECYCLABLE MATERIALS REPORT	,-	
materials (per HSC §25143.2)?				(one per recycler)		
3. Treat hazardous waste on site?	☐ YES	□ No	11.	✓ ONSITE HAZARDOUS WASTE TREATMENT - FACILITY		
				(Formerly DTSC Forms 1772)		
	l		- 1	✓ ONSITE HAZARDOUS WASTE	8	
				TREATMENT - UNIT (one page per unit)		
	i		ı	(Formerly DTSC Forms 1772A,B,C,D and L)		
4. Treatment subject to financial assurance requirements (for Permit by Rule and Condition Authorization)?	YES	[]™Q	12.	✓ CERTIFICATION OF FINANCIAL ASSURANCE (Formerly DTSC Form 1232)		
5. Consolidate hazardous waste generated at a remove site?	YES	ON [13.	✓ REMOTE WASTE/CONSOLIDATION SITE		
-	,			ANNUAL NOTIFICATION (Formerly DTSC	-8	
6 W. M. W.				Form 1196)		
6. Need to report the closure/removal of a tank that was classified waste and cleaned onsite?	☐ YES	MQ	14.	✓ HAZARDOUS WASTE TANK CLOSURE		
E. LOCAL REQUIREMENTS				CERTIFICATION (Formerly DTSC Form 1249)		
				-		
Cal-ARP: California Accidental Release Prevention Program ## SC Chapter 6.95, Article 2, §25531 et seq	☐ YES	NO	15.	✓ REGULATED SUBSTANCE REPORTING FORM (Orange County CUPA)		
Stationary Source with more than a Threshold Quantity of a Regulated Substance in a Process				· ······ (e-singe desirity doi / y		
			1			



HAZARDOUS MATERIALS INVENTORY FORM

FORM 3

_	DEPARTE												
		OO	☐ DELETE	REVISED	1				P	age -	of		2
FACIL	JTY ID# 3 0	0 3	5	38	BUSINESS N	IAME							3
				l. FA	CILITY II	NFORMAT	ION						
CHEN	MICAL LOCATION	\ -											4
												_	
CONF	FIDENTIAL LOCATI	ON	Yes	No 5	MAP#			6	GRID#	J	>2		7
Eron	<u> </u>			II. CH	EMICAL	INFORMA	TION						
CHEM	MICAL NAME	100	-> 01	1		WAS		Yes 8	TRADE SE	CRET	☐ Yes	ZINO	11
		N 26	=D 010			Ì			• If EPC	RA see i	instructions	ES NO	
COM	MON NAME	— V. A. (. C 				lig.		9			Yes	□ No	12
CAS#	•		10 FIRE CODE HA	ZARD CLASSES	for molinel but	CCED)			"If EHS is "	Yes", all	amounts must be	LBS	
LAS	•		10 FIRE CODE HAD	ZARD CLASSES	(supplied by C	3GFD)	=						13
TYPE	(Check one item only)	a. PUR		□ c v	NASTE	14 RADIOA	CTIVE	Yes	☑ No 15	CUR	RIES		16
	ICAL STATE t one item only)	a. SOL	ID 🗓 6. LIQUID	C. GAS	17 FE CA	D HAZĀRD ATEGORIES	a Fif	_	, REACTIVE	_	PRESSURE RE		18
24,111				, 4	72			CUTE HEALTI			CHRONIC HEA	LTH	
AMOL	AGE DAILY	GAL	19 MAXIMUM DAILY AMOUNT	1 GAL		ANNUAL WAS	TE AMOUN	τ	21 STA	TE WAS	TE CODE		22
UNITS	a GALLO	=	b. CUBIC FEET 23 d. TONS	DAYS ON SI	TE 7	65-		24 L/	ARGEST CONT		2 (2)	,	25
		int must be in p			<u> </u>	۷ >				20	O GAR	- '	
	AGE CONTAINER		_	e. PLASTIC D		i. VAT		m cy			☐ q. TANKWA		26
		□ c. T.	ANK INSIDE BLDG	METAL CO		L BAG(S	S)	==	ASS CONTAIN ASTIC CONTAIN		s. TOTE BIN		İ
		∐ds	TEEL DRUM	h. CARBOY	<u> </u>	L BOX(S	S)	□ p. IN	MACH OR EQU	IIP	L OTHER_	-	
SERVE	AGE PRESSURE		a. AMBIENT	b	. ABOVE AMI	BIENT		BELOW AM	BIENT				27
STOR	AGE TEMPERATU	RE	a. AMBIENT	Пь	. ABOVE AMI	BIENT	c	BELOW AM	BIENT	□ d.	CRYOGENIC		28
	%WT	H	AZARDOUS COMP	ONENT (Fo	r mixture o	r waste only,)	,	EHS		C/	\S#	
1	29		·				30	☐ Yes	☐ No	31			32
2	29						30	☐ Yes	□ No	31			32
3	29						30	☐ Yes	□ No	31			32
4	29						30	☐ Yes	□ No	31			32
5	29						30	☐ Yes	□ No	31			32
H more	hazardous compon	ents are presen	t at greater than 1% by weigh					ch additional	sheets of paper	capturin	g the required info	rmation.	
				PLAC	ARDING	INFORMA	TION						
LINE	OOT#					33	Γ	NI	FPA 704 HA	ZARD	DIAMOND		-
CIAL	· · · · · · · · · · · · · · · · · · ·	Refer	to shipping papers	or MSDS					RE (RED)			10	
D.C.	1143455 6	400	-			24	1	HEALT		\checkmark	REACT (YELL.)		- [
וטטו	HAZARD C	_ASS	Refer to shipping p	aners or M ^o		34		(BLUE)	PECIAL	/ /	WHITE	74	1
E00				-upoio or ivit			a		AZARD 🖈	_	OX/W	27	İ
EPC	RA □ YES	□ NO				35							ŀ
	х						MAI	KE AS M	ANY COP	IES O	F CHEMICA	AL	
		If El	PCRA, Please Sign	Here		36		INVENT	ORY FOR	M AS	NEEDED		

THE FOLLOWING FORMS ARE FOR USE IN THE EVENT OF AN ACTUAL OR THREATENING HAZARDOUS MATERIALS EMERGENCY.

BUSINESS EMERGENCY PLAN

All businesses using, handling or storing hazardous materials that are required to disclose must complete a Business Emergency Plan. The occupancy groups listed below will be permitted to complete a short version of the business plan. The completion of the short form shall be considered the application required in the Health and Safety Code, Title 20, Chapter 6.95, Section 25503.5.

The Chief of the Garden Grove Fire Department in the role of the Administering Agency, allows the following types of businesses to file the short version of the Business Emergency Plan.

- 1. Gasoline/Diesel service stations. S-3 occupancies
- 2. Repair Garages. H-4 occupancies
- 3. Dry Cleaners
- 4. Businesses, at the Fire Chief's discretion, with less than 10 employees and using materials that are not considered highly or acutely toxic.

The Fire Chief exempts the following portions from the business plan. These exemptions have been established because the materials used in the above-mentioned occupancies are common knowledge to first responding units. The materials pose no significant, unexpected hazard nor do they affect the ability of the administering agency to effectively respond to their release of a hazardous material and that there are unusual circumstances justifying this exemption.

Exemptions

- 1. Detailed evacuation plans.
- 2. Detailed key employee responsibilities.
- 3. Training outline.
- 4. Detailed prevention outline.

The following Short Business Emergency Plan must be completed in order for the exemption to be granted.